



Adaptable


Caterpillar

Dientes Pasador Lateral

**Referencia en negrita
producto disponible**


Otras referencias
consúltenos

Ton.			
6,500-10,000	20-25 mm.	416, 426, 428, 910, 916, 920, 926, 933	20 22
10,000-20,000	25-32 mm.	936, 943, 950, 953, 963	25
20,000-23,000	32-40 mm.	966, 973, 977	30
25,000-63,500	38-50 mm.	980, 983, 988	35 40 46
63,500-90,000	50-64 mm.	992	55
90,000-125,000	64-75 mm.	375	60
125,000-170,000	64-120 mm.	994	70
> 170,000	> 120 mm.	994	80





Largo	SYL	RP	P	TL	WTL	WT	RC	Portadiente	
FC200 L 1U-3202	FC200 SYL 1U-3202 SYL	-	-	FC200 TL 1U-3202 TL	FC200 WTL	-	-	-	20
FC220 L 6Y-3222	-	-	-	-	-	-	-	-	22
FC250 L 1U-3252	FC250 SYL 1U-3252 SYL	FC250 RP 4T-2253 RP	FC250 P 9J-4259	FC250 TL 1U-3252 TL	FC250 WTL	-	-	-	25
FC300 L 1U-3302	FC300 SYL 1U-3302 SYL	FC300 RP 4T-2303 RP	FC300 P 9J-4309	FC300 TL 1U-3302 TL	FC300 WTL	-	FC300 RC 1U-3302 RC	-	30
FC350 L 1U-3352	FC350 SYL 1U-3352 SYL	FC350 RP 4T-2353 RP	FC350 P 9J-4359	FC350 TL 1U-3352 TL	FC350 WTL	FC350 WT	FC350 RC 1U-3352 RC	-	35
FC400 L 7T-3402	FC400 SYL -	FC400 RP 4T-3403 RP	FC400 P 6Y-7409	FC400 TL 7T-3402 TL	FC400 WTL	-	FC400 RC -	-	40
FC450 L 9W-8452	FC450 SYL 9W-8452 SYL	FC450 RP 9W-1453 RP	FC450 P 9W-8459	FC450 TL 1U-3452 TL	FC450 WTL	-	FC450 RC 1U-3452 RC	-	46
FC550 L 9W-8552	FC550 SYL 9W-8552 SYL	FC550 RP -	FC550 P 9W-8559	FC550 TL 1U-3552 TL	FC550 WTL	-	FC550 RC 1U-3552 RC	-	55
FC600 L 6I-6602	FC600 SYL -	FC600 RP 6I-6603 RP	FC600 P 7I-7609	FC600 TL 6I-6602 TL	FC600 WTL	-	FC600 RC 6I-6602 RC	-	60
-	-	FC700 RP 4T-4703 RP	FC700 P 4T-4709	FC700 TL 4T-4702 TL	FC700 WTL	-	FC700 RC -	FC700-90 R FC700-90 R RH FC700-90 R LH	70
-	-	FC800 RP	-	-	-	-	-	FC800 S	80
Pag. 1.1.2	Pag. 1.1.2	Pag. 1.1.3	Pag. 1.1.3	Pag. 1.1.4	Pag. 1.1.4	Pag. 1.1.5	Pag. 1.1.5	Pag. 1.1.6	

Diente Largo L




mm.													
A	B	C	KG										
64 2,52"	71 2,80"	155 6,10"	1,55 3,42	FC200 L 1U-3202	8E-6208 1U-4208	8E-6209 4T-0001	4T-1204	8J-7525	-	-	9J-4207 8E-2184	-	20
75 2,95"	82 3,23"	170 6,69"	2,14 4,72	FC220 L 6Y-3222	6Y-3228	8E-6259 3G-9609	-	-	-	6Y-3224	-	-	22
80 3,15"	94 3,70"	205 8,07"	3,24 7,14	FC250 L 1U-3252	8E-6258 9J-2258	8E-6259 3G-9609	1U-1254	3G-0169	-	6Y-3254	1U-0257	-	25
97 3,82"	107 4,21"	221 8,70"	4,31 9,50	FC300 L 1U-3302	107-3308 9J-2308	8E-6259 3G-9609	1U-1304	9J-8929	-	3G-6304 /05/06 8E-9490 /95/96	4T-4307 1U-0307 3G-9307	3G-5307	30
110 4,33"	121 4,76"	251 9,88"	6,65 14,66	FC350 L 1U-3352	8E-6358 9J-2358	8E-6359 3G-9549	1U-1354	1U-1350	135-9354 /55/56 113-0354 /55/56	6I-6354 /55/56	3G-3357 1U-1357	3G-1357 3G-2357	35
120 4,72"	131 5,16"	272 10,71"	8,60 18,96	FC400 L 9W-8452	7T-3408	8E-8409	-	-	125-8404 /05/06	6I-6404 /05/06	6I-9898	-	40
140 5,51"	140 5,51"	304 11,97"	13,00 28,66	FC450 L 9W-8452	8E-0468	8E-8469	8E-0464	-	114-0464 /65/66	6I-6464 /65/66 6I-6465 RH/66 LH	8E-2467	-	46
161 6,34"	161 6,34"	350 13,78"	20,15 44,42	FC550 L 9W-8552	6Y-8558 1U-1558	8E-5559 3G-9559	7J-9554	-	107-3554 /55/56	6I-6554 /55/56 6I-6555 RH/56 LH	-	-	55
181 7,13"	198 7,80"	412 16,22"	29,87 65,85	FC600 L 6I-6602	6I-6608	6I-6609	-	-	119-8604/05/06	6I-6604 /05/06 6I-6605 RH/06 LH	-	-	60

Diente SYL




mm.													
A	B	C	KG										
67 2,64"	70 2,76"	155 6,10"	1,95 4,30	FC200 SYL	8E-6208 1U-4208	8E-6209 4T-0001	4T-1204	8J-7525	-	-	9J-4207 8E-2184	-	20
82 3,23"	103,5 4,07"	210 8,27"	4,10 9,04	FC250 SYL 1U-3252 SYL	8E-6258 9J-2258	8E-6259 3G-9609	1U-1254	3G-0169	-	6Y-3254	1U-0257	-	25
95 3,74"	110 4,33"	240 9,45"	5,80 12,79	FC300 SYL 1U-3302 SYL	107-3308 9J-2308	8E-6259 3G-9609	1U-1304	9J-8929	-	3G-6304 /05/06 8E-9490 /95/96	4T-4307 1U-0307 3G-9307	3G-5307	30
104 4,09"	120 4,72"	265 10,43"	8,10 17,86	FC350 SYL 1U-3352 SYL	8E-6358 9J-2358	8E-6359 3G-9549	1U-1354	1U-1350	135-9354 /55/56 113-0354 /55/56	6I-6354 /55/56	3G-3357 1U-1357	3G-1357 3G-2357	35
132,5 5,22"	139,5 5,49"	307 12,09"	15,35 33,84	FC400 SYL	7T-3408	8E-8409	-	-	125-8404 /05/06	6I-6404 /05/06	6I-9898	-	40
139 5,47"	146,5 5,77"	322 12,68"	17,00 37,48	FC450 SYL 9W-8452 SYL	8E-0468	8E-8469	8E-0464	-	114-0464 /65/66	6I-6464 /65/66 6I-6465 RH/66 LH	8E-2467	-	46
163,5 6,44"	167 6,57"	368 14,49"	26,05 57,43	FC550 SYL 9W-8552 SYL	6Y-8558 1U-1558	8E-5559 3G-9559	7J-9554	-	107-3554 /55/56	6I-6554 /55/56 6I-6555 RH/56 LH	-	-	55
192 7,56"	195 7,68"	423 16,65"	40,00 88,18	FC600 SYL	6I-6608	6I-6609	-	-	119-8604/05/06	6I-6604 /05/06 6I-6605 RH/06 LH	-	-	60

Diente RP




mm.													
A	B	C	KG										
90 3,54"	99 3,90"	236 9,29"	6,10 13,45	FC250 RP 4T-2253 RP	8E-6258 9J-2258	8E-6259 3G-9609	1U-1254	3G-0169	-	6Y-3254	1U-0257	-	25
95 3,74"	114 4,49"	272 10,71"	8,40 18,52	FC300 RP 4T-2303 RP	107-3308 9J-2308	8E-6259 3G-9609	1U-1304	9J-8929	-	3G-6304 /05/06 8E-9490 /95/96	4T-4307 1U-0307 3G-9307	3G-5307	30
111 4,37"	122 4,80"	296 11,65"	11,40 25,13	FC350 RP 4T-2353 RP	8E-6358 9J-2358	8E-6359 3G-9549	1U-1354	1U-1350	135-9354 /55/56 113-0354 /55/56	6I-6354 /55/56	3G-3357 1U-1357	3G-1357 3G-2357	35
125 4,92"	136 5,35"	326 12,83"	16,10 35,49	FC400 RP 4T-3403 RP	7T-3408	8E-8409	-	-	125-8404 /05/06	6I-6404 /05/06	6I-9898	-	40
139,5 5,49"	153 6,02"	366 14,41"	23,60 52,03	FC450 RP 9W-1453 RP	8E-0468	8E-8469	8E-0464	-	114-0464 /65/66	6I-6464 /65/66 6I-6465 RH/66 LH	8E-2467	-	46
160 6,30"	160 6,30"	382 15,04"	28,50 62,83	FC550 RP -	6Y-8558 1U-1558	8E-5559 3G-9559	7J-9554	-	107-3554 /55/56	6I-6554 /55/56 6I-6555 RH/56 LH	-	-	55
205 8,07"	190 7,48"	454 17,87"	50,40 111,11	FC600 RP 6I-6603 RP	6I-6608	6I-6609	-	-	119-8604/05/06	6I-6604 /05/06 6I-6605 RH/06 LH	-	-	60
216 8,50"	209 8,23"	499 19,65"	61,02 134,52	FC700 RP 4T-4703 RP	4T-4708	4T-4707	-	-	133-0704 /05/06 100-7416 /RH/LH	-	-	-	70
248 9,76"	240 9,45"	574 22,60"	95,62 210,80	FC800 RP -	134-1808	134-1809	-	-	6I-8804	-	-	-	80

Diente P





mm.													
A	B	C	KG										
81 3,19"	26 1,02"	205 8,07"	2,88 6,35	FC250 P 9J-4259	8E-6258 9J-2258	8E-6259 3G-9609	1U-1254	3G-0169	-	6Y-3254	1U-0257	-	25
93 3,66"	109 4,29"	230 9,06"	4,20 9,26	FC300 P 9J-4309	107-3308 9J-2308	8E-6259 3G-9609	1U-1304	9J-8929	-	3G-6304 /05/06 8E-9490 /95/96	4T-4307 1U-0307 3G-9307	3G-5307	30
104 4,09"	122 4,80"	256 10,08"	6,00 13,23	FC350 P 9J-4359	8E-6358 9J-2358	8E-6359 3G-9549	1U-1354	1U-1350	135-9354 /55/56 113-0354 /55/56	6I-6354 /55/56	3G-3357 1U-1357	3G-1357 3G-2357	35
120 4,72"	137 5,39"	289 11,38"	9,10 20,06	FC400 P 6Y-7409	7T-3408	8E-8409	-	-	125-8404 /05/06	6I-6404 /05/06	6I-9898	-	40
134 5,28"	149 5,87"	315 12,40"	13,00 28,66	FC450 P 9W-8459	8E-0468	8E-8469	8E-0464	-	114-0464 /65/66	6I-6464 /65/66 6I-6465 RH/66 LH	8E-2467	-	46
159 6,26"	164 6,46"	345 13,58"	18,80 41,45	FC550 P 9W-8559	6Y-8558 1U-1558	8E-5559 3G-9559	7J-9554	-	107-3554 /55/56	6I-6554 /55/56 6I-6555 RH/56 LH	-	-	55
191 7,52"	186 7,32"	393 15,47"	28,40 62,61	FC600 P 7I-7609	6I-6608	6I-6609	-	-	119-8604/05/06	6I-6604 /05/06 6I-6605 RH/06 LH	-	-	60
208 8,19"	203 7,99"	428 16,85"	38,20 84,22	FC700 P 4T-4709	4T-4708	4T-4707	-	-	133-0704 /05/06 100-7416 /RH/LH	-	-	-	70

Diente TL





mm.													
A	B	C											
61 2,40"	70 2,76"	165 6,50"	1,30 2,87	FC200 TL 1U-3202 TL	8E-6208 1U-4208	8E-6209 4T-0001	4T-1204	8J-7525	-	-	9J-4207 8E-2184	-	20
81 3,19"	93 3,66"	220 8,66"	3,00 6,61	FC250 TL 1U-3252 TL	8E-6258 9J-2258	8E-6259 3G-9609	1U-1254	3G-0169	-	6Y-3254	1U-0257	-	25
92 3,62"	105 4,13"	248 9,76"	3,60 7,94	FC300 TL 1U-3302 TL	107-3308 9J-2308	8E-6259 3G-9609	1U-1304	9J-8929	-	3G-6304 /05/06 8E-9490 /95/96	4T-4307 1U-0307 3G-9307	3G-5307	30
105 4,13"	121 4,76"	285 11,22"	6,00 13,23	FC350 TL 1U-3352 TL	8E-6358 9J-2358	8E-6359 3G-9549	1U-1354	1U-1350	135-9354 /55/56 113-0354 /55/56	6I-6354 /55/56	3G-3357 1U-1357	3G-1357 3G-2357	35
123 4,84"	141 5,55"	333 13,11"	10,30 22,71	FC400 TL 7T-3402 TL	7T-3408	8E-8409	-	-	125-8404 /05/06	6I-6404 /05/06	6I-9898	-	40
132 5,20"	151 5,94"	356 14,02"	12,10 26,68	FC450 TL 1U-3452 TL	8E-0468	8E-8469	8E-0464	-	114-0464 /65/66	6I-6464 /65/66 6I-6465 RH/66 LH	8E-2467	-	46
156 6,14"	164 6,46"	390 15,35"	17,50 38,58	FC550 TL 1U-3552 TL	6Y-8558 1U-1558	8E-5559 3G-9559	7J-9554	-	107-3554 /55/56	6I-6554 /55/56 6I-6555 RH/56 LH	-	-	55
186 7,32"	195 7,68"	463 18,23"	27,80 61,29	FC600 TL 6I-6602 TL	6I-6608	6I-6609	-	-	119-8604/05/06	6I-6604 /05/06 6I-6605 RH/06 LH	-	-	60
206 8,11"	216 8,50"	511 20,12"	41,10 90,61	FC700 TL 4T-4702 TL	4T-4708	4T4707	-	-	133-0704 /05/06 100-7416 /RH/LH	-	-	-	70

Diente WTL





mm.													
A	B	C											
61 2,40"	70 2,76"	165 6,50"	1,51 3,33	FC200 WTL	8E-6208 1U-4208	8E-6209 4T-0001	4T-1204	8J-7525	-	-	9J-4207 8E-2184	-	20
82 3,23"	94 3,70"	220 8,66"	3,52 7,76	FC250 WTL	8E-6258 9J-2258	8E-6259 3G-9609	1U-1254	3G-0169	-	6Y-3254	1U-0257	-	25
92 3,62"	106 4,17"	249 9,80"	4,73 10,43	FC300 WTL	107-3308 9J-2308	8E-6259 3G-9609	1U-1304	9J-8929	-	3G-6304 /05/06 8E-9490 /95/96	4T-4307 1U-0307 3G-9307	3G-5307	30
105 4,13"	120 4,72"	284 11,18"	7,56 16,67	FC350 WTL	8E-6358 9J-2358	8E-6359 3G-9549	1U-1354	1U-1350	135-9354 /55/56 113-0354 /55/56	6I-6354 /55/56	3G-3357 1U-1357	3G-1357 3G-2357	35
124 4,88"	142 5,59"	335 13,19"	13,20 29,10	FC400 WTL	7T-3408	8E-8409	-	-	125-8404 /05/06	6I-6404 /05/06	6I-9898	-	40
132 5,20"	151 5,94"	355 13,98"	15,10 33,29	FC450 WTL	8E-0468	8E-8469	8E-0464	-	114-0464 /65/66	6I-6464 /65/66 6I-6465 RH/66 LH	8E-2467	-	46
155 6,10"	164 6,46"	388 15,28"	20,78 45,81	FC550 WTL	6Y-8558 1U-1558	8E-5559 3G-9559	7J-9554	-	107-3554 /55/56	6I-6554 /55/56 6I-6555 RH/56 LH	-	-	55
185 7,28"	195 7,68"	462 18,19"	35,09 77,36	FC600 WTL	6I-6608	6I-6609	-	-	119-8604/05/06	6I-6604 /05/06 6I-6605 RH/06 LH	-	-	60
204 8,03"	216 8,50"	510 20,08"	50,30 110,89	FC700 WTL	4T-4708	4T4707	-	-	133-0704 /05/06 100-7416 /RH/LH	-	-	-	70

Diente WT




mm.													
A	B	C	KG										
114	121	271	8,34	FC350 WT	8E-6358	8E-6359	1U-1354	1U-1350	135-9354 /55/56	6I-6354 /55/56	3G-3357	3G-1357	35
4,49"	4,76"	10,67"	18,39		9J-2358	3G-9549			113-0354 /55/56		1U-1357	3G-2357	

Diente Rock Chisel RC




mm.													
A	B	C	KG										
93	108	248	5,90	FC300 RC	107-3308	8E-6259	1U-1304	9J-8929	-	3G-6304 /05/06	4T-4307	3G-5307	30
3,66"	4,25"	9,76"	13,01		1U-3302 RC	9J-2308				8E-9490 /95/96	1U-0307	3G-9307	
104	122	281	8,80	FC350 RC	8E-6358	8E-6359	1U-1354	1U-1350	135-9354 /55/56	6I-6354 /55/56	3G-3357	3G-1357	35
4,09"	4,80"	11,06"	19,40		1U-3352 RC	9J-2358			113-0354 /55/56		1U-1357	3G-2357	
115	134	309	11,60	FC400 RC	7T-3408	8E-8409	-	-	125-8404 /05/06	6I-6404 /05/06	6I-9898	-	40
4,53"	5,28"	12,17"	25,57		7T-3402 RC								
140	143	330	17,30	FC450 RC	8E-0468	8E-8469	8E-0464	-	114-0464 /65/66	6I-6464 /65/66	8E-2467	-	46
5,51"	5,63"	12,99"	38,14		1U-3452 RC					6I-6465 RH/66 LH			
170	168	384	30,30	FC550 RC	6Y-8558	8E-5559	7J-9554	-	107-3554 /55/56	6I-6554 /55/56	-	-	55
6,69"	6,61"	15,12"	66,80		1U-1558	3G-9559				6I-6555 RH/56 LH			
204	201	463	52,70	FC600 RC	6I-6608	6I-6609	-	-	119-8604 /05/06	6I-6604 /05/06	-	-	60
8,03"	7,91"	18,23"	116,18		6I-6602 RC					6I-6605 RH/06 LH			
212	209	481	56,50	FC700 RC	4T-4708	4T4707	-	-	133-0704 /05/06	-	-	-	70
8,35"	8,23"	18,94"	124,56						100-7416 /RH/LH				

Portadiente para Excavadora




mm.																	
A	B	C	D	E	F	G	H				Cen	Der	Izq	Der	Izq		
384	424	627	94		136	212	247		79,00	FC700-90 R	●	-	-	-	-	70	
846,56	934,74	1382,28	207,23		299,82	467,37	544,53		174,16								
384	424	627	94	31°	136	212	246	90	80,00	FC700-90 R RH	-	-	-	●	-		
846,56	934,74	1382,28	207,23		299,82	467,37	542,33	198,41	176,37								
384	424	628	94		136	213	249		80,00	FC700-90 R LH	-	-	-	-	●	80	
846,56	934,74	1384,48	207,23		299,82	469,58	548,94		176,37								
519	360	699	105	23°	148	240	265	100	107,00	FC800 S	●						
1144,18	793,65	1541,01	231,48		326,28	529,10	584,22	220,46	235,89								

Pasadores y Arandelas



mm.					
A	B	C			
11 0,43"	61 2,40"	22 0,87"	8E-6208 1U-4208	8E-6209 4T-0001	20 J200
14 0,55"	69 2,72"	30 1,18"	6Y-3228	8E-6259 3G-9609	22 J225
14 0,55"	78 3,07"	30 1,18"	8E-6258 9J-2258	8E-6259 3G-9609	25 J250
14 0,55"	92 3,62"	30 1,18"	107-3308 9J-2308	8E-6259 3G-9609	30 J300
19 0,75"	108 4,25"	40 1,57"	8E-6358 9J-2358	8E-6359 3G-9549	35 J350
22 0,87"	119 4,69"	42 1,65"	7T-3408	8E-8409	40 J400
19 0,75"	135 5,31"	40 1,57"	9W-8296 4T-1458	8E-6359 3G-9549	45 J450
24 0,94"	141 5,55"	44 1,73"	8E-0468	8E-8469	46 J460
25 0,98"	162 6,38"	53 2,09"	6Y-8558 1U-1558	8E-5559 3G-9559	55 J550
30 1,18"	195 7,68"	59 2,32"	6I-6608	6I-6609	60 J600
32 1,26"	200 7,87"	70 2,76"	4T-4708	4T-4707	70 J700
-	-	-	102-0101	101-2874	80 J800

Pasadores y Arandelas HD



mm.						
A	B	C				
14 0,55"	69 2,72"	30 1,18"	132-4762	-	133-0699	22 J225
14 0,55"	78 3,07"	30 1,18"	132-4763	-	133-0699	25 J250
14 0,55"	92 3,62"	30 1,18"	132-4766	-	133-0699	30 J300
19 0,75"	108 4,25"	40 1,57"	-	114-0358	114-0359	35 J350
22 0,87"	119 4,69"	42 1,65"	-	116-7408	116-7409	40 J400
24 0,94"	135 5,31"	44 1,73"	-	114-0468	107-3469	46 J460
25 0,98"	162 6,38"	53 2,09"	-	107-3378	107-8559	55 J550
30 1,18"	195 7,68"	59 2,32"	-	113-9608	113-9609	60 J600
32 1,26"	200 7,87"	70 2,76"	-	4T-4708	113-4709	70 J700
35 1,38"	240 9,45"	70 2,76"	-	134-1808	134-1809	80 J800

