





## 1.- FIJACION HORIZONTAL / SIDE PIN


### A.- PUNTAS / TIPS




CORTA / SHORT		O.E.M.	ETE	A	B	C	D	KG
	25	1U-3251	<b>1944</b>	70	85	165	66	2,3
	30	1U-3301	<b>1918</b>	88	95	190	77	3,6
	35	1U-3351	<b>1913</b>	97	105	201	93	5,3
	46	9W-8451	<b>1924</b>	132	125	250	120	10,1
	55	9W-8551	<b>1950</b>	162	138	281	153	17,7


CORTA NERVIOS CENTRAL / SHORT CENTRAL NERVE		O.E.M.	ETE	A	B	C	D	KG
	30	1U-3301	<b>1703</b>	88	99	190	76	4,0
	35	1U-3351	<b>1709</b>	95	106	205	90	6,3


LARGA / LONG		O.E.M.	ETE	A	B	C	D	KG
	20	1U-3202	<b>1910</b>	57	64	145	52	1,4
	22	6Y-3222	<b>1640</b>	66	80	168	57	2,3
	25	1U-3252	<b>1909</b>	70	85	190	66	3,0
	30	1U-3302	<b>1903</b>	88	95	215	77	4,3
	35	1U-3352	<b>1908</b>	97	105	240	92	6,4
	40	7T-3402	<b>1949</b>	118	126	268	107	9,1
	46	9W-8452	<b>1935</b>	125	128	285	115	12,0
		-	<b>464-P</b>	100	108	108	124	54,0
	55	9W-8552	<b>1927</b>	155	138	328	139	14,5
	60	6I-6602	<b>1637</b>	196	183	386	164	32,1


LARGA NERVIOS CENTRAL / LONG CENTRAL NERVE		O.E.M.	ETE	A	B	C	D	KG
	25	1U-3252	<b>1712</b>	75	85	190	66	2,9
	30	1U-3302	<b>1704</b>	88	99	215	76	4,0
	35	1U-3352	<b>1710</b>	96	105	240	84	5,6
	46	9W-8452	<b>1707</b>	130	130	285	115	10,5
	55	9W-8552	<b>1713</b>	152	145	340	139	17,1
	60	6I-6602	<b>1375</b>	195	200	400	85	30,7


ABRASION		O.E.M.	ETE	A	B	C	D	KG
	25	4T-2253	<b>1941</b>	88	77	190	80	3,3
	30	4T-2303	<b>1943</b>	95	83	200	92	4,2
	35	4T-2353	<b>1934</b>	105	96	240	107	7,5
	46	9W-1453	<b>1936</b>	133	132	290	140	15,0
	55	9W-1553	<b>1313</b>	154	162	335	175	25,7
	70	4T-4703	<b>1955</b>	207	200	412	225	49,6


ABRASION NERVIO CENTRAL / ABRASION CENTRAL NERVE		O.E.M.	ETE	A	B	C	D	KG
	30	4T-2303 	<b>1721</b>	92	101	234	55	4,8
	35	4T-2353 	<b>1722</b>	115	112	280	65	7,9
	40	7T-3403 	<b>1723</b>	130	127	310	76	11,5
	46	9W-1453 	<b>1724</b>	145	142	350	85	16,6
	55	9W-1553 	<b>1725</b>	175	168	410	107	29,0


ABRASION SERVICIO PESADO / ABRASION HEAVY DUTY		O.E.M.	ETE	A	B	C	D	KG
	25	9N-4253	<b>1345</b>	77	95	203	90	5,3
	30	9N-4303	<b>1346</b>	92	106	230	108	7,1
	35	9N-4353	<b>1347</b>	107	120	260	127	10,3
	46	9N-4453	<b>1348</b>	130	130	310	170	21,8
	55	6Y-2553	<b>1341</b>	152	145	350	194	31,4


SIMETRICA / SYMMETRIC (SYL)		O.E.M.	ETE	A	B	C	D	KG
	25	1U-3252-SYL	<b>1671</b>	74	92	217	81	3,5
	30	1U-3302-SYL	<b>1672</b>	93	105	235	86	5,0
	35	1U-3352-SYL	<b>1673</b>	99	117	272	102	7,4
	40	8E-3402-SYL	<b>1674</b>	126	136	310	112	13,9
	46	9W-8452-SYL	<b>1675</b>	133	150	330	127	16,8

PENETRACION / PENETRATION		O.E.M.	ETE	A	B	C	D	KG
	30	9J-4309	<b>1937</b>	88	95	215	40	3,3
	35	9J-4359	<b>1930</b>	95	105	240	46	5,3
	40	6Y-7409	<b>1971</b>	118	126	265	110	8,8
	46	9W-8459	<b>1940</b>	125	125	295	55	9,0
	55	9W-8559	<b>1939</b>	152	145	335	70	14,9
	60	7I-7609	<b>1952</b>	195	200	400	155	27,8
	70	4T-4709	<b>1972</b>	195	208	457	90	38,0
	80	117-6809	<b>1682</b>	235	240	470	100	54,0

LARGA SEVICIO PESADO / LONG HEAVY DUTY		O.E.M.	ETE	A	B	C	D	KG
	25	9N-4252	<b>1339</b>	76	95	200	65	4,0
	30	9N-4302	<b>1340</b>	90	105	220	70	6,0
	35	9N-4352	<b>1342</b>	105	120	255	88	9,4
	46	9N-4452	<b>1343</b>	140	145	317	110	16,5
	55	9N-4552	<b>1344</b>	160	165	360	145	24,1
	60	7I-0602	<b>1349</b>	195	200	415	165	41,1
	70	9U-9702	<b>1680</b>	197	208	438	175	53,5
	80	6I-8802	<b>1681</b>	220	227	501	94	71,5


EN PUNTA / TIGGER (VIP)		O.E.M.	ETE	A	B	C	D	KG
	20	1U-3202-T	<b>1626</b>	57	61	167	R,2	1,2
	25	1U-3252-T	<b>1625</b>	73	84	204	R,2	2,6
	30	1U-3302-T	<b>1335</b>	83	95	250	R,2	4,2
	35	1U-3352-T	<b>1336</b>	95	105	278	R,3	5,9
	40	7T-3402-T	<b>1641</b>	118	132	322	R,3	10,2
	46	1U-3452-T	<b>1337</b>	130	125	330	R,4	10,4
	55	1U-3552-T	<b>1338</b>	152	145	393	R,5	18,5
	60	6I-6602-T	<b>1638</b>	197	182	467	R,6	32,8

DOBLE VECTOR / WVIP		O.E.M.	ETE	A	B	C	D	KG
	20	1U-3202-WT	<b>1623</b>	61	57	167	76	1,3
	25	1U-3252-WT	<b>1627</b>	85	74	204	85	3,4
	30	1U-3302-WT	<b>1629</b>	106	87	246	101	4,6
	35	1U-3352-WT	<b>1624</b>	108	120	270	120	7,7
	40	7T-3402-WT	<b>1642</b>	132	141	316	141	11,4
	46	1U-3452-WT	<b>1633</b>	126	130	302	144	11,3
	55	1U-3552-WT	<b>1634</b>	137	153	337	168	16,0
	60	6I-6602-WT	<b>1639</b>	186	200	467	231	36,7


ANCHA / WIDE		O.E.M.	ETE	A	B	C	D	KG
	35	8J-3350	<b>1323</b>	95	105	240	180	6,6
	46	8J-1450	<b>1324</b>	130	130	285	230	13,6


• TALLA DE DIENTE / SIZE TOOTH


TALLA/SIZE	A	B	C
<b>200</b>	62	40	47
<b>225</b>	71	48	60
<b>250</b>	80	53	68
<b>300</b>	89	66	77
<b>350</b>	102	75	83
<b>400</b>	113	88	93
<b>460</b>	121	98	98
<b>500</b>	142	119	109
<b>600</b>	170	143	130
<b>700</b>	180	155	155
<b>800</b>	195	171	170



**SERIE ETE-2000 HIGH QUALITY COMPOSITION HB>500**

SYL <b>ETE-2000</b>		O.E.M.	ETE	A	B	C	D	KG
	20	1U-3202-SYL	<b>2020-EX</b>	-	-	-	-	-
	25	1U-3252-SYL	<b>2025-EX</b>	81	95	215	40	3,4
	30	1U-3302-SYL	<b>2030-EX</b>	91	107	235	43	4,5
	35	1U-3352-SYL	<b>2035-EX</b>	104	115	270	49	6,2
	40	8E-3402-SYL	<b>2040-EX</b>	125	126	300	66	10,4
	46	9W-8452-SYL	<b>2045-EX</b>	144	142	325	72	13,8
	55	9W-8552-SYL	<b>2055-EX</b>	162	151	368	67	19,6
	60	6I-6602-SYL	<b>2060-EX</b>	200	192	422	98	35,6
	70	4T-4702-SYL 	<b>2070-EX</b>	207	204	480	100	38,7

LARGA NERVIO CENTRAL / LONG CENTRAL NERVE <b>ETE-2000</b>		O.E.M.	ETE	A	B	C	D	KG
	20	1U-3202	<b>2020-SL</b>	61	65	165	17	1,4
	25	1U-3252	<b>2025-SL</b>	81	95	215	29	3,7
	30	1U-3302	<b>2030-SL</b>	95	103	236	33	5,0
	35	1U-3352	<b>2035-SL</b>	110	113	270	39	7,1
	40	7T-3402	<b>2040-SL</b>	125	126	300	49	8,5
	46	9W-8452	<b>2045-SL</b>	136	139	325	54	14,5
	55	9W-8552	<b>2055-SL</b>	163	147	365	66	20,1
	60	6I-6602	<b>2060-SL</b>	200	192	422	36	35,3

VIP <b>ETE-2000</b>		O.E.M.	ETE	A	B	C	D	KG
	30	1U-3302-T	<b>2030-P</b>	98	97	236	R,7	3,5
	35	1U-3352-T	<b>2035-P</b>	112	111	270	R,8	5,1
	46	1U-3452-T	<b>2045-P</b>	134	133	323	R,10	11,8
	55	1U-3552-T	<b>2055-P</b>	154	153	369	R,12	17,5
	60	1U-3602-T	<b>2060-P</b>	200	192	428	R,12	31,5


**SERIE ETE-2000 HIGH QUALITY COMPOSITION HB>500**

LARGA ABRASION / LONG ABRASION <b>ETE-2000</b>		O.E.M.	ETE	A	B	C	D	KG	
	<b>new</b>	30	1U-3302-RL	<b>2030-RL</b>	92	103	254	40	5,8
		35	1U-3352-RL	<b>2035-RL</b>	111	118	304	45	9,9
		40	7T-3402-RL	<b>2040-RL</b>	124	130	332	56	14,0
		46	9W-8452-RL	<b>2045-RL</b>	138	145	369	62	19,6
		55	9W-8552-RL	<b>2055-RL</b>	175	166	422	85	34,4

ABRASION SERVICIO PESADO / ABRASION HEAVY DUTY <b>ETE-2000</b>		O.E.M.	ETE	A	B	C	D	KG	
	<b>new</b>	30	1U-3302-RH	<b>2030-RH</b>	89	101	235	70	5,8
		35	1U-3352-RH	<b>2035-RH</b>	110	114	272	80	9,8
		40	7T-3402-RH	<b>2040-RH</b>	124	128	302	95	14,2
		46	9W-8452-RH	<b>2045-RH</b>	137	142	335	105	19,8
		55	9W-8552-RH	<b>2055-RH</b>	178	169	399	139	38,3

• TALLA DE DIENTE / SIZE TOOTH

TALLA/SIZE	A	B	C
200	62	40	47
225	71	48	60
250	80	53	68
300	89	66	77
350	102	75	83
400	113	88	93
460	121	98	98
500	142	119	109
600	170	143	130
700	180	155	155
800	195	171	170



## B.- ADAPTADORES / ADAPTERS

- A RAS / FLUSH MOUNTED










	FIG	O.E.M.	ETE	A	B	e°			KG
20	1	4T-1204	<b>5928</b>	10	142	22°	13-25	416, 426, 428, IT12, 910, 931, 935	2,1
25	1	8J-4254	<b>5908</b>	11	206	21°	19-32	IT18, IT28, 916, 920, 926, 930, 936, 941, 943, 951, 953	5,3
		1U-1254	<b>5311</b> 	25	240	25°	25-30	IT18, IT28, 916, 920, 926, 930, 936, 941, 943, 951, 953	5,7
30	1	1U-1304	<b>5907</b>	30	235	25°	25-35	944, 950, 955, 963, 966C	7,9
35	1	1U-1354	<b>5370</b>	40	288	22°	32-45	980, 977, 973, 966D	15,1
46	1	8E-0464	<b>5337-E</b>	42	315	23°	45-51	966D, 973, 980, 983, 988	16,9
	2	8E-0465	<b>5337-ER</b>	42	315	23°	45-51	966D, 973, 980, 983, 988	16,9
	3	8E-0466	<b>5337-EL</b>	42	315	23°	45-51	966D, 973, 980, 983, 988	16,9
55	1	3G-4554	<b>5353</b>	82	380	21°	51-64	988, 992B, 992C	34,2
	2	3G-4555	<b>5353-R</b>	82	380	21°	51-64	988, 992B, 992C	34,2
	3	3G-4556	<b>5353-L</b>	82	380	21°	51-64	988, 992B, 992C	34,2


- UNIVERSAL



STANDARD (STD)



HEAVY DUTY (HD)



	MODEL	O.E.M.	ETE	A	B	C	e°			KG
20	STD	8J-7525	<b>5911</b>	15	23	103	25°	13-25	416, 426, 428, IT12, 910, 931, 935	1,1
25	STD	3G-0169	<b>5918</b>	36	50	200	21°	19-32	IT18, IT28, 916, 920, 926, 930, 936, 941, 943, 951, 953	4,3
	HD	3G-0169-HD	<b>5918-N</b>	36	50	200	21°	19-32	IT18, IT28, 916, 920, 926, 930, 936, 941, 943, 951, 953	6,4
30	STD	9J-8929	<b>5307-S</b>	30	38	240	21°	25-35	944, 950, 955, 963, 966C	6,8
	HD	9J-8929-HD	<b>5307</b>	30	38	240	21°	25-35	944, 950, 955, 963, 966C	8,5
35	STD	1U-1350	<b>5322</b>	26	43	275	21°	32-45	966D, 973, 977, 980	12,8

• DOBLE PATILLA CARGADORA / TWO STRAPS LOADER







	FIG	O.E.M.	ETE	A	B	C	e°			KG
35	1	135-9354	<b>5500</b>	41.5	209	133	24°	40	966	12,8
46	1	8E-3464	<b>5501</b>	55	260	173	25°	50	983, 988	20,6
	2	8E-3465	<b>5501-R</b>	55	260	173	25°	50	983, 988	20,6
	3	8E-3466	<b>5501-L</b>	55	260	173	25°	50	983, 988	20,6
55	1	3G-9494	<b>5916</b>	66	365	320	21°	60-64	990, 992B, 992C, 245 frontal	30,0
	2	3G-9495	<b>5916-R</b>	66	365	320	21°	60-64	990, 992B, 992C, 245 frontal	30,0
	3	3G-9496	<b>5916-L</b>	66	365	320	21°	60-64	990, 992B, 992C, 245 frontal	30,0
	1	107-3554	<b>5916-S</b>	66	365	335	21°	60-64	990, 992B, 992C, 245 frontal	38,6
	2	107-3555 (D)	<b>5916-SDR</b>	66	365	335	21°	60-64	990, 992B, 992C, 245 frontal	38,6
	3	107-3556 (D)	<b>5916-SDL</b>	66	365	335	21°	60-64	990, 992B, 992C, 245 frontal	38,6
70	1	4T-4704	<b>5385</b>	76	415	326	21°	70-75	992C, 994	59,4
		4T-4704 (S)	<b>5385-S</b> 	105	420	310	21°	100	992C, 994	97,5
80	1	6I-8804	<b>5950</b>	105	395	290	22°	100		110,0

• DOBLE PATILLA EXCAVADORA / TWO STRAPS EXCAVATOR









	FIG	O.E.M.	ETE	A	B	C	e°			KG
--	-----	--------	-----	---	---	---	----	--	--	----



STANDARD 	22	1	6Y-3224	<b>5929</b>	24	87	126	22°	20-22	E-70B, 307, 446	2,7
	25	1	6Y-3254	<b>5941</b>	28	80	150	22°	25	205, 214, 206, 213, 311, 312	4,1
	30	1	3G-6304	<b>5905</b>	33,5	117	204	21°	30-32	215, 219, 312, 315, 320, 325	7,6
	40	1	6I-6404	<b>5389</b>	48	189	252	23°	45	245, 330, 350	13,9
		6	6I-6405	<b>5389-L</b>	48	189	252	23°	45	245, 330, 350	13,9
		7	6I-6406	<b>5389-R</b>	48	189	252	23°	45	245, 330, 350	13,9
	46	1	8E-6464	<b>5350</b>	55	190	262	25°	50	225, 235, 245, 320, 325, 330	17,8
	55	1	1U-1553	<b>5917</b>	64	215	365	21°	60	245, 330, 350, 375	28,1
2		1U-1554	<b>5917-L</b>	64	215	365	21°	60	245, 330, 350, 375	28,1	
3		1U-1555	<b>5917-R</b>	64	215	365	21°	60	245, 330, 350, 375	28,1	
4		1U-1554 (D)	<b>5917-DL</b>	64	215	365	21°	60	245, 330, 350, 375	28,1	
5		1U-1555 (D)	<b>5917-DR</b>	64	215	365	21°	60	245, 330, 350, 375	28,1	

HEAVY DUTY 	20	1	119-3204	<b>5317</b>	26	40	100	25°	20-25	416, 446	1,5
	30	1	3G-6304-HD	<b>5343</b>	35,5	117	195	25°	30-32	200, 215, 312, 315, 320, 325	7,3
		2	3G-6305-HD	<b>5343-L</b>	35,5	117	195	25°	30-32	200, 215, 312, 315, 320, 325	7,3
		3	3G-6306-HD	<b>5343-R</b>	35,5	117	195	25°	30-32	200, 215, 312, 315, 320, 325	7,3
	35	1	6I-6354	<b>5904</b>	42	118	208	35°	40	215, 219, 225, 320	9,0
		2	6I-6355	<b>5904-L</b>	42	118	208	35°	40	215, 219, 225, 320	9,0
		3	6I-6356	<b>5904-R</b>	42	118	208	35°	40	215, 219, 225, 320	9,0
	40	1	7T-3404	<b>5389-S</b>	44	189	240	21°	40-42	245, 330, 350	16,0
		4	7T-3405 (D)	<b>5389-SDL</b>	44	189	240	21°	40-42	245, 330, 350	16,0
		5	7T-3406 (D)	<b>5389-SDR</b>	44	189	240	21°	40-42	245, 330, 350	16,0
	46	1	6I-6464	<b>5915</b>	51	185	280	21°	50	225, 235, 245, 320, 325, 330	21,4
		2	6I-6465	<b>5915-L</b>	51	185	280	21°	50	225, 235, 245, 320, 325, 330	21,4
		3	6I-6466	<b>5915-R</b>	51	185	280	21°	50	225, 235, 245, 320, 325, 330	21,4
		4	6I-6465 (D)	<b>5915-SDL</b>	51	185	280	21°	50	225, 235, 245, 320, 325, 330	21,4
		5	6I-6466 (D)	<b>5915-SDR</b>	51	185	280	21°	50	225, 235, 245, 320, 325, 330	21,4
	55	1	6I-6554	<b>5917-S</b>	64	215	370	25°	60	245, 330, 350, 375	33,0
		4	6I-6555 (D)	<b>5917-SDL</b>	64	215	370	25°	60	245, 330, 350, 375	33,0
		5	6I-6556 (D)	<b>5917-SDR</b>	64	215	370	25°	60	245, 330, 350, 375	33,0
60	1	6I-6604	<b>5386</b>	75	308	355	22°	70	375	48,0	
	4	6I-6605 (D)	<b>5386-DL</b>	75	308	355	22°	70	375	48,0	
	5	6I-6606 (D)	<b>5386-DR</b>	75	308	355	22°	70	375	48,0	






• DE 2 TORNILLOS / 2 BOLTS

	O.E.M.	ETE	A	B	C	e°						KG	
20	9J-4207	<b>5940</b>	21	65	89	23°	20	IT12, 910, 931, 935	T-1012	3/4" x 2 3/4"	T-1060	3/4"	3,2
20	8E-2184	<b>5930</b>	21	54	75	24°	20	416, 426, 428, 436	T-1004	5/8" x 2 1/2"	T-1059	5/8"	2,2
25	1U-0257	<b>5919</b>	26	70	124	23°	25	916, 920, 926, 930, 936, 941, 943, 951, 953	T-1029	1" x 3 3/4"	T-1084	1"	8,2
30	1U-0307	<b>5920</b>	26	72	122	24°	25	955, 950	T-1029	1" x 3 3/4"	T-1084	1"	11,4
30	4T-4307	<b>5922</b>	33	82	166	24°	32	950, 955, 963	T-1030	1" x 4"	T-1084	1"	12,4
30	3G-9307	<b>5923</b>	34	85	160	23°	32	966C	T-1035	1 1/4" X 5"	T-1085	1 1/4"	13,5
35	3G-3357	<b>5912</b>	43	103	150	21°	38	966, 977, 973	T-1035	1 1/4" X 5"	T-1085	1 1/4"	17,5
35	1U-1357	<b>5931</b>	47	106.5	157	19°	45	980	T-1035	1 1/4" X 5"	T-1085	1 1/4"	19,5
40	6I-9898	<b>5943</b>	47	107	158	27°	45	980C, 980F	T-1035	1 1/4" X 5"	T-1085	1 1/4"	28,8




• DE 3 TORNILLOS / 3 BOLTS

	O.E.M.	ETE	A	B	C	e°					KG		
30	3G-5307	<b>5357</b>	32.5	86	146	21°	32	966C	T-1030	1" x 4"	T-1084	1"	13,8
35	3G-1357	<b>5356</b>	33	83.5	146	21°	32	977	T-1030	1" x 4"	T-1084	1"	17,4




DERECHO (RH) / RIGHT HAND (RH)




- CANTOPORTADIENTE (1 tornillo) / CORNER ADAPTER (1 bolt)

F	MANO / HAND	O.E.M.	ETE	A	B	D	Máquina	Tornillo		Tornillo		KG
								Modelo	Tamaño	Modelo	Tamaño	
20	LH	1U-2208	6907	122	60	20	IT12, 910, 931, 935	T-1021	7/8" x 2 3/4"	T-1061	7/8"	3,8
	RH	1U-2209	6908	122	60	20	IT12, 910, 931, 935	T-1021	7/8" x 2 3/4"	T-1061	7/8"	3,8
25	LH	3G-4258	6904	133	105	25	IT18, IT28, 916, 920, 926, 930, 936	T-1026	1" x 3"	T-1084	1"	10,0
	RH	3G-4259	6903	133	105	25	IT18, IT28, 916, 920, 926, 930, 936	T-1026	1" x 3"	T-1084	1"	10,0
30	LH	3G-4308	6906	120	210	25-32	950, 955, 963	T-1034	1 1/4" X 4 1/8"	T-1085	1 1/4"	16,0
	RH	3G-4309	6905	120	210	25-32	950, 955, 963	T-1034	1 1/4" X 4 1/8"	T-1085	1 1/4"	16,0
30	LH	3G-8308	6306	147	200	32	966C	T-1034	1 1/4" X 4 1/8"	T-1085	1 1/4"	16,4
	RH	3G-8309	6307	147	200	32	966C	T-1034	1 1/4" X 4 1/8"	T-1085	1 1/4"	16,4
35	LH	3G-5358	6379	213	140	32-35	966, 973, 977	T-1035	1 1/4" X 5"	T-1085	1 1/4"	18,3
	RH	3G-5359	6378	213	140	32-35	966, 973, 977	T-1035	1 1/4" X 5"	T-1085	1 1/4"	18,3




DERECHO (RH) / RIGHT HAND (RH)






- CANTOPORTADIENTE (2 tornillos) / CORNER ADAPTER (2 bolts)

F	MANO / HAND	O.E.M.	ETE	A	B	D	Máquina	Tornillo		Tornillo		KG
								Modelo	Tamaño	Modelo	Tamaño	
25	LH	6I-9250	6915	190	168	25	916, 920, 926, 930, 936, 941, 943, 951, 953	T-1026	1" x 3"	T-1084	1"	13,1
	RH	6I-9251	6916	190	168	25	916, 920, 926, 930, 936, 941, 943, 951, 953	T-1026	1" x 3"	T-1084	1"	13,1
30	LH	8E-5308	6917	200	163	25-32	950, 955, 953, 963	T-1034	1 1/4" X 4 1/8"	T-1063	1 1/4"	17,4
	RH	8E-5309	6918	200	163	25-32	950, 955, 953, 963	T-1034	1 1/4" X 4 1/8"	T-1063	1 1/4"	17,4
35	LH	8E-5358	6921	245	180	32-35	963, 966, 973, 977	T-1034	1 1/4" X 4 1/8"	T-1063	1 1/4"	24,6
	RH	8E-5359	6922	245	180	32-35	963, 966, 973, 977	T-1034	1 1/4" X 4 1/8"	T-1063	1 1/4"	24,6
40	LH	6I-8243	6924	273	207	45	980	T-1035	1 1/4" X 5"	T-1063	1 1/4"	35,1
	RH	6I-8244	6923	273	207	45	980	T-1035	1 1/4" X 5"	T-1063	1 1/4"	35,1

C.- FIJACIONES / FASTENERS



	O.E.M.	ETE	A	B
20	8E-6208	<b>2930</b>	60	11
22	6Y-3228	<b>2903</b>	69	14
25	8E-6258	<b>2935</b>	81	14
30	9J-2308	<b>2936</b>	92	14
35	8E-6358	<b>2939</b>	108	19
40	7T-3408	<b>2970</b>	118	22
45	9W-8296	<b>2937</b>	133	19
46	8E-0468	<b>2957</b>	136	24
55	6Y-8558	<b>2938</b>	162	25
60	6I-6608	<b>2983</b>	193	30
70	4T-4708	<b>2984</b>	197	32
80	102-0101	<b>2985</b>	240	35



	O.E.M.	ETE	Ø
20	4T-0001	<b>3930</b>	18
22	3G-9609	<b>3935</b>	27
25	3G-9609	<b>3935</b>	27
30	3G-9609	<b>3935</b>	27
35	3G-9549	<b>3939</b>	34
40	7T-3409	<b>3970</b>	38
45	3G-9549	<b>3939</b>	34
46			
55	3G-9559	<b>3938</b>	48
60			
70			
80	101-2874	<b>3985</b>	68



O.E.M.	ETE	Ø
8E-6209	<b>361</b>	22
8E-6259	<b>360</b>	30
8E-6259	<b>360</b>	30
8E-6259	<b>360</b>	30
8E-6359	<b>359</b>	40
8E-8409	<b>358</b>	42
8E-6359	<b>359</b>	40
8E-8469	<b>357</b>	44
8E-5559	<b>356</b>	53
6I-6609	<b>362</b>	59
4T-4707	<b>363</b>	70



O.E.M.	ETE	Ø
114-0359	<b>114-0359</b>	30



O.E.M.	ETE	Ø
116-7409	<b>116-7409</b>	42



O.E.M.	ETE	Ø
107-3469	<b>107-3469</b>	44
107-8559	<b>107-8559</b>	53
113-9609	<b>113-9609</b>	59

2.- DIENTE ENTERIZO / MONOBLOK TOOTH



	O.E.M.	ETE	A	B	C	D	e°					KG		
20	6Y-6335	<b>5921</b>	21	57	75	280	20°	T-1004	5/8" x 2 1/2"	T-1059	5/8"	20	416, 426, 428, 438	3,4



	O.E.M.	ETE	A	B	C	D	e°					KG		
20	8J-6207	<b>5380</b>	21	67	89	340	20°	T-1011	3/4" x 2 1/2"	T-1060	3/4"	20	416, 426, 428, 438	5,2

3.- FIJACIÓN VERTICAL / VERTICAL PIN




FIG.1




FIG.2




FIG.3



FIG.4



FIG.5




FIG.6




FIG.7




FIG.8




FIG.9



FIG.10






FIG.11




4. -RIPPER




		ETE	O.E.M.	A	B	C	D	KG
D3, D4, D5 931, 941, 955, 963 12, 14, 130, 140, 160	30	128	4T-4302	80	130	335	80	5,6
		1933	6Y-0309	86	104	290	47	4,9
		406	9J-6586	58	140	510		23,0
		2918	9J-6583	88	19,5			
		3936	1U-2405	37				





		ETE	O.E.M.	A	B	C	D	KG
		D5, D6, D7 16, 973, 977, 980, 988	35	1357	6Y-0359	108	142	357
127	4T-4352			96	155	341	63	10,6
405	8J-3215			75	177	780		61,0
405-P	8E-7350			75				14,2
404	9W-7488			75	250	560		50,0
2939	9J-2358			105	19			
3936	1U-2405			37				



		ETE	O.E.M.	A	B	C	D	KG
D8, D9	45	<b>1922-N</b>	9W-2452	125	165	373	76	17,5
		<b>1926</b>	9W-2451	125	165	326	76	14,9
		<b>1953</b>	4T-5452	125	165	400	55	16,4
		<b>407-P</b>	7J-1791	75	355	580		75,0
		<b>407-PH</b> <small>new</small>	8E-8418	75	213	320		75,0
		<b>407-PAH</b>	4T-9776	75	213	320		22,2
		<b>8901</b>	6J-8814	82	450			14,1
		<b>8907</b>	8E-1848	82	450			24,4
		<b>8906</b>	6J-8814-EXT	82	610			24,1
		<b>2915</b>	7J-9600	25	118			
		<b>2917</b>	6J-8811	31,5	114			
		<b>2986</b>	6Y-3394	25	118			
		<b>3986</b>	8E-4743					



		ETE	O.E.M.	A	B	C	D	KG
D9, D10	50	1951	4T-4502-HD	150	210	460	70	29,2
		1954	4T-5503	150	210	480	73	30,0
		1956	4T-5502	150	210	440	80	27,2
		1956-N 	4T-5502-N	152	225	460	55	30,0
		1957	4T-5501	150	210	375	77	24,4
		408-PH 	1U-3630	92	410	580		88,0
		409-P 	9W-9695	90	450	760		162,0
		816	1U-3644	109	715			38,2
		8903	9W-8365	98	530			38,9
		8904	9W-8365-EXT	98	800			57,5
		2919	3G-0500	31,5	152			
		2987	6Y-3909	31,5	152			
		363	4T-4707					



		ETE	O.E.M.	A	B	C	D	KG
D-11	55	1976 <sup>new</sup>	9W-4552	183	275	545	75	59,3








	FIG	ETE	O.E.M.	A	B	C	D	KG
D4	1	118	7K-0037	69	108	255	69	5,5
	2	452-P	-	60	128	137		9,7
	3	2911	4K-0043	68	18			
	4	3915	5K-1426					
D5, D6	1	117	7K-0038	80	130	335	80	8,0
	2	451-P	-	74	133	155		13,2
	3	2931	4K-0032	79	20,5			
	4	3914	5K-1425					





	ETE	O.E.M.	A	B	C	D	KG
D7	120	7J-3309	115	134	288	110	12,0
	403-P	7J-2588	75	250	560		49,5
	812	7J-2352					10,3
	813	7J-2351					8,4
	2915	7J-9600	25	118			
	2917	6J-8811	31,5	114			




	ETE	O.E.M.	KG
12, 14, 112, 120, 212	1921	2D-5572 6Y-5230	1,2
	4901	5B-6251 9F-5124	6,0


## 5. CANTONERAS / END BITS




O.E.M.	ETE	FIG	A	B	C	D	E	F	G	H	I	J	K	L	M	W					
3G-8295 / 96	611-E / 612-E	1	205	380	240	310	39	63,5	50	89	89	50	101,6	101,6	-	22	T-1003	5/8" x 2 1/4"	T-1059	5/8"	D5, D6
3G-8297 / 98	611 / 612	1	205	380	240	310	39	63,5	50	89	89	50	101,6	101,6	-	22	T-1010	3/4" x 2 1/4"	T-1060	3/4"	D6
3G-8319 / 20	613 / 614	1	202	375	245	345	39	63,5	58	101,6	101,6	58	101,6	101,6	-	25	T-1010	3/4" x 2 1/4"	T-1060	3/4"	D6
9W-1875 / 76	625 / 626 	5	220	465	285	380	36	65	58	81	81	58	97	97	-	30	T-1011	3/4" x 2 1/2"	T-1060	3/4"	D6
3G-8293 / 94	651 / 652	2	255	472	292	400	43	82,5	75	101,6	102	75	76,2	76,2	76,2	28	T-1021	7/8" x 2 3/4"	T-1061	7/8"	D7
9J-1477 / 78	6102 / 6103	2	252	485	300	398	45	82,5	75	101,6	101,6	75	76,2	76,2	76,2	30	T-1027	1" x 3/4"	T-1062	1"	D8
5J-8769 / 70	618 / 619	2	255	475	300	392	45	82,5	62	101,6	101,6	62	78	78	78	32	T-1022	7/8" x 3"	T-1061	7/8"	D8
3G-8301 / 02	6104 / 6105	2	257	475	295	385	47	82,5	64	101,6	101,6	64	62	62	62	30	T-1027	1" x 3 1/4"	T-1062	1"	D8
3G-8283 / 84	653 / 654	3	315	535	350	440	67	82,5	95	101,6	102	60	82,5	82,5	82,5	32	T-1030 (4) T-1032 (3)	1" x 4" 1" x 5 1/4"	T-1062	1"	D9
3G-8289 / 90	657-HD / 658-HD	4	312	590	345	500	70	82,5	176	101,6	102	62	82,5	165	82,5	39	T-1032 (3) T-1029 (4)	1" x 5 1/4" 1" x 3 3/4"	T-1062	1"	D9

5. CANTONERAS / END BITS




O.E.M.	ETE	FIG	A	B	C	D	E	F	G	H	I	J	K	L	M	W					
3G-7763 / 64	6116 / 6117	1	320	680	380	550	51	101,6	76	177,8	76	51	76,2	177,8	76,2	38	T-1076	1 1/4" x 4 1/2"	T-1063	1 1/4"	D9
8E-4541 / 42	686 / 687 	2	410	721	476	569	53	102	80	182	75	51	75	182	75	50	T-1076	1 1/4" x 4 1/2"	T-1063	1 1/4"	D10
8E-4545 / 46	689 / 690 	3	413	825	523	638	52	107	51	75	238	75	75	196	75	50	T-1035	1 1/4" x 5"	T-1063	1 1/4"	D11


619, 621, 630, 631, 632,  
633, 641, 650, 651, 657,  
660, 666



(2J-9192)  
4J-8665  
**ETE-659 RV**

	T-1026	1" x 3"
	T-1062	1"

6.- ZAPATAS / TAMPING FEET



O.E.M.	ETE	FIG	A	B	C	D	E		KG
8K-9171	872	1	230	78	40	81	146	825-C, 835	6,8
2V-7053	875	3	158	81	41	71		815-B	3,4
4V-3851	878	2	170	81	41	71		815-B	4,2
8K-9189	890	1	170	70	33	64	114	815	3,9
4V-0668	8902	2	214	87	49	89		825-C	7,4