


ABITHAL - Indice punzonatrici Punching machines contents



Codice/code	DESCRIZIONE – ITEM	Pagina/page
ZPX14270	Green – Open – Keeper – Cristal – Eclipse – Wood (lavorazioni complete)	8 – 9
ZPX14411	Euro Wood – Euro Keeper – Euro 40 Green – Open – Keeper – Eco Keeper	10
ZPX14416	Eco Keeper 62/72 – 72/82	11
	EASY – PUNZONATRICI PORTATILI	12
	GRUPPI FRESA	13

Codice - Code **ZPX14270**



Imballo compreso azionamento incluso (pedaliera)
Packing included drive unit included (pedal)

La punzonatrice è corredata di manuale
uso manutenzione e catalogo ricambi.
The punching machine is complete of
operation manual, and spares catalogue.

AGITHAL

Sistema - Systems

**Keeper 53/60 - Keeper 61/68
Euro Keeper 45 - Keeper Porte
Euro Wood - Euro Wood TT
Green - Euro 40 - Open
Eclipse - Cristal**

Accessorio - Accessories Giesse - L.M. - Savio



CARATTERISTICHE

cilindro diam. 200 mm.
corsa utile stelo 20 mm.
pressione di esercizio .. 6 BAR
forza Kg. 1740
consumo aria per ciclo
normal litro 7,4
peso Kg. 89
ingombro 360 x 270 x h 615






TECHNICAL SPECIFICATIONS


Cylinder 200 mm. dia.
piston stroke 20 mm.
working pressure 6 BAR
power Kg. 1740
air consumption 7,4 Nl per cycle
weight Kg. 89
Overall dimension 360 x 270 x h 615

Fori e asola per maniglia (interasse fori 104 - 130 mm.) Holes and slot for handle (hole center distance 104 - 130 mm.)	STAZIONE N°1 STATION one Keeper 53/60 Keeper 61/68 Euro Keeper 45 Euro 40 Cristal Green	 1
Asportazione alette per passaggio astina Removal of tongues for rod passage	STAZIONE N°2 STATION two Keeper 53/60 Keeper 61/68 Euro Keeper 45 Euro 40 Cristal Green	 2
Fori e taglio astina pr. 20788 Holes and cut of closing rod pr. 20788	STAZIONE N°3 STATION three Keeper 53/60 Keeper 61/68 Euro Keeper 45 Keeper Porte Euro Wood Euro Wood TT Green Euro 40 Open Eclipse Cristal	 3
		 4
		 5
		 6

Codice - Code **ZPX14270**

7		STAZIONE N°4 STATION four Keeper 53/60 Keeper 61/68 Euro Keeper 45 Euro 40 Cristal - Green Eclipse - Open Euro Wood Euro Wood TT	Asola scarico acqua <i>Slot for water drain</i>
8		STAZIONE N°5 STATION five Keeper 53/60 Keeper 61/68 Euro 40 Green	Asola scarico condensa <i>Hole for condensate discharge</i>
9		STAZIONE N° 6 STATION six	Foro aggancio e asola tiraggio squadretta <i>Hole and slot for corner joint</i>
10		Euro Wood TT	Foro aggancio squadretta <i>Hole for corner joint</i>
11		Keeper 53/60 Euro 40 Green	Foro per cavallotto <i>Hole for cross connector</i>
12		Stazione N° 7 Station seven	Foro aggancio e asola tiraggio squadretta <i>Hole and slot for corner joint</i>
13		Keeper 53/60 Keeper 61/68 Euro Keeper 45 Keeper Porte Euro Wood Euro Wood TT Green Euro 40 Open Eclipse Cristal	Foro aggancio squadretta <i>Hole for corner joint</i>
14			Foro per squadretta a spinare <i>Hole for broaching corner joint</i>

Codice - Code **ZPX14411**



Imballo compreso azionamento incluso (valvola)
Packing included drive unit included (valve)

La punzonatrice é corredata di manuale
uso manutenzione e catalogo ricambi.
The punching machine is complete of
operation manual, and spares catalogue.

AGITHAL

Sistema - Systems

**Green - Open
Keeper
Euro Wood
Euro Keeper
Euro 40
Eco Keeper**

Accessorio - Accessories : Giesse - L.M. - Savio






CARATTERISTICHE TECNICHE

cilindro diam. est. 220 mm. - int. 200 mm.
corsa utile stelo 20 mm.
pressione di esercizio .. 6 BAR
forza Kg. 1740
consumo aria per ciclo
normal litro 7,4
peso Kg. 38
ingombro 340x390x390 h




TECHNICAL SPECIFICATIONS

Cylinder 220 mm. dia. (ext.) - 200 mm. (int.)
piston stroke 20 mm.
working pressure 6 BAR
power Kg. 1740
air consumption 7,4 N/l per cycle
weight Kg. 38
Overall dimension 340x390x390 h

1 Asola scarico acqua su telai camera europea Slot for water drainage on european chamber	STAZIONE N° 1 STATION one Green Open Keeper Euro Wood Euro Keeper Euro 40	
2 Asola scarico acqua su telai serie Eco Keeper Slot for water drainage on Eco Keeper chamber	Eco Keeper 62/72 Eco Keeper 72/82	
3 Foro aggancio e asola tiraggio squadretta Hole and slot for corner joint	STAZIONE N°2 STATION two	
4 Foro aggancio squadretta Hole for corner joint	Green Open Keeper Euro Wood Euro Keeper Euro 40 Eco Keeper 62/72 Eco Keeper 72/82	
5 Foro per squadretta a spinare Hole for broaching corner joint		



Codice - Code **ZPX14416**



Imballo compreso azionamento incluso (pedaliera)
Packing included drive unit included (pedal)

La punzonatrice é corredata di manuale
uso manutenzione e catalogo ricambi.
The punching machine is complete of
operation manual, and spares catalogue.

AGITHAL

Sistema - Systems

Eco Keeper 62/72
Eco Keeper 72/82

Accessorio - Accessories : Giesse - L.M. - Savio




CARATTERISTICHE TECNICHE

cilindro diam. 200 mm.
corsa utile stelo 20 mm.
pressione di esercizio .. 6 BAR
forza Kg. 1740
consumo aria per ciclo
normal litro 9,4
peso Kg. 90
ingombro 439x311x424 h



TECHNICAL SPECIFICATIONS

Cylinder 200 mm.
piston stroke 20 mm.
working pressure 6 BAR
power Kg. 1740
air consumption 9,4 Nl per cycle
weight Kg. 90
Overall dimension 439x311x424 h

	STAZIONE N° 1 STATION one Eco Keeper 62/72 Eco Keeper 72/82	1 Foro per squadretta a spinare / avvitare <i>Hole for broaching corner joint / screw</i>
	STAZIONE N°2 STATION two Eco Keeper 62/72 Eco Keeper 72/82	2 Foro per squadretta a spinare diam. 3,5 su camera esterna <i>Diam. 3,5 hole for broaching corner joint (external chamber)</i>
	STAZIONE N°3 STATION three Eco Keeper 62/72 Eco Keeper 72/82	3 Foro per fissaggio cavallotto <i>Hole for cross-connector fixing</i>
	STAZIONE N°4 STATION four Eco Keeper 62/72 Eco Keeper 72/82	4 Asola per scarico acqua <i>Sloto for water drain</i>


CANNOTTO PORTAFRESE/CUTTERS SLEEVE
PER INTESTATRICI COMALL/FOR COMALL END-MILLING MACHINES



CODICE/CODE	
ZEX17147	
ZEX17710 per intestatrici SILVER LINE	

EASY CLAMP

KIT INTESTATURA FERMAVETRI / MILLING ROUND EDGED GLAZING BEADS



CODICE/CODE	
ZEX17210	

GRUPPI FRESE PER FERMAVETRO



CODICE/CODE	SERIE	LAVORAZIONE	
FDX30342	Green - Keeper	Intestatura Fermavetro	

* prezzo comprensivo di canotto

GRUPPI FRESE – MILLING CUTTERS GROUPS



CODICE/CODE	SERIE	LAVORAZIONE	
FDX30277	Green	Intestatura	
FDX30278	Keeper 53	Intestatura	
FDX30281	Point	Intestatura prof. 21406	
FDX30283	Runner 61-90	Intestatura fascia prof. 21038	