


materials ————— Pvc recycled as material
Maintenance



products ————— Product sheets overview
P2750 - P2761
P2755 - P2758
P2755 - P2756
P2755 - P2757
P2759 - P2760



installation guidelines — P2761
P2755 - P2758
P2755 - P2756
P2755 - P2757
P2759 - P2760
P2750




MATERIALS

— Pvc recycled as material
Maintenance




products



installation guidelines

RECYCLED PVC-U

For many years Deceuninck has recycled PVC-U waste gathered from numerous businesses around Europe, including many extrusion plants of its own. Using a technique developed by the Deceuninck research and development team, the waste is reworked into an excellent, versatile raw material called Cyclefoam®.



To ensure the exceptional quality of the recycled material, the waste is carefully collected, sorted, broken, washed and pulverised.

The number of procedures involved obviously has a significant effect on the cost of the end product; in fact the price of the recycled material is comparable with that of a homogenous pure white product. The big difference between the two is the obvious ecological benefits of the recycled material. The development of the Cyclefoam® system is just one small part of the Deceuninck commitment to the environment.



The waste is collected with great precision and only PVC-U of high quality is selected. Across Europe, serious efforts are made by EPPA, the organisation of PVC-U manufacturers, to achieve and maintain an effective recycling system.




The 'Belface' range is one of many applications for Cyclefoam®. The main profile consists almost entirely of recycled PVC-U, with just a 0,5 mm top layer of new material. This ensures a crisp white finish with no chance of discolouration or the greyish colour often associated with recycled PVC-U.



The material composition and design of the 'Belface' range have been developed to ensure a high performing product that retains its shape and structural integrity when exposed to the rigours that external cladding must endure. As with all new developments, the new 'Belface' range underwent a vigorous testing programme before reaching the market.





MAINTENANCE PVC-U




Maintenance of the profiles is extremely simple; they can be wiped with a soft sponge and a non-scouring domestic cleansing agent. Deceuninck recommend Decoclean, a cleaning agent developed specifically for the purpose. NEVER use abrasive, corrosive substances, ketones or solvents (such as benzene, thinner, petroleum or similar). Difficult marks can be removed with Decoclean or other specialised cleaning agents which do not affect the PVC-U surface.

- DO NOT scrub your profiles with a dry cloth or sponge; this could result in scratches or scrapes on the surface.
- NEVER paint PVC-U profiles; coloured (Decoroc) coatings or woodgrain style finishes are available.





materials



PRODUCTS



Product sheets overview

P2750 - P2761

P2755 - P2758

P2755 - P2756


P2755 - P2757

P2759 - P2760








installation guidelines


Main profile



Alu finishing profiles







Accessory





deceuninck®
— Belface —







Product sheet P2750








Product sheet P2761







Product sheet P2755 - P2758








Product sheet P2755 - P2756




Product sheet P2755 - P2757



Product sheet P2759 - P2760





materials









products







INSTALLATION GUIDELINES – P2761
P2755 - P2758
P2755 - P2756
P2755 - P2757
P2759 - P2760
P2750





Installation guidelines P2761



Installation guidelines P2755 - P2758







Installation guidelines P2755 - P2756







Installation guidelines

P2755 - P2757



Installation guidelines P2759 - P2760



Installation guidelines P2750

