




 **Sauleda** Technical

Port M1



6723 PORT M1 BLANCO



6724 PORT M1 MARFIL



6725 PORT M1 PERLA



6726 PORT M1 NEGRO

Las nuevas tendencias en el sector de la restauración dónde los espacios exteriores son una ampliación de la zona interior, nos ha permitido desarrollar PORT M1. Un tejido técnico ignifugo M1, que aporta color, ligereza, elegancia, y un elevado rendimiento en las aplicaciones dónde se requiere en especial ligereza y elevada resistencia, adaptándonos a las normas exigidas por los diferentes municipios.

Port Ignifugo M1 presenta excelentes cualidades: larga vida, elevada resistencia frente a los rayos UV, colores sólidos, máxima estabilidad, impermeabilidad, tratamiento antihongos específico para entornos húmedos, fácil limpieza, manejo y mantenimiento.

We have developed PORT M1 as a result of the latest trends in the restaurant sector in which outdoor spaces are converted into extensions of the interior. M1 flame retardant technical textile adds colour, lightness, elegance and gives a high performance in uses that require extreme lightness and high resistance, and fully adapted to the diverse municipal legislative provisions. Port M1 flame retardant fabric has excellent qualities: durability, high resistance to UV rays, solid colours, maximum stability, impermeability, special anti-mould treatment for damp environments and ease in cleaning, handling and maintenance.

Características técnicas Technical characteristics

Tejido	Poliéster	
Recubrimiento	PVC 2 caras	
Peso	470 gr/m ²	
Espesor	0,35 mm	
Resistencia desgarre	Urdimbre	13 daN
	Trama	10 daN
Resistencia Temperatura	-30° +70°	
Longitud de las piezas	50 ml	
Ancho	220 cm/86"	
Fabric	Polyester	
Coating	PVC coating 2 faces	
Weight	470 gr/m ²	
Thickness	0,35 mm	
Tear strength	Warp	13 daN
	Weft	10 daN
Temperatura Resistance	-30° +70°	
Length of rolls	50 ml	
Width	220 cm/86"	

APLICACIONES • APPLICATIONS • APPLIKATIONEN

Sombras. Protector del viento • Shading and wind protection • Ombrage et protection contre le vent • Shading und Windschutz





SAULEDA, S.A.
Travessera de les Corts, 102
08028 Barcelona (Spain)
Tel. +34 933 397 150
Fax +34 934 111 290
sauleda@sauleda.com
www.sauleda.com