



2016

DIGITAL COLLECTION

Guandong
DIGITAL MEDIA FOR EUROPE





Coming from a fifty years technical and production background, we design media for Digital Printing and we represent the bridge between the world's most qualified manufacturers and the most appreciated distributors in Europe and in the Mediterranean Sea.

The **Quality** and the **Marketing** behind our products are **Italian**. The **design process** takes place in **Italy**. Thus the products developed by **Guandong Italia** must comply with very specific requirements:

-  Full conformity to CE, RoHS, REACH, EN71 and Flame Retardant European regulations
-  **One Way Vision, Double Way Vision, Night & Day, NANO-Tack® technology, Textile, Magnets and Ferrous, Plastic multilayer and Intercast Banner** ranges to cover any kind of applications, even the most critical ones
-  New product lines to develop the market share of Digital Printing
-  Wide-range printability on Latex, Eco-Solvent and UV curable inks
-  **GreenLife**, as a fundamental policy in the research of new products, for the environmental sustainability

We conceive and test the new products in our Research & Development laboratory. We select raw materials from the finest manufacturers such as Renolit, NanYa, etc., cooperating also with coating companies in order to define precise technical specifications to produce our Digital Printing Media. These companies, mostly located in the Far East, employ the most advanced technologies and carry out innovative materials to satisfy the highest European quality standards. Our branch office in Shanghai accomplishes thorough QC checks to ensure that products meet the technical specifications we expressly issue for the **European Market**.

Guandong has the very ambition to become your trustworthy Partner:

- ✓ We sell only through a qualified distribution network
- ✓ We sell only products with our own, specific formulations
- ✓ We guarantee a constant quality as the production process is under strict control
- ✓ We put care into spreading our **BRAND** supporting our distribution partners

The R&D Dept. of Guandong researches and implements a wide range of media that can be digitally printed with Solvent, Eco-Solvent, Latex and UV curable inks on inkjet, sublimation, flatbed or screen printing equipment.

All these media are supplied ex-works from our stock in Milan or directly shipped from Asia to Europe (direct importation of containers) **through CIF or DDP conditions**.

Guandong Customer Service and Customer Care always keep at your full disposal.

Guandong Italia

The Marketing Management

Made for Europe



Guandong Italia srl



WINDOW graphics

- DWV - Double Way Vision Image®
- OWV - One Way Vision Regular Patterns
- OWV - One Way Vision Special Designs
- GROUND FINISH - Sandblast & Frosted

PAGE
4

SPOT DÉCO

- NANO-Tack® Technology - SuperFlex - BiFace
- CLING & Static Decoration - Cling Tack
- FLOOR & WALL Graphics - Road & Shop Sign

PAGE
5

PLASTIC COLLECTION

- MULTILAYER for Roll-up, Hanging Banner & Pop-Up Display
- POLYFLAT® Ultra Soft, Ultra Flat for Roll-Up & Display
- GREEN AREA - PP and full PET for Roll-Up & Display

PAGE
6

INTERCast BANNER

- INTERCAST Premium Banner
- MESH Coated
- FUSION Laminated Banner
- SPECIAL Designs & Color

PAGE
7

TEXTILE COLLECTION

- COTTON & ART Canvas
- POLYESTER Canvas
- Specialities - PP Canvas, TAP, Flag, TEXON Vinyl-Textile
- LUS Range - designed for Latex, UV and Sublimation

PAGE
8

PAGE
9

MAGNETIC FERRO SHEET

- MAGNETIC Rolls & Sheets - White PP PET PVC and Brown
- MAGNET VISUAL-COMM - Self-adhesive Magnet & Ferro Sheet
- MAGNET VISUAL-COMM - Ferro Varnish & Film PET PP PVC
- STRIPS & PROFILES - Reflective & Self-adhesive

PAGE
10

PAGE
11

WINDOW graphics



Product	PVC LAYER Colour	Thickness (micron)	Product code/ series	Width (m)	Length (m)	Hole ø (mm) & Printable area	Release liner	Printability
Double Way Vision								
Double Way Vision	Screen Image		DW-SR					
	Line Image	120	DW-LN	1,37	50	- / 100%	Coated liner (140 gr)	E L U
	Bubble Image		DW-BB					
One Way Vision - Regular Patterns								
Shot line OWV 2000	white/black	140	2000	1,06 - 1,37	50	1,60 / 60%	PE coated kraft paper (140 gr)	E
Standard OWV 9000	ice white/black	160	9000	1,06 - 1,37	50	1,60 / 60%	PE kraft paper (140 gr)	E L
New! Fifty-Fifty Image OWV 7500	white/black	160	7500	1,06 - 1,37 - 1,52	50	1,50 / 50%	PE kraft paper (140 gr)	E L
Basic UV OWV 6000	milk white/black	180	6000	1,06 - 1,37 - 1,52	30/50	1,60 / 60%	additional OPP liner (90+20 gr)	E L U
One Way Vision - Special Designs								
Longlife OWV 18660 (polymeric)	milk white/black	180	C-P137-50C-46	1,37	50	1,60 / 60%	additional OPP liner (90+20 gr)	
Night&Day OWV 12000 (polymeric)		180	C-BL137-50C	1,37	30	1,50 / 70%	additional paper liner (170 gr)	E L U
New! Night&Day OWV 12500 (monomeric)	opal backlit	140	C-BM137-30C	1,37	30	1,50 / 70%	additional paper liner (170 gr)	
GROUND FINISH - Sandblast & Frosted								
Glass Decor Ground	sandblast effect	100	WS-1050	1,06 - 1,27	50		PE coated paper	E U
Finish Vinyl	frosted effect	100	WG-1050	1,06 - 1,27	50	- / 100%	with a green pattern (100 gr)	

For your advertisement to be shown inside the window, ask for the sample OWV - Inside Déco!!

Printability: **E** Eco-solvent **L** Designed for Latex, tested on HP 300 series and Mimaki JV400LX **U** UV Curable





SPOT DÉCO

Product	Layer	Thickness (micron)	Product code	Width (m)	Length (m)	Features	Release liner	Printability
NANO-TACK Technology								
Nano-TACK Technology	transparent PET	155	NC-PET1530-13	1,37	30	designed for flat, clean and gloss surfaces (glasses, vehicles, screens, wall furniture, metals)	50 micron PET	E L U
	white PP	175	NW-PP1730-13				75 micron PET	
Nano-TACK SuperFlex	transparent PET	95	NSC-PET0930-13	1,37	30	designed for flat and curved , clean and gloss surfaces (glasses, vehicles, screens, wall furniture, metals)	50 micron PET	E L U
	white PET	95	NSW-PET0930-13				50 micron PET	
	bi-face PET	95	NBF-PET0930-13			special effect: same bright effect on both sides!!	38 micron PET	L U
CLING & Static Decoration								
Cling Static Gloss soft VINYL	white	150	CL-W15RTL	1,06	30	for temporary applications for signage, pop notices, display and vehicle graphics	photograde liner (120 gr)	E U
	clear transparent	150	CL-T15RTL					
Cling Tack High Clarity	ultra clear PVC, low tack, conformable & repositionable	80	HC-0830-12	1,27	30	designed for high clarity applications	matt PET liner (100 µ)	E L U
Floor & Wall Graphics								
FLOOR Graphic	disposable layer - clear transparent	110	FG-1150	1,06 - 1,27	50	short-term floor applications, tables, chairs and wall furniture	PE coated paper with a green pattern (100gr)	Not for printing (lamination only)
	Protection layer	antislip layer - transparent matt	200	FG-2050	1,06 - 1,27 - 1,52	50	for indoor shop centers	
FLOOR Graphic	shop sign printable layer	160	RS-1630	1,07-1,27	30	INDOOR APPLICATIONS for shopping centers, fairs, theaters, airports	kraft paper	E L U
	Print & GO	road sign - high grip printable composite	340	RS-3415	0,96	15	ROAD SIGN (outdoor applications) for private streets, gas stations and parking lots	

New!



New!



CLING



Floor & Road Sign



PLASTIC

COLLECTION

Layer structure Colour (front/back) Thickness (micron) Product code Width (m) Length (m) Printability

MULTILAYER for ROLL-UP, HANGING BANNER & POP-UP, DISPLAY

Matt PVC + Polyester	white / white	220	PW-2250	0,914 - 1,06 - 1,27		E L* U
Matt PVC + Polyester	white / grey	220	PG-2250	0,914 - 1,06 - 1,27	50	
Backlit PVC + PET	opal diffuser	220	BL-2250	1,27 - 1,52		E U
Metal PET + PVC	glittering effect	230	GM-2330/50	0,914 - 1,07 - 1,27	30/50	E L U
Pop-Up Structured for Pop-Up & Hanging Banner	white / black / white blockout	480	POP-4830	0,914 - 1,07	30	E L U

PolyFLAT. ULTRA SOFT, ULTRA FLAT - for ROLL-UP & DISPLAY

Light Stop PVC + PET + PVC	white / grey	320	PGS-3230/50	0,914 - 1,07 - 1,27 - 1,37	30/50	
Backlit PVC + PET + PVC	opal diffuser	330	BLS-3350	1,07 - 1,52 - 3,20	50	E L* U
Blockout PVC + PET + PVC	white / black / white	330	BKS-3350	1,07 - 1,27 - 2,20		

GREEN AREA (PP & full PET) - for ROLL-UP & DISPLAY

PP - Textile	white matt	350	PP-TEX35	0,914 - 1,07 - 1,37		
PP - Light Stop	white / grey	200	PY-WS2030	0,914 - 1,06	30	E L U
PET - Light Stop	white / grey	150	PY-WS1530	0,914 - 1,06 - 1,27		
PET - Backlit	opal diffuser	215	PY-BL2130	1,07 - 1,27 - 1,52		

Printability: **E** Eco-solvent **L** Designed for Latex, tested on HP 300 series and Mimaki JV400LX **L*** Other Latex: tests are recommended **U** UV Curable



Hanging Banner



INTER**Cast** BANNER



Product	Product code	Weight (gsm)	Finish	Width (m)	Length (m)	Textile Structure	Breaking Strength (N/5cm)	Printability	
INTERCAST Premium Banner									
				0,76	50				
	CT-FL510	510	matt	1,12 - 1,37 - 1,52 - 1,60	30	20*20 1000 D*1000 D	2200/1900		
				2,20 - 2,50 - 3,20	50				
PREMIUM									
Frontlit	CT-FL510-B1	510	matt (DIN 4102-B1)	1,12 - 1,37 - 1,60	30	20*20 1000 D*1000 D	2200/1900		
	CT-FL560	560	matt	1,12 - 1,37 - 1,60	30	20*20 1000 D*1000 D	2200/1900	E L U	
New!	Backlit	CT-BL560-FR	560	matt (DIN 4102-B1)	1,12 - 1,37 - 1,60	30	28*28 500 D*500 D	1800/1300	
	CT-BK440	440	matt	1,12 - 1,37 - 1,60	30	36*36 250 D*250 D	1300/1030		
Blockout	CT-BK610	610	matt	1,12 - 1,37 - 1,60	30	28*28 500 D*500 D	1850/1350		
MESH Coated									
				1,12 - 1,37 - 1,60 (liner)	30				
Mesh	CT-MS300-FR	300	matt	1,60 (no liner)	30	12*12 1000 D*1000 D	1250/1100	E L U	
				3,20 (no liner)	50				
FUSION Laminated Banner									
				1,12	50				
FUSION	BL-FLHS440	440	high smooth indoor	1,37	30/50	18*12 300 D*500 D	650/590		
Frontlit Laminated				1,60 - 2,20 - 2,50 - 3,20	50			E L U	
	BL-FLCW440	440	crosswind outdoor	1,12 - 1,37 - 1,60 - 3,20	50	9*9 1000 D*1000 D	1590/1260		
Special Designs - On Demand									
New!	Déco-Tex	CT-SP440	440	white matt		9*9 500 D*500 D	850/750	Ideal for decoration and interior design. Fusion technology	
					Products on demand - sizes and colours can be customized				
Super Coated	CT-TA630-ARM	630	orange matt			18*18 1000 D*1000 D	2050/2030	Super strong: ideal for tents, truck covers, membranes, inflatable materials	



TEXTILE COLLECTION

Product	Weight (gsm)	Finish	Product code	Width (m)	Length (m)	Features	Printability
Cotton Canvas							
Cotton Canvas <i>Super white</i>	360	gloss	TCW-3618-G	1,07 - 1,37 - 1,52	18	high tensile strength, good dimensional stability	E L U
		matt	TCW-3618	0,61 - 1,07 - 1,37 - 1,52			E L U D
Art Canvas							
ART Cotton Canvas <i>Warm white</i>	390	matt <i>natural back</i>	TAN-3918	0,61 - 1,07 - 1,27	18	high resolution, good opacity, ideal for fine art	E L U D
		matt <i>havana back</i>	TAR-3818	0,61 - 1,07 - 1,27			E L U D
Polyester Canvas							
Polyester Canvas <i>Super white</i>	195	matt	TPW-1930	0,61 - 0,914 - 1,07 - 1,37 - 1,52	30	no curling, for roll-up and hanging banners. <i>Flame retardant available on demand</i>	E L U D
			TPW-1950	3,20	50		
	230	gloss	TPW-2330-G	1,07 - 1,37 - 1,52	30	high definition, high tensile strength, good dimensional stability	E L U
		matt	TPW-2330	1,07 - 1,27 - 1,37 - 1,52			E L U D
New! Polyester Canvas <i>Warm white</i>	275	matt	TPF-2730	1,07 - 1,37 - 1,60	30	for outdoor, soft touch, conformable for frames	E L U
New! Polyester Canvas <i>Opal diffuser</i>	260	matt DIN4102-B1	TPB-2630-B1	1,07 - 1,37 - 1,60	30	special for cold light backlit & framing	E L U



TEXTILE SPECIALITIES



Product	Weight (gsm)	Finish	Product code	Width (m)	Length (m)	Features	Printability
Specialities							
Polypropylene Textile	300	matt	TPP-3030	1,07 - 1,37	30	Super Green high tenacity	E L U D
Self-Adhesive Polyester + liner	115	matt	TAP-1130	1,07 - 1,37	30	anallergic, water resistant for wall covering	E L U D
Polyester Flag + Oxy-Dry liner	160	matt	TFX-1630	1,07 - 1,37	30	2-side view, with the NEW Oxy-Dry liner	E L U
New! TEXON Vinyl-Textile	190	matt	TEXON-F19	1,07 - 1,37 - 1,60	30	designed for frontlit	E L U
	190		TEXON-B19	1,07 - 1,37 - 1,60		designed for backlit	E L U
LUS Range - for Latex (also Uv and Sublimation)							
Flag no liner Polyester	110	matt	LUS-F1150	1,60		for flag, background and covering	Certified for HP Latex Inks
Frame & decor Polyester	200	matt	LUS-M2050	1,60 - 1,80 - 3,20	50	for frame visual banner flag and interior decor	L U S
New! Backlit Polyester	245	matt DIN4102-B1	LUS-B2450-B1	1,60 - 2,64		structured for warm light backlit & background	

Printability: E Eco-solvent L Designed for Latex U UV curable D Dye-Pigment D Dye-Pigment, tests recommended S Sublimation (direct&indirect)



TAP on the wall trompe-l'œil





Rolls & Sheets



Product	Structure	Total thickness (micron)	Finish	Product code	Width (m)	Length (m)	Pull (g/cm ²)	Features	Printability	
MAGNETIC ROLLS - Brown & White (isotropic)										
WHITE MAGNETIC ROLL	MAGNET white PP	300	matt	MGPP-3030-WM	1020 - 1270	30	8 - 10	Print & Cut	E U	
	MAGNET white PET	300	matt	MGPET-30-WM	1070 - 1270	30	8 - 10		E L* U	
	New! MAGNET white PET ultra FLAT	300	matt	PETMG-30-WM	1070 - 1270 - 1370 - 1520	30	8 - 10		E L* U	
	for Digital and Screen printing		300	matt	MGD-3030-WM	1020	30	8 - 10	Direct printing with any kinds of digital ink-jet and screen	S E U
		MAGNET white PVC	350	matt	MGD-38-WMC	500 - 1000	15/30	15 - 18		Certified for HP Latex Inks
					MGD-38-WM	1270			15	
			500	gloss	MGD-50-WG	1000		18 - 22	S E U	
			500		MG-50-WM	615 - 1000		18 - 22		
			600	matt	MG-60-WM	615 - 820 - 1000	15	28 - 30	For Digital flat-bed and screen.	S E U
		MAGNET white PVC	850		MG-85-WM	615 - 1000		40 - 44		
		500		MG-50-WG	1000		18 - 22	For sign, packaging and display	S E U	
	850	gloss	MG-85-WG	615	15	40 - 44				
BROWN MAGNETIC ROLL	MAGNET Plain BROWN for LAMINATION & MOUNTING	400		MG-40-BR	1000	15 / 20	18 - 22	To be laminated and mounted with any printed media (paper or plastic). For packaging and display		
		500	matt	MG-50-BR	615 - 820 - 1000		28 - 30			
		750		MG-75-BR	615 - 1000	15	40 - 44			
	New!	1000		MG-100-BR	615		55 - 57			

MAGNET SHEETS (Brown & White, for offset, screen and lamination)

New! BROWN MAGNETIC SHEET*	MAGNET Plain BROWN for OFFSET & Lamination	400	matt	MGS-5740-BR	50 * 70 cm	18 - 22	To be laminated and mounted with any printed media
	MGS-446240-BR			44 * 62 cm			

*More and more sizes can be customized on demand (70*100cm; 35*50cm; 31*50cm; 62*100cm; 44*62cm, and so on). Also sheets with white PVC are on demand.

Printability:	S Solvent	E Eco-solvent	U UV	U UV, tests recommended	L Designed for LATEX, tested on Mimaki JV400LX and HP 300 series	L* Latex: test before printing is recommended
----------------------	---------------------	-------------------------	----------------	-----------------------------------	--	---

Print & cut MANIA!

Build up Magnetic Display

Wall preparation



Ferro Sheet on MAGNETIC wall

Magnet Visual-Comm




MAGNET VISUAL-COMM - Panel & Wall Mounting (Magnet & Ferro with adhesive)

Product	Structure	Total thickness (micron)	Finish	Product code	Width (m)	Length (m)	Pull (g/cm ²)	Features	Printability
Adhesive Magnet & Ferro	FERRO Plain brown with adhesive	500	matt	MGSA-50-BR	615	20	28 - 30	To install magnetic walls and display	-
	FERRO Plain brown with adhesive	600	matt	MGSA-60-BR	615 - 1020	15	34 - 36		
	New! MAGNET white PVC with adhesive	600	matt	MGSA-60-WM	1020	15	28 - 30	S E U	
	New! FERRO white PVC with adhesive	600	matt	MGSFSA-60-WM	1020	15	-	S E U	
FERRO SHEET (ferrous)	FERRO Sheet Plain brown	500	matt	MGSF-50-BR	615	20	-	-	-
	New! FERRO Varnish white PET	200	matt	PET-FSV20	1070 - 1270 - 1370 - 1520	30	-	To be printed & applied on magnetic walls (multiple overlapping), display and packaging	E L U
	FERRO Varnish white PP	240	matt	PP-FSV24	1070 - 1370 - 1520	30	-		E L U
	FERRO Film white PP laminated	300	matt	MGSFPP-3030-WM	1020 - 1270	30	-		E L U
	FERRO Film white PVC laminated	300	matt	MGSFPVC-3030-WM	1370 - 1520	30	-		E L U
MAGNET adhesive tape with dispenser	300	matt	MGT-01930-BR	19	5	6 - 8	To perform quick demonstrations		-

STRIPS & PROFILES (Reflective and Adhesive Magnet)

New!	Reflective MAGNET strips	950		refl. white refl. red refl. orange	MGRF-4095-WR/RR/OR	40	25	40 - 42	for warning & caution signs, for indoor
	Plain brown magnetic strips with adhesive (for Pop-Up structures)**	1500	matt		MG-PA1530	12,7 12,7 25,4	30	70 g/cm 140 g/cm	Pole-A (white liner) Pole-B (red liner)

** Pop-up structures are usually already equipped with B-pole strips. To mount the media, use A-pole strips. All magnetic sheeting and profiles are at the isotropic level and in flame retardant.





DIGITAL MEDIA FOR EUROPE

DO YOU WANT
TO BE THE NEXT?



info@guandong.eu
www.guandong.eu

Guandong Headquarters Milan - Italy

S.S. 415 Pallese Km 10 - 20090 Calepio di Settala - Milano - Italy
Ph. +39 02 897859.88 - Fax +39 02 897856.81
info@guandong.eu - www.guandong.eu

Shanghai Office

Guandong-Wider Union - Harbor Ring Plaza no. 18 Tibet Middle Road
200001 Shanghai - info@guandong-cn.com