

# Consumables





# Rösler provides total finishing solutions



When it comes to surface finishing, Rösler is known to offer complete, well-engineered process solutions. Based on our comprehensive knowledge of **mass finishing** and **shot blasting technologies**, we can provide our customers with practically unlimited finishing solutions. In our state-of-the-art test lab, we conduct meaningful test trials to develop the optimum finishing processes for our customers because only complete solutions yield the best results. We are not simply offering specific surface finishing processes but we are also supply perfectly matched auxiliary equipment and consumables. This approach has proven to be highly successful and has established Rösler as the global technological and market leader, with groundbreaking innovations and extremely high quality standards.



In more than 60 countries we support our customers with a comprehensive network of Rösler sales branches and independent distributors.

Rösler is the only supplier in its field maintaining **test labs** all over the world, where we develop process solutions under actual operating conditions and select the most suitable equipment. This approach saves our customers not only long travel distances and high freight costs, but it also provides them with products and processes that have been extensively tested by our specialists under the most severe operating conditions.



## Global network of test labs

Test labs for mass finishing and shot blasting at the Rösler headquarters in Untermerzbach:

- More than 95 mass finishing and shot blast machines.
- About 2,700 m² (27,000 sqft)
   workspace

Our teams in USA, Great Britain, France, Netherlands, Belgium, Spain, Turkey, Romania, Italy, Austria, Switzerland, Russia, Brazil, Serbia and India provide similar test lab services.

## Complete solutions

Besides demanding high quality, environmentally safe and efficient products, our customers also prefer to purchase all process components from one single source. That is why we offer not merely the processing equipment but the complete package with perfectly matched consumables. This quarantees the best finishing results and absolute process safety. Our global service teams take care of the delivery and the installation for you. Qualified engineers train our customers right at their location. And, of course, our after-sales service members will answer all of your questions. Quick supply of all spare parts and professional consultation by our experienced process specialists ensure that your finishing processes are always running smoothly.

## Team spirit

Rösler is a dynamic company, where the initiative and dedication of each team member plays a central role. Systematic advanced professional training and cooperative, lean management are essential elements of our corporate philosophy. With our established internship programs, we are able to development of tomorrow's professional team members, today.





# Typical applications

# **Overview**







Selection Criteria for Rösle Consumables



Quality Abrasive Media



Auxiliary Mass Finishing Media 24 - 25



**Process Water Cleaning** 

26 - 27



Mass Finishing Compounds

16 - 23

6 - 7

8 - 15

## Consumables

When it comes to consumables, no one in the industry can match our product line, or our experience. For over 60 years, Rösler has produced high-quality ceramic media. In addition, Rösler produces plastic media and environmentally-friendly mass finishing compounds

All this adds up to 15,000 different consumables. Quality is another area in which Rösler cannot be matched. We manufacture our consumables in accordance with the DIN EN ISO 9001 and 50001 quality control standards. Our standards for environmental protection are just as high. We use environmentally-friendly raw materials, and ensure that our manufacturing process maintains the highest standards for keeping the environment clean.



## Selection Criteria for Rösler Consumables

## Mass Finishing

Deburring | Rough grinding | Fine grinding | Smoothing | Polishing | Radiusing | Cleaning | Degreasing | Descaling | Corrosion Protection | Rust Removal | Ball Burnishing | Pressure Deburring

Media	Composition	The composition of the media determines grinding performance and the effect on the surface.
	Shape	The shape of the component to be finished determines the shape of the media required. The correct fit between media and component ensures that all surface areas are finished consistently, and there is no lodging of the media.  The shape of the media also has an effect on the performance. Angled and edged shapes are more aggressive than rounded shapes.
	Size	Size and weight are key factors in determining performance. Large, heavy media cuts more aggressively, and leaves a rougher surface; small, lightweight media is less aggressive and more suitable for smoother surface requirements.
	Separating	Once the process is finished, the media must be separated completely from the components. Screening is the most common method of separation, requiring that the media be smaller than the components. Ferrous components may be separated magnetically. Inverse separation may be used in cases where the media is larger than the components. Custom solutions can be developed to meet individual requirements.
Compound	Туре	The mass finishing compound is an important part of the finishing process, and the right compound makes the difference between a good surface finish and a great surface finish. Compounds keep the surfaces of the media and components clean, and can also provide corrosion protection and/or degreasing. In order to determine the right compound for the process you must consider:  • the material the component is made of
		<ul> <li>the required surface finish</li> <li>the individual application and process requirements</li> <li>Due to the ease of dosing, liquid compounds are most widely used with modern finishing systems. Powder compounds are recommended for special applications such as shock degreasing and media cleaning.</li> </ul>
Other	Adhesion Prevention	Adding Rösler's RAT anti-adhesion balls to the surface finishing process prevents parts from sticking to one another and ensures that all sides of all parts will be finished consistently.
	Grinding Additive	To enhance the grinding performance of media in certain applications, a grinding Additive is used. It is applied to each batch manually at a rate of 0.5 to 1.0 kg per 100 kg of media, or automatically using powder dosing systems.

## If you have any questions, please contact us or our sales representatives!

## Special Processes

Rösler Keramo-Finish®	Media	RP and RCP ceramic media with minimum abrasion are used for the finishing and polishing processes.
	Compound	This process requires a combination of Keramo-Finish® RSP and RPP pastes, followed by Rösler FC and ZF series compounds for rinsing off the pastes and final polishing.
Rösler ISF®  Chemically accelerated	Media	Special ISF®-Media
mass finishing	Compound	Special compounds for chemically accelerated surface finishing are matched to the materials to be processed.
Rösler Ball Polishing and Pressure Deburring	Media	Stainless steel media from the RESK, RESA or SAT series is used and Pressure Deburring to burnish or pressure deburr parts in the surface finishing system.
	Compound	FC series ball burnishing compounds are used to provide optimum results.
Rösler Dry Polishing	Media	Rösler polishing media SV and SVK series are used for this process. They are pre-treated with dry polishing pastes.
	Compound	Rösler dry polishing pastes of RPP 7 and RSP 7 series.

For processing your components, we manufacture a complete line of surface finishing equipment:


Rotary vibrators | Trough vibrators | Continuous Flow installations | Rotomatics | Long Radius | Plunge finisher | High energy disc systems | Drag grinding installations | Drying machines

Catalogues are available upon request.



# Quality Abrasive Media

- the most comprehensive range in the world.





## **Ceramic Media Production**

Rösler ceramic media is manufactured to exacting standards. We do our own body preparation, formulation, and maintain full control over all aspects of the manufacturing process. Starting with specially selected raw materials, the materials are mixed, formed and fired in a fully-automated state-of-the-art kiln to ensure consistent quality, and continuously reproducible results. Rösler has been producing high-quality media for over 60 years, and has the experience and the technology to ensure that our media is capable of finishing components to the highest standards, and balancing quality and cost.



## Plastic Media Production

Our standards are no less exacting for our plastic media. Where others follow, we continuously improve our production processes to stay in the lead. The entire production process, mixing to forming to curing is totally automated. The process is computer controlled and continuously monitored.

All shapes and sizes of our finishing media are cured. This allows us to increase quality further, and is a requirement for ensuring consistent wear and cutting performance, and above all, reproducible results during the finishing process.



## Supply Quality

In our central warehouse, and in the warehouses of our subsidiaries worldwide, we stock approx. 8,000 tons of high-quality consumables, ensuring timely supply of the consumables you need, when you need them.

 $8 \,$ 



## Ceramic Media

Ordering Example:	<b>Quality</b> RM	Measurement 10/15	<b>Shape</b> S	Shape		<b>D</b>	F Triangle with big radius		<b>S*</b> ut Triangle		<b>Z</b> inder		<b>S*</b> ut Cylinder	<b>QZ</b> Quinto
Quality	Specific Weight g/cm³	Grinding Performance	Grinding Effect	Measurement (mm)	a	<b>6</b>			b	8	b	8	b	
RP Keramo- Finish®	2.91				02/02 03/03 04/04 06/06 07/07	/b 09/09 10/06 10/10 15/15	a/b 10/10	03/08 04/04 04/10 05/05 05/10	06/10 08/12 09/09 10/15 12/04	0,8/03 1,4/05 1,5/05 1,7/05 01/03 02/05 03/05	03/10 04/10 05/10 06/10 07/15 10/15 12/25	01/03 1,2/03 1,4/05 1,5/05 1,7/05 02/05 03/05 03/10 04/05	04/10 04/13 05/10 06/10 06/13 07/15 08/15 09/20 10/20	<b>a/b</b> 08/08
RF	2.40		Sea garage and the sea of the season of the		03/03 04/04 05/05 06/06 08/08	10/10 13/13 15/10 15/15 20/20	06/06	10/06		03/03 04/04 06/08 10/14 12/12		03/05 06/10 08/15 10/10 15/36		
RCP	3.60		gy waste store the first we day		03/03 04/04 06/06 07/07 08/08	09/09 15/15 20/20 25/25		04/13 05/12 06/06 07/07 08/08 09/09	10/15 12/12 13/13 15/18 20/08	1,7/04 02/05 03/05 04/10 07/15	08/13 10/16 12/15 18/30	1,7/05 02/05 2,5/05 03/05 04/05 04/10 05/10 06/10	07/13 08/10 09/15 10/08 10/15 12/20 13/15	10/12 14/17
RM	2.49		The state of the s		02/02 03/03 04/04 06/06 08/08 10/10 13/13 15/15	20/20 25/25 30/30 40/40 50/50	06/06 08/08 10/10 13/13 15/15 20/20	03/10 04/10 06/10 08/20 10/15 10/20 13/26 15/15	15/18 16/32 20/20 20/30 25/25 30/25 30/30 35/35	02/05 04/10 05/08 06/10 07/15 08/20 09/13 10/16	12/16 12/25 15/40 20/40	1,5/06 02/05 03/05 03/10 04/10 05/10 06/13 07/15 08/15	09/20 10/15 10/20 12/20 12/25 15/25 15/30 20/20 25/30	15/15 15/18
RPM	2.50		And Andrews		04/04 06/06 10/10 15/15 20/20 25/25		20/20	03/10 04/10 05/10 06/06 08/20 10/15	13/13 15/15 20/20 25/25 30/25 35/35	04/08 10/20 20/40		04/10 05/10 06/13 09/20 10/20 12/20	15/30 20/40 25/30	08/08
RCB	2.50				04/04 05/05 06/06 08/08 10/10 13/13	15/15 20/20 25/25 30/30 40/40	10/10 15/25	04/10 06/15 07/07 10/10 10/15	13/15 15/15 20/20 25/25 30/30	06/13 10/20 15/40 20/40		03/10 10/20 15/30 20/40		
RS	2.52		HANN TONING		02/02 03/03 04/04 05/05 05/10 06/06 06/08 07/07 08/08 10/08 10/10 13/13 15/12	15/15 16/16 18/20 20/12 20/16 20/20 25/25 30/25 30/30 35/10 40/40 50/50	06/06 10/10 13/13 15/15 20/20 30/30	03/05 03/10 04/04 04/10 05/10 06/06 06/10 08/20 09/10 10/15 10/20 13/26	15/15 15/18 16/32 20/20 20/30 22/08 25/25 30/25 30/25 30/30 35/35 40/40	01/04 1,4/04 1,7/04 02/05 03/10 04/10 05/10 06/10 06/14 07/13 08/20	10/20 12/12 12/16 14/40 15/30 15/40 18/40 20/40	1,5/03 02/05 2,7/05 03/05 03/10 04/10 05/10 06/10 06/13 07/13	08/20 09/20 10/15 10/20 12/20 12/25 15/20 15/25 15/30 20/40 25/30	10/12 12/12 15/15 15/18 15/25 20/20 25/25

Further dimensions on request.

Special types for specific fields of application – contact us or our sales representatives!

	<b>DZ</b> Tristar	DZS* Angle Cut	ST Star	<b>E</b> Ellipse	ES* Angle Cut	<b>W</b> Elbowl	<b>P</b> Pyramid	<b>K</b> Cone	R Rhombus	PA Paraboloid	<b>G</b> Granulate
		Tristar			Ellipse						
		a b			0		٥	ea ea	o o	6 0	ea
	a/b	a/b	a/b	a/b/c	a/b/c	a/b	a/b	а	a/b/c	a/b	Ø
04/04 05/05 06/06 08/08 10/10	02/02 sk 03/03 sk 04/04 sk 06/06 sk 08/08 sk 10/10 sk	04/08 06/06 06/10 10/12 10/10 sk		08/09/03 20/20/08 10/10/05 15/15/04 15/15/06	15/15/04 15/15/06	10/10 sk					2 3 4 5 6 8
04/04 02/02 sk		04/04			20/20/08						3 4 6
04/04 05/05 06/06 08/08 10/10	06/06 sk 10/10 sk	04/05		08/09/03 15/15/06 20/20/08	15/15/06 25/30/13						
03/03 04/04 06/06 10/10 15/15 20/20 30/30	06/06 sk 10/10 sk	04/04 06/06 06/10 10/12 15/06 15/18 20/20 25/25 30/12 10/12 sk	20/08 22/12 30/12 35/12 45/16	14/14/05 15/15/04 15/15/06 20/20/08 20/20/10	15/15/04 15/15/06 20/15/08 25/25/10 25/25/13	10/05 10/10 14/14 15/10 15/15 20/20 25/25	15/16 22/25 25/27 30/34 35/39 40/45 P/R 45/50 P/R	15 19 20 30 35 40 45 60	35/18/25 50/30/30	30/17 50/28	1,2 9 2 10 3 11 4 14 5 18 6 7
10/10 20/20		10/10 15/15 15/18 20/10	20/12 22/10 30/12 45/16	14/14/05 15/15/04 15/15/06 20/20/08 20/20/10 25/25/10 25/25/15	20/15/08 25/25/13 25/30/10	20/20 15/15 sk	15/16 22/29 25/27 30/34 35/39 40/45 P/R 45/50 P/R	19 20 25 30 45			
03/03 04/04 10/10 20/20		10/20 20/10	30/12 45/16	08/10/03 15/15/04 15/15/06 20/20/08			15/16 25/27 30/34 35/39 40/45 P/R	30 40 60			
03/03 04/04 05/05 06/06 07/07 08/08 10/10 15/15 20/20 04/04 sk 06/06 sk 10/10 sk		04/04 05/05 06/06 06/10 10/12 10/15 15/18 20/20 30/12 10/12 sk 15/15 sk	20/08 20/12 22/12 30/12 35/12 45/16	10/10/05 14/14/05 15/15/04 15/15/06 20/20/08 20/20/10 25/25/10 25/25/15	15/15/04 15/15/06 20/15/06 25/15/10 25/25/13 30/30/12	10/05 10/10 15/10 15/15 20/20 14/14 sk	15/16 17/20 22/25 25/27 30/34 35/39 40/45 P/R 45/50 P/R 10 P/PQ	15 19 20 25 30 35 40 60	35/18/25 50/30/30 50/40/40 50/40/30	30/17 50/28	2 3 4 5 6 7 8

 $<sup>^\</sup>star$  Angle of angle cut media 30°, sk: sharp-edged, P/PQ: mixture of pyramids and tetrahedrons P/R: pyramid with big edge radius

<sup>...</sup> to be continued on following page



## Ceramic Media

Ordering Example	Quality RM	Measurement 10/15	<b>Shape</b> S	Shape		<b>D</b> angle	F Triangle with big radius		<b>S*</b> ut Triangle	<b>Z</b> Cylinde	r	1	<b>S*</b> ut Cylinder	QZ Quinto
Quality	Specific Weight g/cm <sup>3</sup>	Grinding Performance	Grinding Effect	Measurement (mm)	a	6	6		Ь	8 🔼 [	b	8	Ь	\$\frac{1}{2} \text{v}
				\$	a	/b	a/b	a	/b	a/b		a	/b	a/b
RSS	2.52		~~~~		04/04 06/06 10/10 13/13 15/15	20/20 25/25 40/40 50/50	04/04 06/06 13/13 15/15 20/20 22/22	02/20 04/10 06/13 10/15 13/26 15/18 20/20	20/30 25/25 30/23 30/25 30/30 35/35		0/40 5/40	05/10 06/10 07/14 08/20 09/20 10/20	12/20 15/25 15/40 20/40 25/25	
RSF	2.39		mpagicupungungun		02/02 03/03 04/04 05/05 06/06 07/07 08/08 10/06 10/10	15/10 15/15 20/12 20/20 25/25 30/20 30/30 40/40 50/50		04/10 06/10 10/06 10/15 13/26 15/10 15/18	20/30 25/25	07/08		02/05 03/05 04/05 04/10 06/13 07/15 09/15	10/15 10/20 12/20 15/25 20/20 25/30	12/12
RSG	2.51		problem from the second		02/02 03/03 04/04 06/06 08/08 10/10 13/13	15/15 20/20 25/25 30/30 35/35 40/40	06/06 10/10 13/13 15/15	04/10 06/10 08/20 10/15 10/20 13/26 15/15 15/18	20/20 20/30 22/08 22/24 25/25 30/25 30/30 35/35	06/10 18	5/30 3/40 0/40	1,5/04 02/05 03/05 03/10 04/05 04/10 05/10 06/13 07/15	08/15 10/20 12/20 12/25 15/25 15/30 20/40 25/30	10/12 15/18 20/20 25/25
RXF	2.63		and frage		04/04 06/06 07/07 08/08 10/10	13/13 15/15 20/20 25/25 30/30	10/10 13/13 20/20 25/25	04/04 06/10 08/20 10/15 13/13 15/15	15/18 25/30 30/23 30/30 35/35			1,2/03 1,7/03 02/05 03/05 04/10 05/10	06/13 07/15 10/20 12/20 15/25	10/12
RX	2.60		"Proposition of the second		03/03 04/04 05/05 06/06 07/07 08/08 10/10	13/13 15/15 20/20 25/15 25/25 30/30	08/08 10/10 15/15	06/10 08/20 10/10 10/15 12/10 13/13 15/15	15/18 20/20 22/08 22/24 25/25 30/25	07/13 10/15		1,7/03 03/05 04/05 06/10 07/15	08/15 12/20 15/30 20/40	10/12 15/15 15/18
RMB/D1	2.55		market and the state of the sta		04/04 06/06 08/08 10/10 13/13 15/15	20/20 25/15 25/25 30/30 40/40	08/06 13/13 15/15	04/08 06/13 10/15 13/13 15/15	15/18 20/20 25/25 30/23 30/30	02/06 07/13 08/20 10/20 20/40		02/05 03/05 04/10 05/10 06/13 07/15	08/15 10/20 12/25 15/25 20/20	12/12 15/15 15/18 20/20
RXX	2.67		MM		04/04 06/06 08/08 10/10 13/13 15/15	20/20 25/15 25/25 30/30	10/10 15/15 25/25	04/04 06/10 08/08 09/09 10/10 10/15 12/20 13/13 15/15	15/18 20/20 22/08 22/24 25/25 30/30 35/35 40/40	03/10 04/10 06/10 07/13 15/30 20/40		03/05 04/05 05/10 06/10 07/15 08/15	09/15 10/20 12/20 15/25	10/12 15/15 20/20

<b>DZ</b> Tristar	DZS* Angle Cut	ST Star	<b>E</b> Ellipse	ES* Angle Cut	W Elbow	<b>P</b> Pyramid	<b>K</b> Cone	R Rhombus	PA Paraboloid	<b>G</b> Granulate
	Tristar			Ellipse						
	٩		°   °   °   °   °   °   °   °   °   °			•	og og	u a	0 0	ea ea
a/b	a/b	<b>a/b</b>	<b>a/b/c</b>	<b>a/b/c</b>	<b>a/b</b>	a/b	а	<b>a/b/c</b> 50/30/30	a/b	Ø
	15/18	20/08 22/12 30/12 35/12 45/16	15/15/06 20/20/08 25/25/10 25/25/13	20/20/08 25/25/10 25/30/10 30/30/12	15/10 15/15 15/15 20/12			50/40/30 50/40/40		
06/06 10/10 06/06 sk 10/10 sk	10/12 15/18	20/08 20/12 22/12	10/12/05 15/15/04 15/15/06 20/20/08		15/15			50/30/30		
04/04 05/05 06/06 10/10 04/04 sk 06/06 sk 10/10 sk	04/10 06/06 06/10 10/12 15/15 15/18 20/20 20/30 25/25 30/10	20/08 22/12 30/12 35/12 45/16	10/12/05 14/14/05 15/15/04 15/15/06 20/20/08	15/15/06 25/25/10 25/25/13	10/10 15/15 20/20	15/16 22/25 25/27 30/34 35/39 40/45 P/R 45/50 P/R	15 19 20 30 35 40 60	50/30/30	30/17 50/28	2 3 4 5 6 8 11 18
06/06	04/04 04/10 06/06 10/12 15/18 15/10 sk	30/12 45/16	08/10/03 14/14/05 15/15/06	20/20/08	14/14 sk	35/39				5,5 8
06/06 10/10	10/12 15/18		14/14/05 15/15/06 20/20/08	25/50/13		10 P/PQ				
03/03 04/04 06/06 08/08 10/10	04/04 06/06 10/10 10/12 13/20 15/18 20/20 25/10 30/12	20/08 30/12 35/12	15/15/04 15/15/06 20/20/08 25/25/10	15/15/06 20/20/08	20/20	15/16 25/27		50/30/30		8
10/10	10/12 15/18 15/06 20/20 30/10	45/16	14/14/05 20/20/08	25/25/13	10/10 15/10 15/15 20/20			50/40/40		

Special types: RSS/SCH, RPM/D, RSA, RMM, RMB/S, RMST, RXXF, RFP, RPA, RBCP, RA, RAH, RMA, RSD, RMB, S-Type, RFS, RXXD, RXX/2, RIC/F, ROM/A, RSRE, RSRED, RCP/2, Steatit balls

 $<sup>^\</sup>star$  Angle of angle cut media 30°, sk: sharp-edged, P/PQ: mixture of pyramids and tetrahedrons P/R: pyramid with big edge radius



## Plastic Media

Further dimensions on request. Special types for specific fields of application – contact us or our sales representatives!

Ordering Example: Quality RKM Mea	Shape
-----------------------------------	-------

				ı
Quality	Specific Weight g/cm <sup>3</sup>	Grinding Performance	Grinding Effect	
RKF	1.51			000
RKM	1.72		- Arthur Arthur	
RKH/4	1.97			00000
RKK	1.79		and bally the saferage	0000
RKB/W	1,78		manth my market	
RKG	1.72		and the second s	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
RKB/W2	1.80		H har hoppy	4 <b>4 4 4 -</b>
RKV	1.82		the food of the fortants	
RKS	1.85		Marker of Holy Co	
RKE	1.82		May for formal affine to the	
RKX	1.82		a borrant Mr. at loads	


	<b>K</b> Cone			<b>P</b>	id	F	<b>PA</b> Paraboloid		PDZ Tristar Pyramid	<b>DK</b> Wedge	QZ Quinto	<b>L</b> Lens
	Øa					6	a/b			a/b	eo a	Øa
10 12 15 18	20 25 30		6 PQ 10 12 15	20 25 30 40	50 60	16/10 20/11 29/17 40/23						
10 12 15 18 20	25 30 35 40 50	60 70	6 PQ 10 12 15 20	25 30 40 45 50	60 70 80	16/10 20/11 29/17 35/19	40/23 50/27 60/33 70/39	20 25 30 40 60	65/25 DZ			16
6 10 12 15	18 20 25 30		6 PQ 10 12 15	20		16/10 20/11 29/17		20 30		10/20 12/16 15/20 20/36	20	16
10 12 15 20	25 30 40 50		10 12 15 20	25 30 40 50	60	20/11 29/17 40/23 50/27	60/33	20 30 40				
10 12 15 18	20 25 30 35	40 50 60 70	6 PQ 10 12 15	20 25 30 40	50 60	16/10 20/11 29/17 35/19	40/23 50/27 60/33 70/39	20 25 30 40 60		10/20		
i0 10 12	1.5 1.8 2.0	25 30	6 PQ 10 12 15	20 30		16/10 20/11 29/17		20		10/20		16
12 15 20 25	30 35 40 50	60	12 15 20 25	30 40 45 50		20/11 29/17 40/23 50/27	60/33 70/39	20 30 60		10/20		16
0 2 5 8	20 25 30 40	60	10 12 15 20	30		16/10 20/11 29/17		30				
10 12 15 20	25 30 40 50	60	10 12 15 20	25 30 40 50	60 80	16/10 20/11 29/17 40/23	50/27 60/33 70/39	20 25 30 40 60				
0 2 5 8	20 25 30 40		6 PQ 10 12 15	20 25 30		16/10 20/11 29/17 40/23						
10 12 15	20 25 30		6 PQ 10 15 20	30 40		20/11 29/17 50/27						

Special types: RKP, RKF/O, RKD, RKB/H, RKB/W1, RKB/W3, RKB/W4, RKB/W43, RKS/2, RKS/3, RKS/G, RPU, RPE, RKM/E, RKF/B, RKS/F, RKE/F, RKE/5, RKE/6, RKX/F, RKH/5, RBKM, RKB/WB 2, RKS/M



# Mass Finishing Compounds

- the most comprehensive range in the world.





## Rösler Mass Finishing Compounds

Rösler's compounds are ideal for all surface finishing processes. Their manufacture combines environmental protection, precision, and quality of process technology. Our Research and Development process takes place both in our development laboratory and in our test centres worldwide. We are continuously improving our products, as well as developing new ones, ensuring that we can always provide the right compound to fit your process and your budget.

Thorough testing of raw materials and finished products according to DIN EN ISO 9001 and 50001 standards allow us to fully document the quality control used in the production of our consumables. Regardless of which of our products you utilize, you can be sure that environmental protection will be a part of your surface finishing process.



## Supply Quality

In our central warehouse, and in the warehouses of our subsidiaries worldwide, we stock 8,000 types of high-quality consumables, ensuring timely supply of the consumables you need, when you need them.



## Liquid Compounds

Rösler's liquid compounds are the foundation of the modern mass finishing process. Thanks to their ability to remove contaminants such as metal and/or media fines from the process, they keep the components and the media clean and ensure that the media perform properly. Choose the right product for your application from Rösler's product range. This will guarantee that your solution is both economical and environmentally-friendly.

Туре	FC 115	FC 120	FC 124 S	FC 230	FC 321	FC 396	FC 410	FC 430	FC 491	FC 630 AL
Description	Corrosion protection for all rust-sensitive ferrous metals	Universal cleaning and polishing material with corrosion protection	Cleaning and polishing compound with corrosion protection for none ferrous metals and stainless steel	Cleaning and polishing compound for non-ferrous metals and stainless steel	Degreasing compound with corrosion protection	High alkaline degreasing compound special for high oily components	Etching compound	Etching and polishing compound for all non-ferrous metals and stainless steel	Passivation compound to improve the adhesion and bonding properties of aluminum	Polishing compound with brightening effect for all metals, especially titanium
pH Value 0.5 %	8.8	7.6	8.0	7.5	7.8	11.5	1.8	2.6	2.3	7.9
Steel/Iron	++	+	++	•	+	++	+	•	•	•
Stainless Steel	•	+	+	++	++	++	+	++	•	++
Copper/Brass	•	+	+	++	++	•	+	++		++
Aluminum	•	+	+	++	++	•		++	++	++
Zinc	•	+	+	+	++	•		+		++
Magnesium		•		+	+					+
Grinding/ Deburring/ Radiusing Edges	++	+	++	+	++	++	•		•	+
Degreasing/ De-oiling		•	+	•	++	++		•		•
Smoothing/ Polishing	•	+	++	++	+	•	+	++	++	++
Etching							++	+	++	
Polishing		+	++	++	+		+	++		++
Ball Polishing		•	•	+			++	++		+
Descaling/ Derusting							++	+		
Corrosion Protection	++	+	++	•	+	++	•		+	•
Cleaning	+	+	+	+	++	+	+	++	+	+
Degreasing		•	•	•	++	++		•		•
Brightening	•	+	++	++	++	•	+	++	•	++
Foam	•	+	+	+	•	•	+	++	+	++

Subject to revision

- ++ = very well suited/high
- + = suitable/average
- = conditionally suitable/less

## **Recirculation Compounds**

Rösler's recirculation compounds are a combination of technology, functionality, biological stability, and high durability that provide consistent process quality for every application.

	Туре	ZF 110 i	ZF 113	ZF 138	ZF 231	ZF 311	ZF 322	ZF 322 S
	Description	Corrosion protection for all rust-sensitive ferrous metals	Universal cleaning compound with corrosion protection for all ferrous and non-ferrous metals	Cleaning compound with high corrosion protection for all ferrous metals.	Special compound for cleaning and passivating magnesium	Low foam cleaning and passivating compound, particularly suitable for very oily stam- ped parts	Degreasing compound with corrosion protection for all metals	Degreasing compound with good corrosion protection for all ferrous and nonferrous metals
	pH Value 0.5 %	9.9	8.9	9.5	11.4	9.6	8.7	8.9
	Steel/Iron	++	+	++		++	+	++
	Stainless Steel	+	+	++		+	++	++
material	Copper/Brass	•	+	•		•	+	+
mate	Aluminum	•	+	•		•	++	++
	Zinc	•	+	•		•	+	++
	Magnesium		•		++		•	+
ion	Grinding/Deburring/ Radiusing Edges	++	++	++	+	++	+	++
application	Degreasing/ De-oiling	•	+	+	•	++	++	++
apl	Smoothing/Polishing	++	+	•	•	•	+	+
	Corrosion Protection	++	+	++	•	++	+	++
ies	Cleaning	+	+	++	•	++	++	+
properties	Degreasing	•	+	++	+	++	++	++
pro	Brightening	•	+	++	+	•	++	+
	Foam	•	•	•		•	•	•

Subject to revision

++ = very well suited/high

+ = suitable/average

• = conditionally suitable/less

We provide **special compounds for special processes.**Please contact us.



## **Powder Compounds**

Powdered mass finishing compounds work in tandem with other products. These include: initial degreasing, etching and descaling, enhancing cutting performance of media, and cleaning of grinding media.

	Туре	R 11	R 20	R 35 E	R 40	R 55	R 60
	Description	Corrosion protection and cleaning compound	Cleaning and corrosion protection compound with brightening effect	Universal degreaser with corrosion protection	Acid product for etching and descaling	Grinding additive for increasing grinding performance and cleaning grinding bodies	Polishing com- pound with brightening effect
	pH Value 0.5 %	11.0	9.0	10.5	1.8	10.5	9.2
	Steel/Iron	++	+	++	+	++	+
	Stainless Steel	+	+	+	+	+	+
material	Copper/Brass	•	+	+	+	+	++
mat	Aluminum	•	+	+		•	+
	Zinc	•	+	+		•	+
	Magnesium			•			
	Grinding/Deburring/ Radiusing Edges	++	+	++		++	+
	Degreasing/De-oiling	+	+	++			
tion	Smoothing/Polishing	+	+	+		•	++
application	Etching				+		
αр	Polishing		+				++
	Ball Polishing						+
	Descaling/Derusting				+		
	Corrosion Protection	++	+	++		•	+
ies	Cleaning	++	+	++		+	+
properties	Degreasing	+	+	++			
pre	Brightening	+	+	+			++
	Foam	+	+	+	+		+

Subject to revision

## **Grinding Pastes**

The Keramo-Finish® grinding process is particularly economical with our grinding pastes in non-circulated processes.

	Туре	RSP 626	RSP 6264	RSP 6268	-	RSP 6286	70
	Description	Universal grinding product	Product with enhanced grinding perfor- mance	Very strong grinding product	Product with enhanced grinding perfor- mance	Extremely strong grinding product	standard
	pH Value 0.5 %	ca. 9.0	ca. 9.0	ca. 9.0	ca. 9.5	ca. 9.0	
	Steel/Iron	++	++	+	+	+	
al a	Stainless Steel	+	+	++	++	++	
material	Copper/Brass	+	+	+	+	+	
E	Aluminum	•	•	•	•	•	
	Zinc	•	•	•	•	•	
applica- tion	Grinding/Deburring/ Radiusing Edges	+	++	++	++	++	
арр fi	Smoothing/Polishing	+	•	•	•		

circulation powder	RSP 506 S	RSP 5064 S	RSP 587	RSP 508	RSP 5086 S	recirc	for a
pumpable paste for circulation application	RSP 806	RSP 8064	RSP 887	RSP 808	RSP 8086		suitable

Subject to revision

utomatical dosing by pump

+ = suitable/average

• = conditionally suitable/less

We provide **special compounds for special processes.**Please contact us.

<sup>++ =</sup> very well suited/high

<sup>+ =</sup> suitable/average

<sup>• =</sup> conditionally suitable/less

<sup>++ =</sup> very well suited/high



## **Polishing Pastes**

The Keramo-Finish® polishing process refines, superfinishes, and produces mirror-bright, high polish surfaces. Rösler polishing pastes are designed to produce the required surface finish, are environmentally-friendly, and economical to utilise. In addition to pastes, we have also developed powdered products for use with recirculation systems.

	Туре	RPP 623	RPP 627	RPP 6279	RPP 629	RPP 632 R	70		
	Description	Polishing product with light grinding effect	Light grinding product with good smoothing and polishing effect	Universal product for polishing	Polishing product with good brightening power	Polishing additive with good brightening effect	standard		
	pH Value 0.5 %	9.0 approx.	9.0 approx.	9.0 approx.	9.0 approx.	8.7 approx.	S		
	Steel/Iron	++	+	++	+	+			
[a]	Stainless Steel	+	++	++	+	+			pump
material	Copper/Brass	•	+	++	++	++			
E	Aluminum	•	•	•		•			y by
	Zinc	•	•	•		•			sing
tion	Grinding/Deburring/ Radiusing Edges	+	+	+	•	•			automatical dosing
application	Smoothing/Polishing	+	++	++	++	++		u	tica
ap	Polishing	+	+	++	++	++		oitr	ma
								culc	unto
	circulation powder	RPP 503	RPP 527	RPP 579	RPP 590	RPP 520		recirculation	for c
	paste for recirculation, pumpable	RPP 803	RPP 827	RPP 879	RPP 890	RPP 820			suitable for

Subject to revision

state: 05/2016

- ++ = very well suited/high
- + = suitable/average
- = conditionally suitable/less

## Dry Polishing Media and Compounds

Dry polishing media SV (corn cob) and SVK (nut shells) are treated with dry polishing compounds for use in rotary vibrators, highenergy centrifugal systems, and barrels. This media/compound combination works to achieve a fine, smooth high-end polish with a bright luster on ductile surfaces. We can also adapt both media and compounds for specialised applications. All dry polishing media is ready to use, and available in a variety of sizes.

	Туре	RPP 746	RPP 747	RPP 7221 A	RPP 722 L3
	Description	Polishing additive with particular brightness	Polishing additive with good brightening effect	Polishing additive with good brightening effect for stainless steel	Polishing additive with good brightening effect
	Plastic	+	+	+	+
-	Stainless Steel	+	+	+	+
material	Non-ferrous material	+	+	+	+
Aluminum Zinc	Aluminum	+	+	+	+
	Zinc	+	+	+	+
applica- tion	Smoothing/ Polishing	+	+	+	+
	Polishing	+	+	+	+

Subject to revision

+ = suitable/average

We provide **special** compounds for special processes. Please contact us.



# Auxiliary Mass Finishing Media

Rösler stainless steel media is available in a variety of shapes, including ball, ballcone, satellite and pin, for high-lustre burnishing and pressure deburring of ferrous and non-ferrous metal components.

Further dimensions and steel qualities on request

Stainless Steel Polishing Media	Materials	Designation	Dimensions in I	mm	Grain Size
			Ø	a/b	
Balls	1.4301 = AISI 304 1.4034 = AISI 420 1.4401 = AISI 316	RESK 2.0 RESK 2.8 RESK 3.2 RESK 3.9 RESK 4.5 RESK 5.0	Ø 2.0¹ Ø 2.8¹ Ø 3.2¹ Ø 3.9¹ Ø 4.5¹ Ø 5.0¹		
Ballcones	1.4301 = AISI 304 1.4034 = AISI 420	SAT 03/05 SAT 05/07 SAT 07/10 SAT 08/12		03/05 05/07 07/10 08/12	
Pins	1.4301 = AISI 304 1.4034 = AISI 420 1.0616 = AISI 1086	RESA 01/05 RESA 01/09 RESA 1.6/07 RESA 02/05 RESA 03/03 RESA 03/09		01/05 01/09 1.6/07 02/05 03/03 03/09	

1 good class 6							
Dry and Polishing Media	Materials	Designation	Dimensions in	n mm	Grain Size		
			ø	a/b			
Trocknungsgranulat Supervelat SV	Low dust maize-cellulose product for spotless drying, cleaning, and polishing components.	SV 6 SV 8 SV 12 SV 16 SV 20 SV 30			3.2-4.5 approx. 2.0-3.2 approx. 1.5-2.0 approx. 1.0-1.5 approx. 0.7-1.0 approx. 0.5-0.7 approx.		
Alternatively: Material with low dust portion SVN		SV 12 N SV 16 N SV 20 N			1.5-2.0 approx. 1.0-1.5 approx. 0.7-1.0 approx.		
Nutshell Granulate	Dust-reduced product for polishing components.	SVK 6 SVK 8 SVK 16 SVK 20					
Glass Balls		RGK RGK RGK	Ø 3 Ø 4 Ø 5				
Anti-stick Separating Balls	Prevents the sticking of flat components in all grinding operations.	RAT 1 RAT 2			0.3-0.9 approx. 0.05-0.25 approx.		



# **Process Water Cleaning**

26



## **Process Water Cleaning**

Effective process water cleaning requires a processing system optimised for enhanced results. Special recirculation compounds, combined with process water cleaners and flocculants, all work together to achieve the required finish, while keeping the process water clean and stable. Please contact us for more information about our treatment options using:


- process water centrifuges with Turbo-Floc® technology
- process water separators and settling tanks
- auxiliary equipment, such as buffer tanks, reaction tanks, and lifting stations

Chemical and mechanical waste water treatment systems complete our range of equipment and processing chemicals. We specialize in semi-automatic and fully automatic flocculation systems with capacities from 50 to 5,000 l/h.

### **Recirculation Process**

Compared to traditional surface finishing without process water recirculation, you can achieve savings of up to:

- ▶ 80 % in compound usage
- ▶ 95 % in process water consumption



## Process Water Cleaners (circulation systems)

### Liquid for circulation system

Туре	AR 8400	AR 8403	AR 8404	AR 8405	AR 8407	2012		
Function	Cationic Polymer for keeping the recycling system stable							
Consumption	As supplied or mixed with wa	s supplied or mixed with water at a ratio 1:4 up to 1:10, approximately 0.1 – 1.0 kg/m <sup>3</sup>						

### Powder for circulation system

Туре	AR 7120	AR 7134	2012			
Function	Powder flocculants for effective removal of oil and grease from recycling systems; no buildup of salt in the process liquid					
Consumption	Depending on the degree of a	contamination from 0.1 kg/m³ up to 1.0 kg/m³	tate:			

Subject to revision

## Chemical and Mechanical Waste Water Treatment (precipitation/flocculation)

We recommend suitable treatment systems to keep waste water treatment safe and economical regardless of how specialised your individual requirements are. We have years of experience, gained from more than 1,000 systems supplied. Our well-equipped development and analysis laboratory and the latest technology is at our disposal.

### Powder flocculants for waste water treatment

Туре	AR 7009	AR 7038	AR 7090	AR 7234	12				
Function	Powder products for waste w processing machines.	Powder products for waste water of surface finishing, optimised for effective removal of oils, greases, rests of compounds, metals and solids in batch processing machines.							
Consumption	Depending on the rate of pol	Depending on the rate of polution 1 up to 10 kg/m <sup>3</sup>							

Subject to revision



RÖSLER Oberflächentechnik GmbH
Werk Memmelsdorf
Vorstadt 1
D-96190 Untermerzbach
Tel.: +49/9533/924-0
Fax: +49/9533/924-300
info@rosler.com

RÖSLER Oberflächentechnik GmbH Work Hausen Hausen 1 D-96231 Bad Staffelstein Tel.: +49/9533/924-0 Fax: +49/9533/924-300 info@rosler.com

### USA

RÖSLER Metal Finishing USA, L.L.C. 1551 Denso Road USA-Battle Creek MI 49037 Tel.: +1/269/4413000 Fax: +1/269/4413001 rosler-us@rosler.com

### France

rance

RÖSLER France
Z.I. de la Fontaine d'Azon
CS 50513 – St. Clément
F-89105 Sens Cedex
Tel.: +33/3/86647979
Fax: +33/3/86655194
rosler-fr@rosler.com

Italy

RÖSLER Italiana S.r.I.

Via Elio Vittorini 10/12
I-20863 Concorezzo (MB)
Tel.: +39/039/611521
Fax: +39/039/6115232
rosler-it@rosler.com

### Switzerland

RÖSLER Schweiz AG
Stoffelbachstraße 189
Postfach 81
CH-5054 Kirchleerau
Tel.: +41/62/7385500
Fax: +41/62/7385580
rosler-ch@rosler.com

Spain

RÖSLER International GmbH & Co. KG
Sucursal en España
Polg. Ind. Cova Solera C/Roma, 7
E-08191 Rubí (Barcelona)
Tel.: +34/93/5885585
Fax: +34/93/5883209

### Netherlands

RÖSLER Benelux B.V. ROSLER Benefux B.V.
Reggestraat 18
NL-5347 JG Oss
Postbus 829
NL-5340 AV Oss
Tel.: +31/412/646600
Fax: +31/412/646046
rosler-nl@rosler.com

Belgium RÖSLER Benelux B.V. Avenue de Ramelot 6 Zoning Industriel B-1480 Tubize (Saintes) Tel.: +32/2/3610200 Fax: +32/2/3612831 rosler-be@rosler.com

RÖSLER Oberflächentechnik GmbH Hetmanekgasse 15 A-1230 Wien Tel.: +43/1/6985180-0 Fax: +43/1/6985182 rosler-at@rosler.com

### Romania

STR. Avram lancu 39-43 RO-075100 Otopeni/IIFOV Tel.: +40/21/352 4416 Fax: +40/21/352 4935 rosler-ro@rosler.com

### Serbia

ROSLER D.o.o Dr Ivana Ribara 32 SRB-11070 Novi Beograd Tel.: +381 11 3184407 rosler-rs@rosler.com

### **Great Britain**

RÖSLER UK
Unity Grove, School Lane
Knowsley Business Park
GB-Prescot, Merseyside L34 9GT
Tel.: +44/151/4820444
Fax: +44/151/4824400
rosler-uk@rosler.com

### Russia

RÖSLER Russland Borovaya Str. 7, bldg. 4, office 107 11 1020 Moscow Tel. / Fax: +7 / 495 / 247 55 80 rosler-ru@rosler.com

RÖSLER Otec do Brasil LTDA Estrada dos Galdinos 35 Jd. Barbacena 06700-000 - Cotia São Paulo - Brasil Tel.: +55/11/461 23844 Fax: +55/11/461 123845 info@rosler-otec.com.br

ROSLER SURFACE-TECH (BEIJING) CO., LTD. ROSLER SURFALE-IECH (BEDING) CO. Beijing Office Fu Hua Mansion, Office A-11-K No. 8, Chao Yang Men North Avenue Beijing 100027, P.R China Tel.: +86/10/6554 73 86 Fax: +86/10/6554 73 87 rosler-cn@rosler.com

RÖSLER SurfaceTech Pvt. Ltd. Pune Factory No: A-29, Chakan MIDC-Phase 2 Pune-410501 Tel.: +91/2135/690202

Bangalore Office No: 9, Main Road. RT Nagar Bangalore-560032 Tel.: +91/80 23534445 Fax: +91/80 23339165 info@rosler.net.in

• and more than 150 representations worldwide



