



Mod.	Kw	mm	Kg
128DL	6	2000 x 150	408

Mod.	Kw	mm	Kg
128S	3.4/2.6	2000 x 75	140

Mod.	Kw	MAX	Kg
143	3.3/4.5	250X100	580



Mod.	Kw	mm	Kg
142	2.3	950 x 50	200

Mod.	Kw	mm	Kg
EG75	2.7	2000 x 75	82

Mod.	Kw	mm	Kg
133	5.3/6	2000 x 150	140
134	3.4	2000 x 150	120




Mod.	Kw	mm.	Kg
332	3	2000 x 200	165
333	3	2000 x 200	195



Mod.	Kw	mm.	Kg
334	3	2000 x 200	167



Mod.	Kw	mm.	Kg
310	0.6	1000 x 100	40
311	2.2/1.5	1500 x 150	75



- Anche in versione a Nastro libero
- This model with free belt is also available
- Auch in der Version mit frei laufendem Scherband
- Même en version avec bande libre
- También en versión con cinta libre



Mod.	Kw	mm.	Kg
122	4.5	2000 x 75	84



Mod.	Kw	mm.	Kg
335	5/2.8	3000x500	500



Mod.	Kw	mm.	Kg
EG120	1.5	1500 x 120	50
EG150	2.7	2000 x 150	95



Mod.	Kw	mm.	Kg
521	2.6/3.3	2000 x 75	82
522	2.6/3.3	2000 x 150	95
531	3.7/5.2	2500 x 100	135
532	3.7/5.2	2500 x 200	173



Mod.	Kw	mm.	Kg
491	2.2/1.5	2500x75	90



Mod.	Kw	mm.	Kg
131	2.3/1.5	2000 x 150	120



Mod.	Kw	mm.	Kg
135	3	2000 x 150	220



Mod.	Kw	mm.	Kg
126	4.5	2000 x 75	96



Mod.	Kw	mm.	Kg
125-4R	4.5	2000 x 75	130



Mod.	Kw	mm.	Kg
623	2.3	2000 x 6/75	97



Mod.	Kw	mm.	Kg
213	2.2/1.5	2000 x 12-100	130



Mod.	Kw	mm.	Kg
127	2.2/1.5	2000 x 150	105



Mod.	Kw	mm.	Kg
212	2.2/1.5	2000 x 12/100	235





Mod.	Kw	mm.	Kg
844/5/6	0.3	900 x 35	295

Mod.	Kw	mm.	Kg
847	0.3	900x25	295




Mod.	Kw	mm.	Kg
420	2.6	2000 x 50/12	87



Mod.	Kw	mm.	Kg
410	0.6	1500x6/4	40



Mod.	Kw	mm.	Kg
413	0.6	1100 x 6/50	45



Mod.	Kw	MAX	Kg
706	3.4	650 300 x 140 110 - 220°	
726	3.4	650 300 x 140 210 - 500°	

Mod.	Kw	MAX	Kg
705	3.4	280 300 x 120 105 - 220°	
725	3.4	280 300 x 120 200 - 500°	

Mod.	Kw	MAX	Kg
707	3.4	500 400 x 500 115 - 220°	
727	3.4	500 400 x 500 220 - 500°	

Mod.	Kw	MAX	Kg
761	4.5	600 x 100	280
791	4.5	960 x 100	320