



HIGH TECH GLOVES

High Technical level
Durable
Tactile

+ Breathable



**YOUR
SUCCESS
IS IN YOUR
HANDS**

digitX®
digitx-gloves.com

DURALUX PALM 60-10



Description

Protective glove against mechanical risks. 15G blue nylon/lycra with new generation spraying nitrile palm coated glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Microporous sandy nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester



ANTI
MICROBIAL
TREATMENT

21.000
abrasion
cycles

Benefits

The glove that breaths. So you feel safe and protected!

- A thin, light glove that absorbs perspiration without reducing the tactile feel. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance, tripling the maximum requirement for level 4 (21.000 abrasion cycles), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear. Extended protection and precision handling.
- Greater hygiene thanks to the anti-microbial treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

DURALUX

3/4 COATED 60-11



ANTI
MICROBIAL
TREATMENT

21.000
abrasion
cycles



Description

Protective glove against mechanical risks. 15G blue nylon/lycra with new generation spraying nitrile 3/4 coated glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388


Composition

Coating: Microporous sandy nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

The glove that breaths.
So you feel safe and protected!

- A thin, light glove that absorbs perspiration without reducing the tactile feel. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance, tripling the maximum requirement for level 4 (21.000 abrasion cycles), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear. Extended protection and precision handling.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



The coating does not go through the liner

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX

DURALUX COATED 60-12



Description

Protective glove against mechanical risks. 15G blue nylon/lycra with new generation spraying nitrile coated glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Microporous sandy nitrile. Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester



ANTI
MICROBIAL
TREATMENT

21.000
abrasion
cycles

Benefits

The glove that breaths. So you feel safe and protected!

- A thin, light glove that absorbs perspiration without reducing the tactile feel. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance, tripling the maximum requirement for level 4 (21.000 abrasion cycles), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Extended protection and precision handling.
- Greater hygiene thanks to the anti-microbial treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

DIGILUX PALM 60-20



super light
foam nitrile

Only 19 g!



ANTI
MICROBIAL
TREATMENT

Description

Protective glove against mechanical risks. 15G grey nylon/lycra with black **super thinner** foam nitrile palm coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Even thinner!

Extended tactility and sensitivity

- **Super thin** foam nitrile palm coating glove: Ultra thin glove that absorbs perspiration without reducing the tactile feel.
- Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance (level 4), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Extended protection and precision handling.
- Greater hygiene thanks to the **anti-microbial treatment**: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, automotive, construction, assembly, maintenance, logistic, packaging, paper, plastics, building, small tools, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX

DIGILUX COATED 60-22



super light
foam nitrile

Only 23 g!



Description

Protective glove against mechanical risks. 15G grey nylon/lycra with black **super thinner** foam nitrile fully coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Even thinner!

Extended tactility and sensitivity

- **Super thin** foam nitrile palm coating glove: Ultra thin glove that absorbs perspiration without reducing the tactile feel.
- Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance (level 4), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Extended protection and precision handling.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, automotive, construction, assembly, maintenance, logistic, packaging, paper, plastics, building, small tools, ...



digitX
Digilux Coated 60-22
CAT II CE 9
EN 420
digix-gloves.com

ANTI
MICROBIAL
TREATMENT



EN 388
4121X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digix-gloves.com

digitX®

racerlux COATED 60-32

Driver's style



Description

Protective glove against mechanical risks.
15G black nylon/lycra with black supper thinner foam nitrile coating of driver glove



long
Life

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.

Liner: Nylon/lycra

Cuff: Nylon/lycra + elastic

Binding: Polyester



EN 388



Benefits

Flexible and durable

- Super thin foam nitrile glove, driver's style.
- Seamless knit nylon/lycra liner. Soft feel lining.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5) and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Good grip and fit: Its design gives better grip and greater glove hand movement. Designed for easy movement and continuous wear.
- Extended protection and precision handling in oil, greasy and dirty environments.
- Elastic on reverse for an improved fit and better comfort. Easy on and off flexibility between tasks.
- Gloves are suitable for multi-purpose use. Ideal for handling in dirty environments, assembly, building, construction, carpentry, machinery, automotive, etc.



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX

DRYLUX COATED 60-42

Description

Protective glove against mechanical risks.
15G blue nylon/lycra with blue flat nitrile fully coating and black sandy nitrile palm coating

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: 2 layers nitrile
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Water and oil repellent. Flexible and durable

- Nitrile glove, **water and oil repellent**. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- **Very good grip**: Palm and fingertips made of sandy finish. It provides an excellent grip, whether in dry, wet or water applications. The rough powered finish improves the glove's grip and grasping of objects in a greasy or damp environment.
- Excellent resistance to liquid permeation. Oil does not penetrate the glove.
- Extended protection and precision handling in oily, greasy and dirty environments. It stays flexible and liquid proof in contact with oil.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for handling in wet, oily and greasy environments, dirty environments, assembly, building, construction, carpentry, machinery, automotive, etc.

Optimized grip!

The rough powered finish improves the glove's grip



Double coating



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

SCANDYLUX 60-52



Description

Protective glove against mechanical and thermal risks.
15G orange polyester shell + 10G orange terry acrylic brushed double layer with black super thinner foam nitrile fully coating with waterproof treatment

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420, EN388

Composition

Coating: Micro foam nitrile.
Lining: Acrylic
Cuff: Polyester + elastic
Binding: Polyester

Benefits

Water resistant glove for cold and wet conditions

- Fully coated with super thin foam nitrile. It includes 10G napped acrylic liner. Very soft to protect against cold, ensuring superior insulation.
- The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort.
- Extra cold resistance: ideally suited to tasks where workers need protection from the cold, maintaining comfort and dexterity.
- Suitable for use in wet/cold environments. Excellent resistance to liquid permeation.
- Seals and protects the hand against mechanical risks while remaining flexible and warm.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Excellent abrasion resistance equal to heavier gloves.
- Maximum flexibility and dexterity (level 5).
- Applications: assembly, building, construction, carpentry, machinery, automotive, forestry, transport, etc.

Winter glove



NITRILE ACRYLIC ELASTIC & POLYESTER

BREATHABLE 39 g 5 DEXTERITY

FOR WINTER WATER-PROOF

15G FULLY COATED

EN 388



4121X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL



Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

HANDYLUX PALM 60-60



ultra light!
Only
18 g

Description

Protective glove against mechanical risks.
15G white nylon-lycra with new generation foam nitrile palm coated glove.



long
Life

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388


Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Flexible and durable

- Seamless light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/lycra liner.
- Breathable back for comfort.
- Micro-foam nitrile coating offers a good breathability.
- Good grip in dry and wet conditions.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Knitted wrist helps to prevent dirt and debris from entering the glove.
- Light grey coating/white lining.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, small tools, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

HANDYLUX COATED 60-62



ultra light!

Only
24 g

Description

Protective glove against mechanical risks.
15G white nylon-lycra with new generation foam nitrile fully coated glove.

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester




long
Life

Anti
finger
print

Benefits

Flexible and durable

- Light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/lycra liner.
- Extra protection: Fully coated.
- Good grip in dry and wet conditions.
- Micro-foam nitrile coating offers a good breathability.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Light grey coating/white lining.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, small tools, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

armolux PALM 62-10

Description

Protective glove against mechanical risks.
15G spandex/nylon liner with nitrile micro foam palm coating, with embossing

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388


Composition

Coating: Micro foam nitrile.
Liner: Nylon/spandex
Cuff: Nylon/spandex + elastic
Binding: Polyester

Benefits

Optimized grip

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Back of the hand is uncoated for good breathability. Micro-foam nitrile coating offers a good breathability.
- Very good grip:** ArmoLux® incorporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp environments.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

armolux COATED 62-12

Description

Protective glove against mechanical risks.
15G spandex/nylon liner with nitrile micro foam full coating, with embossing

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/spandex
Cuff: Nylon/spandex + elastic
Binding: Polyester

Benefits

Optimized grip

- Seamless light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/spandex liner.
- Extra protection: Fully coated, to protect against splash from liquids and oils.
- Micro-foam nitrile coating offers a good breathability.
- **Very good grip:** ArmoLux® incorporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp environment. The gloves are compatible with light oils.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...

Optimized grip!

Raised stripes to increase durability and additional grip



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

Description

Protective glove against mechanical risks.
 15G spandex/nylon liner with nitrile micro foam full coating, with embossing

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
 Liner: Nylon/spandex
 Cuff: Nylon/spandex + elastic
 Binding: Polyester

Benefits

Optimized grip

- Seamless light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/spandex liner.
- Extra protection: Fully coated, to protect against splash from liquids and oils.
- Micro-foam nitrile coating offers a good breathability.
- Very good grip:** ArmoLux® incorporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp environment. The gloves are compatible with light oils.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...



long
Life



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
 Supplied with hang tag (individual)

DRYCUT

64-23

Description

Protective glove against mechanical risks.
Cut protection
13G Digitx® cut resistant fibres liner double dipped sandy nitrile coating

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: 2 layers of nitrile. Digitx® cut resistant fibres. Binding: polyester

Benefits

Excellent cut protection: level C

- Fully nitrile sandy double coating provides superior grip in dry, wet and oily conditions.
- Special seamless knit Digitx® cut resistant fibres shell offers good comfort, finger dexterity and high protection.
- Excellent mechanical resistances.
- Excellent resistance to liquid permeation.
- Oil and water does not penetrate the glove, keeping hands dry.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility: long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove. Anatomically shaped to provide good fit.
- Dark coating hide dirt.
- Ideal for glass handling operations, general maintenance, piscatorial, sheet metal handling, sharp small parts handling, waste handling and recycling, construction, ...



CUT RESISTANT



Double coating



long
Life



EN 388



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

BLADELUX

64-10

CUT RESISTANT

Padded on palm

CUT
D

Description

Protective glove against mechanical risks. Cut protection 13G Digitx® cut resistant fibres liner with grey PU coating and PU/Nylon/Silicon sewed on palm.

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Digitx® cut resistant fibres and grey PU coating
PU/Nylon/Silicon sewed on palm
Binding: polyester



long
Life



EN 388



4X43D

Benefits

Excellent cut protection: level D Pads on palm

- High performance Digitx® cut resistant fibres provide excellent cut resistance while maintaining flexibility and dexterity (level 5).
- Excellent mechanical resistances: 4X43.
- Light, comfortable and anti-vibration pads.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.
- Pads sewed on the palm enhance the puncture level and durability.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

ROBUSTOLUX

64-31

CUT RESISTANT
Reinforced!

CUT
D

Description

Protective glove against mechanical risks.
13G Digitx® cut resistant fibres liner with nitrile sandy finish coated, and PU sewed on thumb crotch

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Foam microporous nitrile.
Liner: Digitx® cut resistant fibres
Binding: Polyester



long
Life

Benefits

Reinforced

- Cut protection 13G glove.
- High tech granulated micro foam sandy finished nitrile coated glove.
- Fully nitrile sandy coating provides superior grip in dry, wet and oily conditions.
- Reinforced thumb. PU sewed on thumb crotch, prevents injuries and extends glove lifetime.
- Excellent cut protection: level D.
- Special seamless knit ultrahigh molecular weight polyethylene and Digitx® cut resistant fibres offer increased comfort, finger dexterity and breathability. It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- Excellent mechanical resistances.
- Excellent resistance to liquid permeation.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and protecting partial the forearm.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...



EN 388



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

GRIPCUT 64-40

CUT RESISTANT
Optimized grip!

CUT
D

Description

Protective glove against mechanical risks.
13G Digitx® cut resistant fibres and polyester/spandex with micro foam nitrile coating and nitrile dots on the palm

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Foam porous nitrile.
Liner: Digitx® cut resistant fibres, polyester and spandex
Binding: Polyester



long
Life

Benefits

Optimized grip

- Cut protection glove (level D)
- 13G Digitx® cut resistant fibres, polyester, spandex with micro foam nitrile coating and nitrile dots on the palm.
- The dots increase grip, reducing hand fatigue and increasing comfort.
- GripCut® incorporates micro dots to increase durability and additional grip, without the loss of dexterity.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and debris from entering the glove.
- Excellent mechanical resistances.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- Back of the hand is uncoated for good breathability.
- Excellent resistance to liquid permeation.
- Ideal for glass handling, gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

PICCUT PALM 64-50

CUT RESISTANT

Reinforced!

Between thumb and forefinger

CUT
B

Description

Protective glove against mechanical risks.
13G Digitx® cut resistant fibres/
nylon/spandex liner with PU
coating, reinforcement nitrile
at the thumb crotch

Standards


Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Water polyurethane
Liner: Digitx® cut resistant fibres,
nylon and spandex.
Reinforcement nitrile thumb scratch.
Binding: polyester



long
Life



Benefits

Reinforced

- 13G Digitx® cut resistant fibres/nylon/spandex liner with water PU coating.
- Good cut protection: level B.
- Reinforcement nitrile at the thumb crotch extends the glove lifetime and prevents injuries.
- Back of the hand is uncoated for good breathability while thumb crotch area is reinforced with nitrile patch to reduce wear in critical area.
- Special seamless knit nylon and spandex shell offers increased comfort, finger dexterity and breathability.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- An elastic extra-long cuff ensures a secure fit, preventing dirt.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX

OXYLUX

60-80

VERY COMFORTABLE!

Description

Protective glove against mechanical risks.

15G nylon/spandex with a new generation foam nitrile palm coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: New generation porous nitrile

Liner: Pre-shaped nylon/spandex.

Binding: polyester

Benefits

Design & performance.

Maximum comfort!

- High quality glove that combines design and performance for precision handling. Seamless pre-shaped knit nylon/spandex liner. With a thin coating porous foam nitrile on the palm.
- Ultra lightweight glove with great elasticity and making hand movements easier.
- Excellent breathability, getting the maximum comfort during long periods of use. The user will keep the hands dry, even in warm conditions.
- Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the anti-microbial treatment: long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Applications: dry handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...

 Ultra light
Only 23 g!



ANTI
MICROBIAL
TREATMENT



EN 388



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

 digitX®

OXYLUX DOTS

60-90

VERY COMFORTABLE!

Description

Protective glove against mechanical risks.

15G nylon/spandex with a new generation foam nitrile palm coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: New generation porous nitrile

Liner: Pre-shaped nylon/spandex.

Binding: polyester

Benefits

Optimized grip. Maximum comfort!

- High quality glove that combines design and performance for precision handling. Seamless pre-shaped knit nylon/spandex liner. With micro foam nitrile coating and nitrile dots on the palm.
- Ultra lightweight glove with great elasticity and making hand movements easier.
- The dots increase grip & durability, reducing hand fatigue and increasing comfort & grip.
- Excellent breathability, getting the maximum comfort during long periods of use. The user will keep the hands dry, even in warm conditions. Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the anti-microbial treatment: long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Applications: dry handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...

Ultra light



NEW
2019

Optimized grip!



long Life



ANTI
MICROBIAL
TREATMENT



EN 388



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

CUTFORT 64-60

30% lighter!

Description

Protective glove against mechanical risks.
18G UHMWPE nylon liner
Nitrile palm coated
Cut resistant glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Sandy nitrile
Liner: UHMWPE
Binding: Polyester

Benefits

Extra thin & breathable

- 18G exclusive lining technology contributing it the thinnest and finest cut B nitrile glove.
- Over 30% lighter than a standard cut B nitrile glove.
- Perfect dexterity, flexibility, super comfort and very good fitting.
- Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Super grip in both dry and oily working conditions.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the anti-microbial treatment: long-lasting, safe and fresh wearing comfort: **Sanitized®** hygiene function.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...



NEW
2019

CUT
B

CONFIDENCE
IN TEXTILES
Tested for harmful substances according to Oeko-Tex® Standard 100



ANTI
MICROBIAL
TREATMENT

long
Life

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

TORN-O-LUX

64-70

CUT LEVEL F!

Description

Protective glove against

mechanical risks.

13G UHMWPE/steel/glass

Nitrile palm coated

Cut resistant glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Nitrile

Liner: UHMWPE/steel/glass

Binding: Polyester

Benefits

Extra thin & breathable

- The highest ISO 13997 cut level F and ANSI CUT A8 glove.
- Advanced yarns technology providing the highest cut protection but still soft, flexible and comfortable. Ideal for heavy duty work and critical cut/blade hazards.
- Foam nitrile coating provides great grip.
- Super oil resistance.
- Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the anti-microbial treatment: Long-lasting, safe and fresh wearing comfort. Sanitized® hygiene function.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...



ANTI
MICROBIAL
TREATMENT

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digix-gloves.com

digix

TACTYLUX

61-15

TOUCHSCREEN

Description

Protective glove against mechanical risks.
18G nylon liner.
Micro-foam nitrile palm coated
Cut resistant glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Foam nitrile
Liner: Nylon
Binding: Polyester

Benefits

Extra thin & touchscreen

- The lightest weight glove with perfect dexterity, flexibility and minimum hand fatigue.
- More than 35% lighter than a standard foam nitrile glove.
- Advanced coating technology combines super abrasion resistance performance with the lightest and thinnest glove.
- 360° breathability to keep your hands cool and comfortable full day. Super soft, comfortable and good fitting.
- 10-finger touchscreen functionality enables you to use all touch screen devices on the job.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the anti-microbial treatment: long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Small and precise objects handling, assembly, maintenance, glass and screen industries, logistics, using tools, wiring...



Ultra light
Only 14 g!

NEW
2019



EN 388

4111X

ANTI
MICROBIAL
TREATMENT

long
Life

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX

About us

Digitx® gloves was born with the philosophy of providing gloves with usability features that always exceed certain standards among which are the following: Ultralight weight, maximum comfort and nice dexterity, high breathability rate and freshness, exceptional durability, multipurpose use.

These facts will revert in more happiness and wellness for the users which at the same time become in much more productivity and a better result of whatever work done.

Our headquarters, located in Singapore, have acquired an ISO9001 and the production processes follow all the high standards.



Technology can extend wear life

In Digitx® we know that the cost is important: The work generates money, and the glove is part of the work. If it is economical, in terms of duration, it is certainly a contribution to the higher productivity. So the durability of our products is a priority for us: We control the production, manufacture and materials, using the best quality of coatings and supports, getting triple the durability when compared with other gloves in the market.

Protective finish for optimal protection

We are continuously developing new formulas and materials, to improve the user's experience and improve the quality of our products.

Because of that, the coating of our gloves has an specific formula to ensure the result: High comfort and performance. Once we manufactured the glove, we test randomly different samples to ensure the quality standards, ensuring the breathability, grip, resistance and comfort.

Protection

Our technology platforms are built according the European standards, and consequently, our products are certified to ensure the maximum protection.

But we are not satisfied with that, so we have added additional own tests to demonstrate the high levels of protection, above the current standards and above many other gloves in the market, adding a resistance of 21.000 cycles abrasion.

The standard sets as higher value 8000 cycles, and our gloves resist triple.



Durability:
More than **21.000 abrasion cycles** to breakthrough! Three times the highest value of the standard. Technology can extend wear life, so the durability of our products is a priority for us: We control the production, manufacture and materials, using the best quality of coatings and supports, getting triple the durability when compared with other gloves in the market.

ANTI-MICROBIAL TREATMENT

Freshness, comfort and protection. Feel the difference. This treatment is integrated into the textile and offers long-lasting, safe and fresh wearing comfort—all day, every day. MVP technology® maintains freshness wherever you are letting you feel completely comfortable. The integrated hygiene function reliably and permanently equips against bacterial and fungal growth.



Soft touch, precision and productivity

The gloves are always in contact with the skin, so we have incorporated a breathable membrane, allowing the skin to breath and exchange gases with the atmosphere. All materials used in the manufacturing process are skin-friendly and dermatologically safe. If the glove is comfortable and the user feels safe, the user will be happier, so a worker happier and safer is more productive.



Highly breathable, transpiration, extended comfort

The gloves are manufactured with best-in-class construction and lamination technology to fit closely to the hand. Digitx® gloves are made with the best technology to have the most flexible and comfortable membrane bringing the user a wonderful experience. Moreover, the breathability of the fabric ensures that transpiration moisture can escape quickly.



Optimized grip

Our aim is to manufacture gloves for working with maximum comfort and dexterity. The glove's finish improves the grip, to grasp objects in all kind of atmospheres and conditions. The Microfinish nitrile coating provides superior grip thanks to thousands of microscopic pockets that create a vacuum that disperses fluids and allows the entire grip surface to make clean contact with the object.

Your success in your hands

Technology can extend wear life.

In Digitx we know that the cost is important: the work generates money, and the glove is part of the work. If it is economical, in terms of duration, it is certainly a contribution to the higher productivity. So the durability of our products is a priority for us: We control the production, manufacture and materials, using the best quality of coatings and supports, getting triple the durability when compared with other gloves in the market

Protective finish for optimal protection.

We are continuously developing new formulas and materials, to improve the user's experience and improve the quality of our products. Because of that, the coating of our gloves has a specific formula to ensure the result: high comfort and performance. Once we manufactured the glove, we test randomly different samples to ensure the quality standards, ensuring the breathability, grip, resistance and comfort.

Protection.

Our technology platforms are built according the European standards, and consequently, our products are certified to ensure the maximum protection.

But we are not satisfied with that, so we have added additional own tests to demonstrate the high levels of protection, above the current standards and above many other gloves in the market, adding a resistance of 21.000 cycles abrasion.

The standard sets as higher value 8000 cycles, and our gloves resist triple.

Fitting.

Our aim is to manufacture gloves for working with maximum comfort and dexterity. Dexterity is always required and the workers should be felt comfortable with their tool, in this case a glove.

Combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance, tripling the maximum requirement for level 4, getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digit'x can get it!

Glove's displays



Counter glove display model

500x540x180 mm



Your success in your hands

Glove's displays



Floor glove display model

1600x600x300 mm





digitx-gloves.com

