

# TIRE RANGE



**ATG** | 6 CONTINENTS. OVER 120 COUNTRIES. THE GLOBAL LEADER IN OFF-HIGHWAY TIRES.

**AGRICULTURE | FLOTATION | FORESTRY  
INDUSTRIAL & OTR**



AGRICULTURE

FLOTATION

FORESTRY

IND & OTR

## ABOUT ATG



# ATG

**6 Continents. Over 120 Countries. The Global Leader in Off-Highway Tires.**

### ■ ABOUT ALLIANCE TIRE GROUP (ATG)

ATG develops, manufactures and markets superior quality Off-Highway tires globally under three well-known brands: Alliance, Galaxy and Primex. Specializing in Agriculture, Forestry, Industrial and OTR tires, the Group is one of the fastest growing players in the Off-Highway tire market.

ATG is dedicated to providing its customers with the lowest Total Cost of Ownership (TCO) through superior products and exceptional customer support services. ATG has a set of core values and strongly held beliefs focused upon the Group's commitment towards Innovative Technology, Customer Centricity, Excellence, Integrity, Accountability and Functional Cost Efficiency.

ATG owns two manufacturing plants; one in Hadera, Israel and the other in Tamil Nadu, Southern India. These facilities comply with strict international standards of manufacturing and are ISO certified. The products manufactured meet environmental compliances which are in line with the global markets. ATG has four R&D centres, one each in India, Israel, South Africa and the United States of America, which makes it possible to engineer products to specific market need. ATG's regional offices are present in India, Israel, South Africa, Netherlands and the United States. Also enhancing ATG's global reach are its representatives and offices in countries such as Argentina, Australia, Brazil, Canada, China, France, Germany, Iberia, Italy, Scandinavia, Turkey, Ukraine and United Kingdom.


## VISION STATEMENT

To be one of the top three global market leaders in Agricultural, Forestry and Construction (AFC) tire segments and to build a strong presence in the niche Earthmoving tire segments such as Port and Underground mining.

## MISSION STATEMENT

Our purpose is to deliver superior value to the users of our products through lowest Total Cost of Ownership (TCO). We will achieve this effectively through focus on innovation, technology and cost efficient manufacturing and distribution practices.

## ATG: Alliance Technological Advancements





**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

# INDEX



## AGRICULTURE



- Tractor Drive Radial IF / VF..... 11
- Tractor Drive Radial R-1W..... 11
- Tractor Drive Radial R-1..... 11
- Tractor Drive Radial Multiuse... 11
- Combine Harvester  
Drive Radial..... 12
- Combine Harvester  
Drive Diagonal..... 12
- Tractor Drive Diagonal R-1..... 12



- Drive Wheel R-3.....13
- Row Crop .....13
- Manure Spreader / Tanker..... 13
- Front F-2 Rib..... 14
- Agricultural Implement.....14-15
- Lawn & Turf Implement..... 15



## FLOTATION



- Flotation Radial..... 19
- High Speed.....19 - 20
- Agricultural Loader..... 20
- Flotation Diagonal..... 20





**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**



**FORESTRY**



**INDUSTRIAL & OTR**



- **Log Skidder Forestry LS-2..... 23**
- **Forwarders & Harvesters..... 23**
- **Forestry Flotation..... 23**
- **Agro Forestry..... 23 - 24**




- **Backhoe Loader / Agro-Industrial Radial..... 28**
- **Backhoe Loader / Agro-Industrial Diagonal..... 29**
- **Skid Steer..... 29**
- **Compact Wheel Loader (Radial & Diagonal)..... 29-30**
- **Earthmover / Loader / Grader (Radial)..... 30**
- **Speciality Winter OTR (Radial)..... 30**
- **Earthmover / Loader / Grader (Diagonal)..... 31**
- **Excavator Radial .....31-32**
- **Excavator Diagonal..... 32**
- **Telehandler..... 32-33**
- **Compactor..... 33**
- **Transport Applications..... 33**
- **Mobile Crane Radial..... 34**
- **Industrial / Port / Forklift Application..... 34**



 **ALLIANCE**  
**PRODUCT**  
**RANGE**



R-1W	IF / VF	
	 <b>New</b>	 <b>New</b>
842 FarmPRO	AGRIFLEX 354	AGRIFLEX+ 354
	 <b>New</b>	
	AGRIFLEX 363	
		
360		
<b>FREE ROLLING</b>		
		
327	320	221
		
542	543	312
		
319	351	332
		
R3		322
		
316		

# Flotation

	TANKER / TRAILER	DUMPER	GRASSLAND	AGRICULTURAL TRUCK / HIGH SPEED	AGRICULTURAL LOADER
FLOTATION RADIAL	 <b>New</b>				 <b>New</b>
	393	390 HD	381	382	344
				 <b>New</b>	 <b>New</b>
	390	380 HD		396	370 (SPL LI)
					
	380			380 MPT	
					
388			390 MPT		
					
885					
 <b>New</b>					
882					
FLOTATION DIAGONAL					
	222		FarmPRO Imp 327		
					
	328				
					
331					
					
328 Value Plus					



## TIRE TECHNOLOGY

- Over 115 Patterns and 920 Sizes.
- Widest range of Agricultural Tractor Tires.



# Forestry

LOG SKIDDER LS-2	FORWARDER & HARVESTER	FORESTRY FLOTATION	AGRO FORESTRY
			
345	342	328	333
			
	343	331	347
			
344	380	356	
			
346		360	
			
		370	
			
		385	
			
		580	

# Industrial & OTR

STANDARD				
BACKHOE LOADER RADIAL				
	500	550		
BACKHOE LOADER DIAGONAL				
	570	606	608	
				
	239	321	533	
SKID STEER				
	550	906		
COMPACT WHEEL LOADER RADIAL				
	550	606	608	
COMPACT WHEEL LOADER DIAGONAL				
	225	317	323	
MULTIUSE RADIAL				
	550			
EARTHMOVER / LOADER / GRADER RADIAL				
	600		650	
				
		690		
EARTHMOVER / LOADER / GRADER DIAGONAL				
	302	306	310	
				
	308	326	318	
				
			650	

## IN MOTION

- Pioneer and Leader in  
Row Crop Tires.  
Flotation Radial Tires.

HEAVY DUTY	STANDARD			HEAVY DUTY					
 580	EXCAVATOR RADIAL			 Dual Master 506	 380 HD	 390 HD			
 325				 533 HD	EXCAVATOR DIAGONAL			 Dual Master 528	 624
 224	 225	TELE-HANDLER DIAGONAL	 323	TELE-HANDLER RADIAL				 331 HD	 344
 570	 606		TELE-HANDLER RADIAL		 608	COMPACTOR	 580		
 329	 330	TRANSPORT APPLICATION		 210	MOBILE CRANE		 630		
INDUSTRIAL / PORT APPLICATION						E-3	E-4.5	FORKLIFT	
		 309			 315				 504
		 311							
		 318							

# WORLD LEADER IN 44 Patterns,

## TRACTOR DRIVE RADIAL

80/85 Series

70 Series

65 Series

Extra Large

R-1	R-1W	IF / VF	MULTIUSE
<ul style="list-style-type: none"> <li>Designed with 10% higher NSD than standard R-1 tire requirements.</li> <li>Provides excellent traction.</li> <li>Ensures low rolling resistance which results in better fuel economy.</li> </ul>	<ul style="list-style-type: none"> <li>20-25% higher tread depth than R-1 tires.</li> <li>Provides excellent traction in soft and wet soil.</li> </ul>	<ul style="list-style-type: none"> <li>IF: Carries upto 20% higher load at standard inflation pressure.</li> <li>VF: Carries upto 40% higher load at standard inflation pressure.</li> <li>Reduces soil compaction.</li> <li>Larger footprint &amp; better traction.</li> <li>Better fuel economy.</li> </ul>	<ul style="list-style-type: none"> <li>Steel belted radial.</li> <li>Low soil compaction.</li> <li>Low rate of wear.</li> <li>Better fuel economy.</li> <li>Suitable multi terrain and multi applications.</li> </ul>
 <p>356</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>385</p> <p>2 wd Tractor, 4 wd Tractor, Combine, MFWA</p>	 <p>AGRIFLEX 372</p> <p>4 wd Tractor, MFWA</p>	 <p>550</p> <p>Tractor, Sprayer</p>
 <p>387</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>FarmPRO 85</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>		
	 <p>FarmPRO II</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>		
	 <p>370</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>AGRIFLEX 372</p> <p>4 wd Tractor, MFWA</p>	 <p>550</p> <p>Tractor, Sprayer</p>
	 <p>FarmPRO 70</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>AGRIFLEX+ 372</p> <p>4 wd Tractor, MFWA</p>	
	 <p>365</p> <p>2 wd Tractor, 4 wd Tractor, Combine, MFWA</p>	 <p>AGRIFLEX 372</p> <p>4 wd Tractor, MFWA</p>	 <p>550</p> <p>Tractor, Sprayer</p>
	 <p>Agristar XL 378</p> <p>2 wd Tractor, 4 wd Tractor, Combine, MFWA</p>	 <p>AGRIFLEX 372</p> <p>4 wd Tractor, MFWA</p>	

## AGRICULTURAL

Alliance agricultural tires are designed for top performance under all working conditions. They are manufactured for agricultural jobs including occasional use on road. Alliance is in a unique position as leader in Row Crop Narrow Radial tires. The tractor tire program, both in Diagonal and Radial constructions is wide, ranging from small, low power machines to high power custom tractors. Special combine tires from Alliance enhance the world-class range of agricultural tires.



# AGRICULTURAL TIRES

Over 423 Sizes.

COMBINE HARVESTER RADIAL	TRACTOR DRIVE DIAGONAL	MANURE SPREADER / TANKER	IMPLEMENT
<b>R-1W</b>	<b>R-1</b>	<b>R-1</b>	<b>Free Rolling</b>
<ul style="list-style-type: none"> <li>Large footprint.</li> <li>Higher traction.</li> <li>Lower soil compaction.</li> </ul>  <p>375</p> <p>4 wd Tractor, Combine Harvester, MFWA, Loader</p>	 <p>358</p> <p>2 wd Tractor, 4 wd Tractor</p>	<ul style="list-style-type: none"> <li>Available in special LI for high load carrying capacity.</li> <li>Higher traction.</li> </ul>  <p>356</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>543</p> <p>Wagon / Trailer / Implement</p>
 <p>376</p> <p>2 wd Tractor, 4 wd Tractor, Combine Harvester, MFWA, Sprayer, Tanker, Trailer, ATD</p>	 <p>768</p> <p>2 wd Tractor,</p>	<b>R-1W</b>	 <p>222</p> <p>Wagon / Trailer / Implement</p>
<b>IF / VF</b>	<b>R-3</b>	<ul style="list-style-type: none"> <li>Available in special LI for high load carrying capacity.</li> </ul>  <p>360</p> <p>2 wd Tractor, 4 wd Tractor, Combine, MFWA</p>	 <p>319</p> <p>Baler, Wagon / Trailer / Implement</p>
<ul style="list-style-type: none"> <li>IF: Carries upto 20% higher load at standard inflation pressure.</li> <li>VF: Carries upto 40% higher load at standard inflation pressure.</li> <li>Reduces soil compaction.</li> </ul>  <p>330</p> <p>2 wd Tractor, 4 wd Tractor,</p>	<ul style="list-style-type: none"> <li>Suitable for agricultural equipment.</li> </ul>  <p>329</p> <p>2 wd Tractor, 4 wd Tractor</p>	<b>TRACTOR FRONT</b>	 <p>351</p> <p>Wagon / Trailer / Implement</p>
<ul style="list-style-type: none"> <li>Larger footprint &amp; better traction.</li> <li>Better fuel economy.</li> </ul>  <p>AGRIFLEX 372</p> <p>Combine Harvester</p>	<b>ROW CROP</b>	<b>Front RIB F-2</b>	<b>Traction</b>
<b>R-1</b>	<b>R-1</b>	<ul style="list-style-type: none"> <li>Raised center rib design for good steering.</li> </ul>  <p>303</p> <p>2 wd Tractor</p>	<ul style="list-style-type: none"> <li>Superior traction.</li> </ul>  <p>AS-323</p> <p>2 wd Tractor, Compact Tractor, MFWA, Tele-handler</p>
<ul style="list-style-type: none"> <li>High load capacities at low inflation pressure</li> <li>Minimum ground pressure</li> </ul>  <p>570</p> <p>Combine Harvester</p>	<ul style="list-style-type: none"> <li>Better traction.</li> <li>Lower soil compaction.</li> <li>Better crop protection.</li> </ul>  <p>350</p> <p>2 wd Tractor, 4 wd Tractor, MFWA, Sprayer</p>	<b>IMPLEMENT</b>	<b>R-3</b>
<b>COMBINE HARVESTER DIAGONAL</b>	<b>R-1W</b>	<b>Free Rolling</b>	<ul style="list-style-type: none"> <li>High flotation characteristic.</li> </ul>  <p>316</p> <p>2 wd Tractor, Compact Tractor, MFWA,</p>
<b>R-1</b>	<ul style="list-style-type: none"> <li>Better traction.</li> <li>Lower soil compaction.</li> <li>Better crop protection.</li> </ul>  <p>842 (FarmPRO Row Crop)</p> <p>2 wd Tractor, 4 wd Tractor, MFWA, Sprayer</p>	<ul style="list-style-type: none"> <li>High flotation characteristics.</li> <li>Widest range offering in the industry.</li> </ul>  <p>571 Radial</p> <p>Wagon / Trailer / Implement</p>	<b>Lawn &amp; Turf</b>
<ul style="list-style-type: none"> <li>Tire with stubble guard compound.</li> </ul>  <p>349</p> <p>Combine Harvester</p>	<b>IF / VF</b>	 <p>327</p> <p>Baler, Wagon / Trailer / Implement</p>	<ul style="list-style-type: none"> <li>Larger footprint ensures uniform ground pressure distribution.</li> <li>Increased turf protection.</li> </ul>  <p>221</p> <p>4 wd Compact Tractor, Turf Tractor, Baler</p>
<b>TRACTOR DRIVE DIAGONAL</b>	<ul style="list-style-type: none"> <li>IF: Carries upto 20% higher load at standard inflation pressure.</li> <li>VF: Carries upto 40% higher load at standard inflation pressure.</li> <li>Reduces soil compaction.</li> <li>Larger footprint &amp; better traction.</li> <li>Better fuel economy.</li> </ul>  <p>304</p> <p>2 wd Tractor</p>	 <p>320</p> <p>Wagon / Trailer / Implement</p>	 <p>312</p> <p>Wagon / Trailer</p>
<b>R-1</b>	<ul style="list-style-type: none"> <li>Designed for agricultural tractors.</li> </ul>  <p>324</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>320 Value Plus</p> <p>Wagon / Trailer / Implement</p>	 <p>322</p> <p>2 wd Tractor, Turf equipments &amp; Lawn movers</p>
 <p>347</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>AGRIFLEX 354</p> <p>2 wd Tractor, 4 wd Tractor, MFWA, Sprayer</p>	 <p>542</p> <p>Wagon / Trailer / Implement</p>	 <p>332</p> <p>Wagon / Trailer</p>
 <p>357</p> <p>2 wd Tractor, 4 wd Tractor, MFWA</p>	 <p>AGRIFLEX+ 354</p> <p>2 wd Tractor, 4 wd Tractor, MFWA, Sprayer</p>		
	 <p>AGRIFLEX 363</p> <p>2 wd Tractor, 4 wd Tractor, MFWA, Sprayer</p>		

# AGRICULTURE





**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

**AGRICULTURE**



**New**

**AGRIFLEX+ / AGRIFLEX**

- VF 620/70R 26\* IF 420/85R 28 IF 520/85R 38
- VF 600/70R 28 IF 600/70R 28 IF 710/85R 38\*
- VF 600/60R 38\* IF 600/70R 30 IF 800/70R 38
- IF 650/75R 30\* IF 900/60R 38\*
- IF 710/60R 30\* IF 520/85R 42\*
- IF 800/65R 32 IF 710/70R 42\*
- IF 800/70R 32\* IF 710/75R 42\*
- IF 650/65R 34\*

**IF / VF 372**



**New**

**AGRISTAR XL**

- 620/75R 30\* 900/55R 38\*
- 710/55R 30\* 900/60R 38
- 710/60R 30\* 710/75R 42
- 900/60R 32\* 900/50R 42\*
- 900/75R 32\* 900/60R 42\*
- 600/70R 34
- 710/60R 34\*
- 650/75R 38\*

**378**

**TRACTOR DRIVE RADIAL R-1W**



**AGRISTAR R-1W 65 SERIES**

- RADIAL TIRE** 600/65R 28
- HIGH SPEED** 540/65R 30
- 420/65R 20\* 600/65R 30
- 420/65R 24\* 540/65R 34
- 440/65R 24 600/65R 34
- 480/65R 24\* 710/60R 34\*
- 540/65R 24\* 540/65R 38
- 420/65R 28\* 600/65R 38
- 440/65R 28\* 650/65R 38
- 460/65R 28\* 710/70R 38
- 480/65R 28 650/65R 42
- 540/65R 28 710/70R 42

**365**



**WIDE DEEP TREAD RADIAL TIRE "SEVENTY" R-1W DEEP**

- 200/70R 16 360/70R 20 **RADIAL TIRE**
- 240/70R 16 380/70R 20 **HIGH SPEED**
- 260/65R 16 480/70R 24 19.5LR 28
- 260/70R 16 620/70R26 (480/70R 28)
- 280/65R 16 28.1R 26 19.5 LR 30
- 280/70R 16 (750/70R 26) (480/70R 30)
- 280/70R 18 600/70R 28
- 260/70R 20 19.5LR 30
- 300/70R 20 600/70R 30
- 320/70R 20 800/70R 38
- 340/65R 20 580/70R 42

**370**



**AGRISTAR R-1W 85 SERIES**

- RADIAL TIRE** 420/85R 38
- HIGH SPEED** 460/85R 38
- 280/85R 20 520/85R 38
- 320/85R 20 650/85R 38
- 420/85R 28 520/85R 42
- 420/85R 30 (20.8R 42)
- 420/90R 30\* 580/85R 42
- 380/85R 34 420/80R 46
- 420/85R 34 480/80R 46
- 460/85R 34 480/80R 50
- 380/80R 38

**385**



**FarmPRO 70 SERIES**

- 280/70R 20 420/70R 28
- 300/70R 20 480/70R 28
- 320/70R 20 420/70R 30
- 320/70R 24 480/70R 30
- 360/70R 24 520/70R 30
- 380/70R 24 480/70R 34
- 420/70R 24 520/70R 34
- 480/70R 24 480/70R 38
- 320/70R 28 520/70R 38
- 360/70R 28 580/70R 38
- 380/70R 28 710/70R 38
- 710/70R 42

**845**



**FarmPRO & FarmPRO II 80/85 SERIES**

- 280/85R 20 380/85R 28 340/85R 38
- 320/85R 20 420/85R 28 380/80R 38
- 250/85R 24 380/85R 30 420/85R 38
- 280/85R 24 420/85R 30 460/85R 38
- 320/85R 24 460/85R 30 520/85R 38
- 340/85R 24 320/85R 32 320/80R 42
- 380/85R 24 380/85R 34 480/80R 42
- 420/85R 24 420/85R 34 520/85R 42
- 280/85R 28 460/85R 34 480/80R 46
- 320/85R 28 320/85R 36 520/85R 46
- 340/85R 28 340/85R 36

**842/846**

**TRACTOR DRIVE RADIAL R-1**



**POWER DRIVE RADIAL R-1**

- 14.9R 26 **FRONT**
- 16.9R 26 **DRIVE**
- 18.4R 26 **SPECIAL**
- 11.2R 28 16.9R 24
- 15.5R 38 14.9R 26
- (400/75R 38) 16.9R 26
- 18.4R 42 18.4R 26
- 14.9R 46 16.9R 28
- 18.4R 46 14.9R 30
- 16.9R 30

**356**



**R-1**

- 14.9LR 20
- (375/75R 20)
- 16.9R 30

**387**

**TRACTOR DRIVE RADIAL R - 4**



**MULTIUSE STEEL BELTED R4**

- Agro Industrial Tractor** 400/80R 28 IND
- 250/80R 16 IND 440/80R 28 IND
- 340/80R 18 IND 480/65R 28 IND
- 365/70R 18 IND 540/65R 28 IND
- 405/70R 18 IND 440/80R 30 IND
- 340/80R 20 IND 480/80R 30 IND
- 360/70R 20 IND 540/65R 30 IND
- 360/80R 20 IND 600/70R 30 IND
- 300/80R 24 IND 440/80R 34 IND
- 340/80R 24 IND 480/80R 34 IND
- 360/80R 24 IND 480/80R 38 IND
- 400/80R 24 IND 540/80R 38 IND
- 420/65R 24 IND 600/65R 38 IND
- 440/80R 24 IND 650/65R 38 IND
- 460/65R 24 IND 650/85R 38 IND
- 480/65R 24 IND 620/80R 42 IND
- 540/65R 24 IND 650/65R 42 IND
- 710/70R 42 IND

**550**

\*Under development



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND. & OTR**

**AGRICULTURE**

**COMBINE HARVESTER  
DRIVE RADIAL R-1W**



**IF 372**

**AGRIFLEX**

- IF 420/85R 28
- IF 600/70R 28
- IF 650/65R 28\*
- IF 600/70R 30
- IF 800/65R 32\*
- IF 800/70R 32\*



**375**

**AGRISTAR R-1W**

- 1000/50R 25
- 620/75R 26
- 750/65R 26\*
- 650/75R 32
- 800/65R 32
- 800/70R 32
- 900/60R 32
- 900/75R 32\*
- 1050/50R 32
- 620/75R 34
- 710/75R 34
- 800/70R 38\*



**376**

**MULTISTAR R-1W**

- 750/50R 26
- 900/60R 32
- 1050/50R 32
- 620/70R 46 (Trac)

**COMBINE HARVESTER  
DRIVE R-1**



**570**

**HARVESTER  
SPECIAL R-1**

- RADIAL**
- 500/70R 24
  - 500/85R 24
  - 500/85R 30
  - 620/70R 30



**349**

**YIELD MASTER**

- DIAGONAL**
- 23.1 - 26
  - 28L - 26
  - 30.5L - 32

**TRACTOR DRIVE  
DIAGONAL - R1**



**304**

**DRIVE WHEEL  
R-1**

- 12.4 - 24
- 14.9 - 24
- 18.4 - 26
- 11.2 - 28
- 12.4 - 28
- 13.6 - 28
- 18.4 - 28
- 13.6 - 36
- 12.4 - 38
- 13.6 - 38
- 14.9 - 38



**324**

**DRIVE WHEEL R-1**

- |             |              |                   |
|-------------|--------------|-------------------|
| 6.5/80 - 15 | 14.9 - 24    | 16.9 - 30         |
| 6.50 - 16   | 15.5/80 - 24 | 18.4 - 30         |
| 7.50 - 16   | 16.5/85 - 24 | 9.5 - 32          |
| 8.25 - 16   | 18.4 - 26    | 12.4 - 32         |
| 7.00 - 18   | 8.3 - 28     | 16.9 - 34         |
| 9.5 - 20    | 11.2 - 28    | 18.4 - 34         |
| 9.5 - 22    | 12.4 - 28    | 9.5 - 36          |
| 8.3 - 24    | 13.6 - 28    | 12.4 - 36         |
| 9.5 - 24    | 14.9 - 28    |                   |
| 11.2 - 24   | 16.5/85 - 28 | <b>IRRIGATION</b> |
| 12.4 - 24   | 16.9 - 28    | 11.2 - 38         |
| 13.6 - 24   | 14.9 - 30    | 270/95 - 38       |



**347**

**HI - TRACTION  
DRIVE WHEEL R-1**

- 23.1 - 26
- 23.1 - 30
- 24.5 - 32
- 23.1 - 34
- 13.6 - 36
- 16.9 - 38
- 18.4 - 38
- 20.8 - 38



**357**

**DRIVE WHEEL R-1**

- 12.4 - 24
- 13.6 - 28
- 12.4 - 36
- 13.6 - 38
- 14 - 38
- 15.5 - 38
- 18.4 - 38



**358**

**DRIVE WHEEL R-1**

- 14.9 - 24
- 16.5/85 - 24
- 16.9 - 24
- 14.9 - 28
- 15.5 - 38



**768**

**IRRIGATION R-1**

- 195/65 - 15 ^
- 14.9 - 24
- 11.2 - 24\*
- 11.2 - 38\*



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

**AGRICULTURE**

**TRACTOR DRIVE  
DIAGONAL R3**



**329**

**DRIVE WHEEL R-3**

- 13.5 - 16.1SL
- 14.9 - 24
- 16.9 - 24
- 18.4 - 26
- 23.1 - 26
- 28L - 26
- 13.6 - 28



**330**

**DRIVE WHEEL R-3**

- 23.1 - 26
- 28L - 26

**REINFORCED  
CONSTRUCTION**

- 23.1 - 26
- 28L - 26

**ROW CROP**



**IF/VF 354**

**AGRIFLEX+ / AGRIFLEX**

- VF 380/90R 46\*
- IF 420/85R 34\*
- IF 380/80R 38
- IF 380/95R 38\*
- IF 320/90R 46\*
- IF 320/105R 46
- IF 380/90R 46
- IF 520/85R 46\*
- IF 380/90R 50\*
- IF 380/105R 50\*
- IF 480/80R 50
- IF 480/95R 50\*



**IF 363**

**AGRIFLEX**

- IF 320/90R 46\*
- IF 380/90R 46
- IF 480/80R 50\*



**350**

**ROW CROP NARROW RADIAL**

- |              |              |              |              |             |
|--------------|--------------|--------------|--------------|-------------|
| 8.3 R 32     | 9.5R 40      | (340/85R 46) | 380/105R 50  | 9.5R 28     |
| 9.5R 32      | (230/95R 40) | 14.9R 46     | 300/95R 52   | (356/trac)  |
| (230/95R 32) | 11.2R 42     | (380/90R 46) | 480/80R 50   | 14.9R 46    |
| 11.2R 32     | (270/95R 42) | 380/105R 46  | 12.4R 52     | (356/trac)  |
| (270/95R 32) | 8.3R 44      | 9.5R 48      | (320/90R 52) | 11.2-38     |
| 8.3R 36      | 9.5R 44      | (230/95R 48) | 11.2R 54     | (270/95-38) |
| 9.5R 36      | (230/95R 44) | 11.2R 48     | (270/95R 54) | (324/trac)  |
| (230/95R 36) | 11.2R 44     | (270/95R 48) | 12.4R 54     |             |
| 11.2R 36     | (270/95R 44) | 13.6R 48     | (320/90R 54) |             |
| (270/95R 36) | 11.2R 46     | (340/95R 48) | 380/90R 54   |             |
| 11.2R 38     | (270/95R 46) | 12.4R 50     | 9.5R 24      |             |
| (270/95R 38) | 12.4R 46     | (320/90R 50) | (356/trac)   |             |
|              | (320/90R 46) | 14.9R 50     |              |             |
|              | 13.6R 46     | (380/90R 50) |              |             |



**842 /846**

**ROW CROP RADIAL  
FARMPRO & FP II**

- 420/90R 30
- 320/80R 42
- 320/90R 42
- 320/90R 46
- 380/90R 46

**MANURE SPREADER /  
TANKER**



**356**

**POWER DRIVE  
RADIAL R-1**

- 18.4R 30
- 18.4R 34
- 13.6R 38
- 18.4R 38
- 14.9R 46
- 18.4R 46



**360**

**SUPER POWER DRIVE  
RADIAL R-1W**

- 28LR 26
- 620/75R 26
- 750/65R 26
- 650/75R 32
- (24.5R 32)
- 800/65R 32
- (30.5LR 32)
- 650/65R 38

\*Under development



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

# AGRICULTURE

FRONT F-2 RIB



**303**

### STEERING WHEEL F-2

- 5.00 - 15 **HEAVY DUTY**
- 5.50 - 16 9.00 - 16
- 6.00 - 16
- 6.50 - 16
- 7.00 - 16
- 7.50 - 16
- 9.00 - 16
- 10.00 - 16
- 11.00 - 16
- 7.50 - 18
- 6.00 - 19
- 6.50 - 20

AGRICULTURAL IMPLEMENT



**571**

### AGRICULTURAL IMPLEMENT RADIAL

- 500/50R 17\*
- 340/65R 18



**319**

### AGRICULTURAL IMPLEMENT

- 15.0/55 - 17



**320**

### AGRICULTURAL IMPLEMENT

- 10.0/75 - 15.3
- 11.5/80 - 15.3
- 500/55 - 15.5
- 13.0/75 - 16
- 14.0/65 - 16
- 500/50 - 17
- 10.5/80 - 18
- 12.5/80 - 18
- 13.0/65 - 18
- 15.0/70 - 18
- 14.5/75 - 20
- 16.0/70 - 20



**320 VALUE PLUS**

### AGRICULTURAL IMPLEMENT

- 10.0/75 - 15.3
- 11.5/80 - 15.3
- 12.5/80 - 15.3
- 400/60 - 15.5



**FarmPRO Imp 327**

### AGRICULTURAL IMPLEMENT

- 400/60 - 15.5
- 340/55 - 16
- 360/65 - 16
- 380/55 - 17
- 480/45 - 17
- 500/50 - 17
- 320/80 - 18
- 400/70 - 20
- 500/55 - 20



**222**

### AGRICULTURAL IMPLEMENT I-1

- 11L - 15
- 16.5L - 16.1SL
- 15.0/55 - 17
- 19.0/45 - 17
- 20.00 - 20
- 21/80 - 20



**351**

### AGRICULTURAL IMPLEMENT I-1

- 11.25 - 24SL
- 11.25 - 28SL



**542**

### AGRICULTURAL IMPLEMENT

- 9.50-14SL
- 11L-14SL
- 6.70-15SL
- 7.60-15SL
- 9.5L-15SL
- 11L-15SL
- 12.5L-15SL
- 7.50-16SL
- 9.00-16SL
- 11.00-16SL
- 19L-16.1SL
- 12.5L-16.1SL



**543**

### HIGH SPEED RIB

- 9.5L-15FI
- 11L-15FI
- 12.5L-15FI



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

**AGRICULTURAL**

**AGRICULTURAL IMPLEMENT**



**AS-323**

**AGRICULTURAL IMPLEMENT**

- 10.0/75 - 15.3
- 11.5/80 - 15.3
- 7.50-16
- 405/70-20



**316**

**DRIVE WHEEL IMPLEMENT R-3**

- 12.4 - 16

**LAWN & TURF IMPLEMENT**



**221**

**GRASSLAND FLOTATION**

- 31X15.50 - 15
- 33X15.50 - 15
- 450/55 - 17

**RADIAL**

- 425/55R 17
- 440/50R 17\*



**312**

**GRASSLAND FLOTATION**

- 26X12.00 - 12



**322**

**TURF R-3**

- 33X16LL - 16.1
- 41X14.00 - 20
- 44X18.00 - 20



**332**

**GRASSLAND FLOTATION**

- 31X15.50 - 15

\*Under development


# FLOTATION



**PIONEER  
IN FLOTATION RADIAL**

# FLOTATION

## 16 Patterns, Over 150 Sizes.

TANKER / TRAILER		DUMPER	GRASSLAND	AGRICULTURAL TRUCK/HIGH SPEED
Radial	Diagonal	Radial	Radial	High Speed (Upto 100 km/h)
<ul style="list-style-type: none"> <li>Suitable for on and off road applications.</li> <li>Larger footprint area ensures even ground pressure distribution, thus minimizing soil compaction.</li> <li>Steel reinforced tires for high cuts and puncture resistance.</li> </ul>	<ul style="list-style-type: none"> <li>High load carrying capacity at low inflation pressure.</li> <li>Excellent grip suitable for free rolling and drive wheel applications.</li> </ul>	<ul style="list-style-type: none"> <li><b>Pioneers in radial flotation tire for excavators, dumpers and small loaders.</b></li> <li>Developed to carry high loads on the most tough terrain conditions.</li> <li>Steel belts for high cuts &amp; puncture resistance.</li> <li>Unique sidewall construction enables high machine stability and tilt characteristics.</li> </ul>	<ul style="list-style-type: none"> <li>Developed to serve the needs of specific niche applications on sensitive surfaces like grasslands.</li> <li>Unique rib pattern to ensure lowest possible soil compaction.</li> <li>The shoulder lugs, with excellent self cleaning capabilities.</li> <li>Designed to reduce tire slippage.</li> <li>Lower soil compaction.</li> </ul>	<ul style="list-style-type: none"> <li>Designed for high speed upto 100 km/h.</li> <li>Special Heat Resistant Compound.</li> <li>An All Steel construction for excellent cuts and puncture resistance.</li> </ul>
 <b>NEW</b> 393 Trucks, Tankers, Wagons	 222 Trailer / Wagon	 390 HD Excavators, Rigid Dump Trucks, ATD	 381 Trailer / Wagon, Balers, Cultivators	 382 Agricultural Trucks and High Speed Trailers
 390 Trailer / Wagon, Sprayer, Tanker	 328 Trailer / Wagon	 380 HD Excavators, Rigid Dump Trucks, ATD, Loader	<div style="background-color: #00a651; color: white; padding: 2px; text-align: center;"><b>Diagonal</b></div>  FarmPRO IMP 327 Trailer / Wagon, Balers, Cultivators	 <b>NEW</b> 396 Agricultural Trucks and High Speed Trailers
 380 Trailer / Wagon, Sprayer, Tanker	 331 Trailer / Wagon			 380 MPT Agricultural Trucks and High Speed Trailers
 388 Trailer / Wagon, Sprayer, Tanker	 328 Value Plus Trailer / Wagon			<div style="background-color: #00a651; color: white; padding: 2px; text-align: center;"><b>Agricultural Loader</b></div> <ul style="list-style-type: none"> <li>Large footprint for high traction.</li> <li>Reduce soil compaction.</li> </ul>
 <b>NEW</b> 882 Trailer / Wagon, Balers				 <b>NEW</b> 344 Loaders
 885 Trailer / Wagon, Balers				 <b>NEW</b> 370 (SPL, LI) Loaders

# FLOTATION

Pioneer and leader in Flotation Radial tires. Alliance Flotation tires are engineered and designed to provide exceptional flotation properties on various terrains and are suitable for a wide range of machines and implements that need high load capacity, yet cause minimal soil disturbance and crop damage. Alliance has the widest range of Flotation tires in Radial and Bias construction that provide optimized solutions for all kinds of applications and terrains due to their large range of tread patterns.

Applications	Machines	Premium					Value
		380	380 HD	390	390 HD	388	
On & Off Road	Dumper						885
	Loader						
	Excavator						
	Heavy Duty Trailer						
	Trailer						
	Liquid Manure Spreader (LMS)						
	Spreader						
			<b>390</b>	<b>393</b>			
Transport	Truck						882
	Tanker						
	Grain Wagon						
Grassland	Baler						381
	Grassland Trailer						
	Cultivator						
	Agri Implement						
High Speed	Truck	<b>382</b>	<b>390 MPT</b>	<b>390 MPT</b>	<b>396 MPT</b>		396 MPT
	Tanker						



AGRICULTURE



FLOTATION



FORESTRY



IND & OTR

# FLOTATION

ON & OFF ROAD - AGRI TRANSPORT



380 HD

STEEL BELTED FLOTATION RADIAL

**HEAVY DUTY**  
600/55R 26.5  
650/55R 26.5  
650/60R 26.5  
650/65R 30.5



390 HD

STEEL BELTED FLOTATION RADIAL

**HEAVY DUTY**  
560/60R 22.5#  
600/50R 22.5  
710/65R 26  
600/55R 26.5  
650/55R 26.5  
600/60R 30.5  
710/50R 30.5\*  
750/60R 30.5



380

STEEL BELTED FLOTATION RADIAL

550/45R 22.5 710/50R 26.5\*  
560/60R 22.5 750/45R 26.5  
580/65R 22.5 650/65R 30.5  
600/50R 22.5\*  
600/55R 22.5  
620/40R 22.5  
650/50R 22.5  
750/45R 22.5  
600/55R 26.5  
650/55R 26.5  
650/60R 26.5  
650/65R 26.5



388

STEEL BELTED FLOTATION RADIAL

340/55R 16\* 650/55R 26.5\*  
16.5LR 16.1\* 650/65R 26.5  
(420/75R 16.1) 680/55R 26.5\*  
420/75R 17\* 750/55R 26.5  
(16.5LR 17) 600/65R 34  
500/50R 17\* 650/60R 34  
500/60R 22.5 710/55R 34  
560/60R 22.5 800/50R 34  
600/50R 22.5 850/45R 34  
710/45R 22.5  
600/55R 26.5 **DIAGONAL**  
500/50-17\*



390

STEEL BELTED FLOTATION RADIAL

24R 20.5\* 600/55R 26.5  
500/60R 22.5 650/65R 26.5  
560/45R 22.5 710/50R 26.5  
560/60R 22.5 800/45R 26.5  
580/65R 22.5 600/60R 30.5  
600/50R 22.5 710/50R 30.5  
710/45R 22.5\* 750/60R 30.5  
23.1R 26 850/50R 30.5  
(620/75R 26) 800/60R 32  
28LR 26 30.5LR 32  
710/65R 26



393

STEEL BELTED FLOTATION RADIAL

35.5LR - 32



882

STEEL BELTED FLOTATION RADIAL

385/65R 22.5\*  
500/60R 22.5\*  
560/45R 22.5\*  
560/60R 22.5  
580/65R 22.5\*  
600/50R 22.5\*



885

STEEL BELTED FLOTATION RADIAL

560/45R 22.5 +  
560/60R 22.5 +  
580/65R 22.5 +  
600/50R 22.5 +  
600/55R 26.5\*  
650/55R 26.5\*  
710/50R 26.5\*  
750/45R 26.5\*

GRASSLAND



381

FLOTATION RADIAL STEEL BELTED

500/50R 17  
560/45R 22.5  
620/40R 22.5  
620/50R 22.5  
710/40R 22.5  
620/55R 26.5  
710/50R 26.5  
800/45R 26.5

HIGH SPEED / MPT RADIAL (UPTO 80 KPH)



380 MPT

FLOTATION RADIAL ALL STEEL

600/50R 22.5



390 MPT

FLOTATION RADIAL ALL STEEL

500/45R 22.5  
600/50R 22.5

\*Under development

+ Also available in Fabric # Also available in All Steel



AGRICULTURE



FLOTATION



FORESTRY



LWD & OTR

# FLOTATION

HIGH SPEED / MPT  
RADIAL (UPTO 100 KPH)



**FLOTATION RADIAL ALL STEEL**  
400/55R 22.5  
600/50R 22.5

382 MPT



**FLOTATION RADIAL ALL STEEL**  
445/65R 22.5  
600/50R 22.5  
620/40R 22.5\*  
710/40R 22.5\*  
445/70R 24  
495/70R 24

396 MPT

AGRICULTURAL LOADER



**AGRICULTURAL LOADER**  
750/55R 26.5

344



**AGRICULTURAL LOADER**  
620/70R 26

370

FLOTATION DIAGONAL



**AGRICULTURAL IMPLEMENT I-1**  
550/60 - 22.5  
600/55 - 22.5

222



**FLOTATION I-3**  
400/60 - 15.5 700/40 - 22.5  
500/60 - 15.5 700/50 - 22.5  
500/55 - 17 600/55 - 26.5  
400/55 - 17.5 700/50 - 26.5  
42x25.00 - 20 800/45 - 26.5  
44x18.00 - 20 650/60 - 30.5  
48x25.00 - 20 750/60 - 30.5  
48x31.00 - 20 850/50 - 30.5  
400/55 - 22.5  
400/60 - 22.5  
500/45 - 22.5 **RADIAL**  
500/50R 17  
500/50 - 22.5  
500/60 - 22.5 **HEAVY DUTY**  
550/45 - 22.5 700/40 - 22.5  
550/60 - 22.5 700/50 - 22.5  
600/50 - 22.5  
600/55 - 22.5

328



**FLOTATION I-3**  
400/60 - 15.5  
400/55 - 22.5  
500/45 - 22.5  
500/60 - 22.5  
550/45 - 22.5  
550/60 - 22.5

328 VALUE PLUS



**FLOTATION I-3**  
38x18.00 - 20 700/40 - 22.5 **RADIAL**  
42x25.00 - 20 700/50 - 22.5 600/45R 22.5  
44x18.00 - 20 500/60 - 26.5 710/50R 30.5\*  
48x25.00 - 20 600/50 - 26.5  
48x31.00 - 20 600/55 - 26.5  
500/45 - 20 700/40 - 26.5  
500/50 - 20 700/50 - 26.5  
500/60 - 22.5 800/45 - 26.5  
550/45 - 22.5 600/60 - 30.5  
550/60 - 22.5 700/50 - 30.5  
600/40 - 22.5 800/45 - 30.5  
600/50 - 22.5  
600/55 - 22.5

331

GRASSLAND



**AGRI IMPLEMENT**  
560/60 - 22.5  
600/55 - 22.5  
700/45 - 22.5

FarmPRO Imp 327

# FORESTRY



# FORESTRY

## 15 Patterns, Over 100 Sizes.

Log Skidder LS-2	Forwarder & Harvester	Forestry Flotation	Agro-Forestry
<ul style="list-style-type: none"> <li>• Special forestry tread rubber compound.</li> <li>• Steel reinforced construction ensures a longer tire life.</li> <li>• Low lug angle (23 degrees) provides maximum traction and mobility.</li> <li>• Suitable for heavy duty applications.</li> </ul>  <p>345 Log Skidder</p>	<ul style="list-style-type: none"> <li>• Steel reinforced tires ensure high cuts and puncture resistance.</li> <li>• Special forestry compound.</li> <li>• Suitable for all kinds of terrains with and without chains / bogie trucks.</li> </ul>  <p>342 RADIAL Forwarders, Forestry Harvesters</p>  <p>343 Forwarders, Forestry Harvesters</p>  <p>344 Forwarders, Forestry Harvesters, Forestry Trailers</p>  <p>346 Forwarders, Forestry Harvesters</p>	<ul style="list-style-type: none"> <li>• Best suited for free rolling on forestry trailers.</li> <li>• Strong and thick sidewalls.</li> <li>• Protective mud guard ensure effective self-cleaning.</li> <li>• Engineered for long tire life under severe conditions in the forests.</li> </ul>  <p>328 Forestry Trailers, Forestry Harvesters</p>  <p>331 Forestry Trailers, Forestry Harvesters</p>  <p>380 Forestry Trailers</p>	<ul style="list-style-type: none"> <li>• Excellent traction and machine stability on slopes.</li> <li>• A strong bead bundle, with extra thick reinforced sidewall ensures better protection against external damages.</li> </ul>  <p>333 Forestry Tractors</p>  <p>347 Forestry Tractors</p>  <p>356 Forestry Tractors</p>  <p>360 Forestry Tractors</p>  <p>370 Forestry Tractors</p>  <p>385 Forestry Tractors</p>  <p>580 Forestry Tractors</p>

## FORESTRY

Alliance Forestry range of tires are developed for modern forestry machines such as harvesters, forwarders, log skidders and high power forestry tractors. These tires are also highly suitable for wheeled excavators, loaders, dumpers, backhoe loaders, industrial tractors and machines operating in severe terrain conditions. These tires are characterized by high traction, low slippage and high efficiency. The Alliance Forestry tire range consists of flotation tires for modern forwarders, harvesters and harwarders. Agro-Forestry R-1 tires have superior puncture resistance and are used in combined agricultural, forestry and industrial applications. Moreover Alliance Log Skidder LS-2, and forestry trailer tires augment the extensive range. All forestry tires from Alliance are steel belted.



AGRICULTURE



FLOTATION



FORESTRY



LHD & OTR

# FORESTRY

LOG SKIDDER FORESTRY LS-2 (STEEL BELTED)



345

### FORESTAR LS-2

- 18.4 - 26
- 23.1 - 26
- 28L - 26
- 16.9 - 30
- 18.4 - 30
- 24.5 - 32
- 30.5L - 32
- 35.5L - 32
- 18.4 - 34

FORWARDER & HARVESTER (STEEL BELTED)



342

### FORESTRY FLOTATION LS-2

- RADIAL**
- 600/50R 24.5
- 650/45R 24.5
- 710/40R 24.5
- 600/55R 26.5
- 710/45R 26.5
- 600/60R 28
- 600/65R 34
- 710/55R 34
- 650/65R 38
- 710/70R 42 (DES 365)

- DIAGONAL**
- 600/60 - 28
- 650/65 - 38



343

### FORESTAR FLOTATION LS-2

- 600/50 - 22.5
- 710/40 - 22.5
- 780/55 - 22.5\*
- 650/45 - 24.5
- 710/40 - 24.5
- 600/55 - 26.5
- 650/65 - 26.5
- 710/45 - 26.5
- 750/55 - 26.5
- 800/40 - 26.5
- 850/45 - 26.5

FORWARDER & HARVESTER (STEEL BELTED)



344

### FORESTAR FLOTATION LS-2

- 500/55 - 20\*
- 600/50 - 22.5
- 710/40 - 22.5
- 600/50 - 24.5\*
- 650/45 - 24.5
- 710/40 - 24.5
- 54x37.00 - 25
- 600/55 - 26.5
- 650/65 - 26.5
- 700/50 - 26.5
- 710/45 - 26.5
- 750/55 - 26.5
- 800/40 - 26.5
- 870/45 - 26.5



346

### FORESTAR FLOTATION LS-2

- 600/65 - 34
- 700/55 - 34
- 700/70 - 34

FORESTRY FLOTATION (STEEL BELTED)



328

### FORESTRY FLOTATION I-3

- 400/60 - 15.5
- 500/60 - 15.5
- 500/55 - 17
- 500/45 - 22.5
- 550/45 - 22.5



331

### FORESTRY FLOTATION I-3

- 500/50 - 20
- 500/60 - 22.5
- 550/45 - 22.5
- 600/40 - 22.5
- 600/50 - 22.5
- 700/45 - 22.5
- 710/40 - 22.5
- 500/60 - 26.5
- 600/55 - 26.5
- 700/50 - 26.5
- 710/45 - 26.5
- 800/45 - 26.5
- 600/60 - 30.5
- 700/50 - 30.5
- 800/45 - 30.5



380

### FORESTRY FLOTATION I-3

- 650/55 - 26.5
- 750/45 - 26.5

AGRO FORESTRY



333



### AGRO FORESTRY STEEL BELTED

- 320/85 - 24
- 380/85 - 24
- 340/85 - 28\*
- 380/85 - 28
- 420/85 - 28
- 420/85 - 30
- 460/85 - 30
- 420/85 - 34
- 460/85 - 34
- 420/85 - 38
- 460/85 - 38
- 520/85 - 38
- 520/85 - 42\*



347

### AGRO FORESTRY R-1

- 23.1 - 34



356

### AGRO FORESTRY R-1

- 11.2 - 24 16.9 - 38
- 12.4 - 24 18.4 - 38
- 13.6 - 24 20.8 - 38
- 14.9 - 24
- 18.4 - 26
- 13.6 - 28
- 14.9 - 28
- 16.9 - 28
- 14.9 - 30
- 16.9 - 30
- 18.4 - 30
- 16.9 - 34
- 18.4 - 34

\*Under development



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND. & OTR**

# FORESTRY

**AGRO FORESTRY**



**360**

### AGRO FORESTRY R-1W

- 480/65 - 24\*
- 480/65 - 28\*
- 540/65 - 28
- 600/65 - 28\*
- 600/65R 28\*
- 540/65 - 30\*
- 540/70 - 30\*
- 24.5 - 32
- 540/65 - 38\*
- 600/65 - 38\*
- 650/65 - 38
- 650/75 - 38\*
- 710/70R 38\*
- 650/65R 42\*



**370**

### AGRO FORESTRY R-1W

- 380/70 - 24
- 420/70 - 24
- 380/70 - 28
- 420/70 - 28
- 480/70 - 28
- 480/70 - 34
- 520/70 - 34
- 480/70 - 38
- 520/70 - 38
- 580/70 - 38



**385**

### AGRO FORESTRY R1-W

- 460/85 - 34
- 520/85 - 38



**580**

### AGRO FORESTRY R-4





- 400/70 - 20



# INDUSTRIAL & OTR




# INDUSTRIAL 42 Patterns,

BACKHOE LOADER	SKID STEER	MULTIUSE RADIAL	EARTHMOVER / LOADER / GRADER
<b>Radial</b>		<b>Radial</b>	<b>Diagonal</b>
<ul style="list-style-type: none"> <li>• Wide range of designs offering with front &amp; rear axle combinations.</li> <li>• Suitable for varied applications and terrain.</li> </ul>	<ul style="list-style-type: none"> <li>• Available in both radial &amp; diagonal constructions.</li> <li>• High performance tires engineered for skid steer applications.</li> </ul>	<ul style="list-style-type: none"> <li>• Largest range of sizes for Agro-Industrial / municipal tractor.</li> <li>• Ideal for multiple machines, application &amp; terrains.</li> </ul>	<ul style="list-style-type: none"> <li>• Wide range of robust traction designs for earthmovers, loaders &amp; graders.</li> </ul>
 500 Backhoe Loader	 Multiuse 550 Skid Steer	 Multiuse 550 Agro-Industrial Tractor,	 302 Earthmover / Loader / Grader
 Multiuse 550 Backhoe Loader	 906 Skid Steer	<b>EARTHMOVER / LOADER / GRADER</b>	
 570 Backhoe Loader	<b>COMPACT WHEEL LOADER</b>		 306 Earthmover / Loader / Grader
 606 Backhoe Loader	<ul style="list-style-type: none"> <li>• Wide range of radial and diagonal designs available for a wide variety of construction including compact wheel loader.</li> </ul>	<b>Radial</b>	 308 Earthmover / Loader / Grader
 608 Backhoe Loader	<b>Radial</b>	 600 Earthmover / Loader / Grader	 326 Earthmover / Loader / Grader
 580 HD Backhoe Loader	 Multiuse 550 Compact Wheel Loader	<b>E-2 / L-2 / G-2</b>	<b>E-3 / L-3 / G-3</b>
	 606 Compact Wheel Loader	<ul style="list-style-type: none"> <li>• Engineered for high traction &amp; superior performance on demanding terrain.</li> </ul>	 308 Earthmover / Loader / Grader
<b>Diagonal</b>	 608 Compact Wheel Loader	<b>E-3 / L-3 / G-3</b>	<b>E-3 / L-3 / G-3</b>
<ul style="list-style-type: none"> <li>• Wide range of designs offering with front &amp; rear axle combinations.</li> <li>• Suitable for varied applications and terrain.</li> </ul>	<b>Diagonal</b>	<ul style="list-style-type: none"> <li>• Heavy Duty OTR diagonal tires.</li> <li>• Superior wear resistant compound.</li> <li>• Reduces chipping and chunking.</li> </ul>	<ul style="list-style-type: none"> <li>• Heavy Duty OTR radial tires.</li> <li>• Superior wear resistant compound.</li> <li>• Reduces chipping and chunking.</li> </ul>
 239 Backhoe Loader	 225 Compact Wheel Loader	 650 Earthmover / Loader / Grader	 310 Earthmover / Loader / Grader
 321 Backhoe Loader	 317 Compact Wheel Loader	 690 Earthmover / Loader / Grader	 Super Grip 318 Earthmover / Loader / Grader
 533 Backhoe Loader	 323 Compact Wheel Loader	<b>Specialty Winter Radial</b>	
 321 HD Backhoe Loader	 Tough Trac 325 Compact Wheel Loader	<ul style="list-style-type: none"> <li>• New generation Multiuse OTR tires.</li> <li>• Can be used on snow, ice, sand &amp; also on hard surfaces.</li> </ul>	
 533 HD Backhoe Loader		 Multiuse 655 Earthmover / Loader / Grader	
 Tough Trac 325 Backhoe Loader			

# & OTR

## Over 250 Sizes.

EXCAVATOR	TELEHANDLER	TRANSPORT APPLICATION	INDUSTRIAL / PORT APPLICATION
<b>Radial</b>	<b>Diagonal</b>		<b>E-3</b>
<ul style="list-style-type: none"> <li>World-class &amp; innovative solutions for excavator applications.</li> <li>Dual Master &amp; Heavy Duty flotation sizes, engineered for large capacity machines &amp; for a variety of terrains.</li> </ul>	<ul style="list-style-type: none"> <li>Directional &amp; non-directional tread designs available for tele-handlers working on multiple terrains.</li> <li>Ideal for agricultural, industrial &amp; material handling.</li> </ul>	<ul style="list-style-type: none"> <li>Ideal for dump trucks and industrial platforms.</li> </ul>	<ul style="list-style-type: none"> <li>Superior abrasion &amp; heat resistant port compound enables these E-3 tires to last longer than competition.</li> </ul>
 <p><b>Dual Master 506</b> Excavator</p>	 <p><b>323</b> Telehandler</p>	 <p><b>210</b> Dump Trucks, High Speed vehicles, Industrial Platform</p>	 <p><b>309</b> Empty Container Handler</p>
 <p><b>Dual Master 528</b> Excavator</p>	 <p><b>TOUGH TRAC 325</b> Telehandler</p>	<b>MOBILE CRANE</b>	
 <p><b>624</b> Excavator</p>	<b>Radial</b>	<ul style="list-style-type: none"> <li>Engineered for multi-axle, High Speed mobile cranes.</li> <li>High stability &amp; load carrying capacity.</li> </ul>	 <p><b>311</b> Harbour Mobile Crane, Empty Container Handler</p>
 <p><b>380 HD</b> Excavator</p>	 <p><b>570</b> Telehandler</p>	 <p><b>630</b> Mobile Crane</p>	 <p><b>318</b> RTG / AGV</p>
 <p><b>390 HD</b> Excavator</p>	 <p><b>580</b> Telehandler</p>	<b>E-4.5</b>	
 <p><b>606</b> Telehandler</p>	 <p><b>606</b> Telehandler</p>	<ul style="list-style-type: none"> <li>Class leading E-4.5 tread depth.</li> <li>Designed for large capacity Reach Stacker.</li> </ul>	
 <p><b>608</b> Telehandler</p>	 <p><b>608</b> Telehandler</p>	 <p><b>315</b> Reach Stacker</p>	
<b>Diagonal</b>	<b>COMPACTOR</b>		
<ul style="list-style-type: none"> <li>World-class &amp; innovative solutions for excavator applications.</li> <li>Heavy Duty flotation sizes, engineered for large capacity machines &amp; for a variety of terrains.</li> </ul>	 <p><b>329</b> Compactor</p>	<b>Forklift</b> <ul style="list-style-type: none"> <li>New generation radial forklift tire for Heavy Duty industrial &amp; port applications.</li> </ul>	
 <p><b>224</b> Excavator</p>	 <p><b>330</b> Compactor</p>	 <p><b>504</b> Forklift</p>	
 <p><b>225</b> Excavator</p>			
 <p><b>331 HD</b> Excavator</p>			
 <p><b>344</b> Excavator</p>			

### INDUSTRIAL & OTR

Alliance tires, with its wide range provides customised solutions for a large variety of Industrial and Off-The-Road applications, provides customized solutions for a large variety of such applications. Dedicated tread pattern and construction for each specific application results in increased productivity and huge savings. Alliance OTR and Industrial tires are specially engineered with heat and cut resistant tread compounds for long life. The robust casing provides high strength and better performance.



**AGRICULTURE**

**FLOTATION**

**FORESTRY**

**IND & OTR**

**INDUSTRIAL & OTR**

**BACKHOE LOADER AGRO-INDUSTRIAL TRACTOR (RADIAL)**



**500**

**POWER GRIP RADIAL R-4**

17.5LR 24



**550**

**MULTIUSE STEEL BELTED R-4**

Backhoe Loader	Industrial Tractor	400/80R 24 IND	600/70R 30 IND
460/70R 24 IND	250/75R 16 IND*	420/65R 24 IND	440/80R 34 IND
500/70R 24 IND	250/80R 16 IND	440/80R 24 IND	480/80R 34 IND
480/65R 28 IND	340/80R 18 IND	460/65R 24 IND	480/80R 38 IND
	365/70R 18 IND	480/65R 24 IND	540/80R 38 IND
	400/70R 18 IND*	540/65R 24 IND	600/65R 38 IND
	405/70R 18 IND	480/80R 26 IND	650/65R 38 IND
	340/80R 20 IND	400/80R 28 IND	650/85R 38 IND
	360/70R 20 IND	440/80R 28 IND	620/80R 42 IND
	360/80R 20 IND	540/65R 28 IND	650/65R 42 IND
	300/80R 24 IND	440/80R 30 IND	710/70R 42 IND
	340/80R 24 IND	480/80R 30 IND	
	360/80R 24 IND	540/65R 30 IND	



**570**

**AGRO-INDUSTRIAL RADIAL R-4**

425/55R 17	<b>DIAGONAL</b>
500/85R 24	400/70-20
17.5LR 24	17.5L-24
19.5LR 24	

**EARTH MOVER**

<b>MPT</b>	405/70R 20
405/70R 20	
445/70R 24	
495/70R 24	
500/85R 30*	
620/70R 30*	



**580**

**AGRO-INDUSTRIAL RADIAL R-4**

280/80R 18	17.5LR 24	<b>MPT</b>
340/80R 18	(460/70R 24)	340/80R 20
(335/80R 18) IND	19.5LR 24	425/70R 20
280/80R 20	(500/70R 24)	
340/80R 20	440/80R 24	
380/75R 20	480/80R 26	
400/70R 20	(18.4R 26) IND	
(14.5R 20) IND	440/80R 28	
425/75R 20	500/70R 28	
(16.5R 20) IND		
405/70R 24		



**606**

**EARTH MOVER RADIAL**

335/80R 18
365/70R 18
405/70R 18
12.5R 20
16/70R 20
335/80R 20EM
365/80R 20EM
405/70R 20EM
315/80R 22.5*
16/70R 24
17.5/70R 24
405/70R 24EM
455/70R 24EM



**608**

**COMPACT MACHINERY**

<b>RADIAL</b>
335/80R 18#
365/70R 18
405/70R 18
335/80R 20
365/80R 20
405/70R 20
455/70R 20
405/70R 24*



AGRICULTURE



FLOTATION



FORESTRY



IND & OTR

# INDUSTRIAL & OTR

BACKHOE LOADER AGRO-INDUSTRIAL TRACTOR (DIAGONAL)



239

### STEERING WHEEL

14.5/75 - 16.1SL  
14 - 17.5



321

### CONSTRUCTION MACHINERY

10.5/80 - 18  
12.5/80 - 18  
12.5 - 18  
10.5 - 20  
12.5 - 20

### HEAVY DUTY

12.5/80 - 18



325

### TOUGH TRAC

280/80-18  
340/80-18\*  
280/80-20\*  
340/80-20\*  
400/70-20\*  
400/80-24  
440/80-24\*  
480/80-26\*  
440/80-28



533

### INDUSTRIAL TRACTOR R-4 REINFORCED

14.9 - 24    18.4 - 28  
15.5/80 - 24    16.9 - 30  
16.5/85 - 24  
16.9 - 24    **HEAVY DUTY**  
17.5L - 24    18.4 - 26  
18.4 - 24    16.9 - 28  
19.5L - 24  
21L - 24  
18.4 - 26  
16.5/85 - 28  
16.9 - 28

SKID STEER



550

### MULTIUSE STEEL BELTED R4

265/70R 16.5  
305/70R 16.5



906

### SKID STEER R-4

10-16.5  
12-16.5

COMPACT WHEEL LOADER (RADIAL)



550

### MULTIUSE STEEL BELTED R4

#### RADIAL

365/70R 18 IND  
405/70R 18 IND  
400/70R 20 IND  
405/70R 20 IND



606

### EARTH MOVER RADIAL

335/80R 18  
365/70R 18  
405/70R 18  
12.5R 20  
16/70R 20  
335/80R 20EM  
365/80R 20EM  
405/70R 20EM  
315/80R 22.5\*  
16/70R 24  
17.5/70R 24  
405/70R 24EM  
455/70R 24EM



608

### COMPACT MACHINERY

#### RADIAL

335/80R 18#  
365/70R 18  
405/70R 18  
335/80R 20  
365/80R 20  
405/70R 20  
455/70R 20  
405/70R 24\*



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND. & OTR**

**INDUSTRIAL & OTR**

**COMPACT WHEEL  
LOADER (DIAGONAL)**



**225**

**MPT - WIDE BASE**

**DIAGONAL**  
12.5 - 20  
12.5R 20  
405/70 - 20



**317**

**MPT**

**DIAGONAL** 10.5 - 20  
11.5/80 - 15 12.5 - 20  
10/75 - 15.3 14.5 - 20  
11.5/80 - 15.3 16/70 - 20  
10.5/80 - 18 405/70 - 20  
12/75 - 18  
12.5/80 - 18 **NHS**  
16/70 - 20 10.5 - 18  
12 - 18  
**MPT -** 12.5 - 18  
**WIDE BASE** 10.5 - 20  
10.5 - 18 12.5 - 20  
12.5 - 18 14.5 - 20



**323**

**TRACTION  
INDUSTRIAL**

**DIAGONAL**  
405/70 - 20  
405/70 - 24

**EARTHMOVER / LOADER / GRADER (RADIAL)  
E-2 / L-2 / G-2**



**600**

**ALL STEEL  
RADIAL EM  
LOADER-DOZER**  
15.5R 25  
17.5R 25

**TRANSPORT &  
GRADER**  
15.5R 25  
17.5R 25



**655**

**SPECIALITY  
WINTER OTR RADIAL**

14.00R 24\*  
15.5R 25  
17.5R 25  
20.5R 25  
23.5R 25\*

**EARTHMOVER / LOADER / GRADER (RADIAL)  
E-3 / L-3 / G-3**



**650**

**ALL STEEL RADIAL  
LOADER-DOZER**  
15.5R 25  
20.5R 25  
23.5R 25  
26.5R 25

**TRANSPORT &  
GRADER**  
15.5R 25  
20.5R 25  
23.5R 25  
26.5R 25



**690**

**ALL STEEL RADIAL  
LOADER-DOZER**  
17.5R 25  
**TRANSPORT &  
GRADER**  
17.5R 25



AGRICULTURE



FLOTATION



FORESTRY



IND. & OTR

# INDUSTRIAL & OTR

EARTHMOVER / LOADER / GRADER (DIAGONAL)  
E-2 / L-2 / G-2  
E-3 / L-3 / G-3



302

### SUPER GRIP

**LOADER-DOZER**  
13.00 - 24 TG  
14.00 - 24 TG  
15.5 - 25



306

### SUPER TRACTION

**LOADER-DOZER**  
13.00 - 24TG  
14.00 - 24TG  
16.00 - 24TG  
17.5 - 25  
20.5 - 25

**TRANSPORT**  
13.00 - 24  
14.00 - 24NHS  
17.5 - 25  
20.5 - 25



308

### LG SPECIAL

15.5 - 25  
17.5 - 25  
20.5 - 25



326

### WIDE GRIP 70 SERIES

<b>LOADER-DOZER</b>	<b>TRANSPORT</b>
16/70 - 20EM	16/70 - 20EM
405/70 - 20	405/70 - 20
16/70 - 24EM	16/70 - 24EM
20 - 24EM	20 - 24EM
22/70 - 24	22/70 - 24
405/70 - 24	405/70 - 24



310

### EM SPECIAL

16.00 - 24TG

### EM SPECIAL

16.00 - 24  
16.00 - 25



318

### SUPER GRIP

<b>LOADER-DOZER</b>	<b>TRANSPORT &amp; GRADER</b>
17.5 - 25	17.5 - 25
18.00 - 25	18.00 - 25
20.5 - 25	20.5 - 25
23.5 - 25	23.5 - 25
26.5 - 25	26.5 - 25
29.5 - 25	29.5 - 25



380 HD

### FLOTATION RADIAL HD

**HEAVY DUTY**  
620/40R 22.5



390 HD

### FLOTATION RADIAL HD

**HEAVY DUTY**  
600/50R 22.5



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

# INDUSTRIAL & OTR

EXCAVATOR RADIAL



**New**

**DUAL MASTER  
RADIAL**  
315/80R 22.5

**506**



**New**

**DUAL MASTER  
RADIAL**  
315/80R 22.5

**528**



**New**

**ALL STEEL  
RADIAL**  
18R 19.5\*  
18R 22.5\*

**624**

EXCAVATOR DIAGONAL



**224**

**CONSTRUCTION  
MACHINERY  
DIAGONAL**  
18 - 19.5



**225**

**MPT - WIDE BASE  
DIAGONAL**  
8.25 - 20  
9.00 - 20  
10.00 - 20  
11.00 - 20  
12.5 - 20  
15 - 22.5



**331 HD**

**FLOTATION I-3  
HEAVY DUTY**  
500/45 - 20  
600/40 - 22.5#  
600/50 - 22.5  
700/40 - 22.5

TELEHANDLER



**344**

**New**

**FLOTATION DIAGONAL**  
600/40-22.5\*



**570**

**AGRO-INDUSTRIAL  
RADIAL R-4**  
425/55R 17  
500/85R 24  
17.5LR 24  
19.5LR 24  
**DIAGONAL**  
400/70-20  
17.5L-24  
**MPT**  
405/70R 20  
445/70R 24  
495/70R 24  
500/85R 30\*  
620/70R 30\*



**580**

**AGRO-INDUSTRIAL  
RADIAL R-4**  
280/80R 18  
340/80R 18  
(335/80R 18) IND  
280/80R 20  
340/80R 20  
380/75R 20  
400/70R 20  
(14.5R 20) IND  
425/75R 20  
(16.5R 20) IND  
405/70R 24  
17.5LR 24  
19.5LR 24  
440/80R 24  
460/70R 24  
500/70R 24  
480/80R 26  
(18.4R 26) IND  
440/80R 28  
500/70R 28  
**MPT**  
340/80R 20  
425/70R 20



**606**

**EARTH MOVER RADIAL**  
335/80R 18  
365/70R 18  
405/70R 18  
12.5R 20  
16/70R 20  
335/80R 20EM  
365/80R 20EM  
405/70R 20EM  
315/80R 22.5\*  
16/70R 24  
17.5/70R 24  
405/70R 24EM  
455/70R 24EM



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

**INDUSTRIAL & OTR**

**TELE-HANDLER**



**608**

**COMPACT MACHINERY**

**RADIAL**

- 335/80R 18#
- 365/70R 18
- 405/70R 18
- 335/80R 20
- 365/80R 20
- 405/70R 20
- 455/70R 20
- 405/70R 24\*



**323**

**TRACTION INDUSTRIAL**

- DIAGONAL**
- 405/70 - 20
- 405/70 - 24



**325**

**TOUGH TRAC**

**DIAGONAL**

- 280/80-18
- 340/80-18\*
- 280/80-20\*
- 340/80-20\*
- 400/70-20\*
- 400/80-24
- 440/80-24\*
- 480/80-26\*
- 440/80-28\*

**COMPACTOR**



**329**

**DRIVE WHEEL R-3**

- 14.9 - 24
- 16.9 - 24
- 18.4 - 26
- 23.1 - 26
- 28L - 26
- 13.6 - 28

**HEAVY DUTY**

- 23.1 - 26
- 28L - 26



**330**

**DRIVE WHEEL R-3**

- 23.1 - 26
- 28L - 26

**HEAVY DUTY**

- 23.1 - 26
- 28L - 26

**TRANSPORT APPLICATIONS**



**210**

**SUPER TRANSPORT LUG**

- 11.00 - 20
- 12.00 - 20
- 11.00 - 24
- 12.00 - 24

\*Under development  
# Available in Steel Belt



**AGRICULTURE**



**FLOTATION**



**FORESTRY**



**IND & OTR**

# INDUSTRIAL & OTR

**MOBILE CRANE  
RADIAL**



**630**

**MOBILE CRANE  
RADIAL**

16.00R 25

**INDUSTRIAL /  
PORT APPLICATION**



**309**

**PORT STAR E-3**

14.00 - 24



**311**

**SUPER TRAC  
E-3**

14.00 - 24  
14.00 - 25  
16.00 - 25\*  
21.00 - 25\*



**315**

**PORT STAR+  
E-4.5**

18.00 - 25



**318**

**SUPER GRIP  
E-3**

18.00 - 25

**FORKLIFT**




**504**

**FORKLIFT RADIAL**

9.00R 20\*  
10.00R 20\*  
12.00R 20\*  
12.00R 24\*  
14.00R 24\*





## OFFICES:

### ATC Tires India Pvt. Ltd.

Unit No. 6 & 7, High Street Phoenix A Wing, Phoenix Mills Compound, 462 Senapati Bapat Marg,  
Lower Parel, Mumbai - 400 013. Tel: +91 22 39579600, Fax: +91 22 39579699.

### Alliance Tire Company Ltd.

PO BOX No. 48  
Hadera 38100 Israel.  
TEL: 972 4 624 0520  
FAX: 972 4 624 0555

### Alliance Tire Europe BV

Vang 14A, 3320  
PO BOX: 149, 4660AC  
Halsteren, The Netherlands  
Tel: +31 (0) 164 676270  
Fax: +31 (0) 164 676289

### Alliance Tire Americas Inc.

201 Edgewater Drive, Suite 285  
Wakefield, MA 01880  
Tel: 781-321-3910  
Toll Free: 800-343-3276  
Fax: 781-322-2147

### Alliance Tire Africa (Pty) Ltd.

PO BOX 19094, Linton Grange  
Port Elizabeth, 6015, ZA  
Tel: 27 41 3651097  
Fax: 27 41 3653304

Media contact: [contact@atgtire.com](mailto:contact@atgtire.com)

### Regional offices & representatives

• Argentina • Australia • Brazil • Canada • China • France • Germany • Iberia • India • Israel • Italy • Russia • Scandinavia • South Africa • The Netherlands • Turkey • Ukraine • UK • USA

Distributor:

Disclaimer:

Tire specifications mentioned in this document are subject to change with no prior intimation or notice. Please visit [www.atgtire.com](http://www.atgtire.com) for updated information and details.