


**II-VI** INFRARED

... the world leader in CO<sub>2</sub> laser optics


## CO<sub>2</sub> LASER NOZZLES AND ACCESSORIES



**FOR PRIMA INDUSTRIE LASERS**



888.558.1504 (toll-free) • 724.352.1504 (phone) • 724.352.4980 (fax) • [www.iivinfrared.com](http://www.iivinfrared.com)

**II-VI**




POS	II-VI p/n	OEM p/n	DESCRIPTION
1	L70	490.76.102	PRIMA I.® NOZZLE Ø 0.3 COPPER CYLINDRICAL
	L3070	490.76.102	PRIMA I.® NOZZLE Ø 0.3 COPPER CYLINDRICAL -- package contains 10 pcs
	L74		PRIMA I.® NOZZLE Ø 1.0 BRASS CYLINDRICAL
	L3074		PRIMA I.® NOZZLE Ø 1.0 BRASS CYLINDRICAL -- package contains 10 pcs
	L418		PRIMA I.® NOZZLE Ø 1.0 COPPER CYLINDRICAL
	L30418		PRIMA I.® NOZZLE Ø 1.0 COPPER CYLINDRICAL -- package contains 10 pcs
	L416		PRIMA I.® NOZZLE Ø 1.2 COPPER CYLINDRICAL
	L30416		PRIMA I.® NOZZLE Ø 1.2 COPPER CYLINDRICAL -- package contains 10 pcs
	L54	485.73.321	PRIMA I.® NOZZLE Ø 1.5 BRASS CYLINDRICAL
	L3054	485.73.321	PRIMA I.® NOZZLE Ø 1.0 BRASS CYLINDRICAL -- package contains 10 pcs
	L419		PRIMA I.® NOZZLE Ø 1.5 COPPER CYLINDRICAL
	L30419		PRIMA I.® NOZZLE Ø 1.5 COPPER CYLINDRICAL -- package contains 10 pcs
	L417		PRIMA I.® NOZZLE Ø 1.7 COPPER CYLINDRICAL
	L30417		PRIMA I.® NOZZLE Ø 1.7 COPPER CYLINDRICAL -- package contains 10 pcs
	L55	485.73.322	PRIMA I.® NOZZLE Ø 2.0 BRASS CYLINDRICAL
	L3055	485.73.322	PRIMA I.® NOZZLE Ø 2.0 BRASS CYLINDRICAL -- package contains 10 pcs
	L420		PRIMA I.® NOZZLE Ø 2.0 COPPER CYLINDRICAL
	L30420		PRIMA I.® NOZZLE Ø 2.0 COPPER CYLINDRICAL -- package contains 10 pcs
	L204	485.73.323	PRIMA I.® NOZZLE Ø 2.5 BRASS CYLINDRICAL
	L30204	485.73.323	PRIMA I.® NOZZLE Ø 2.5 BRASS CYLINDRICAL -- package contains 10 pcs
	L421		PRIMA I.® NOZZLE Ø 2.5 COPPER CYLINDRICAL
	L30421		PRIMA I.® NOZZLE Ø 2.5 COPPER CYLINDRICAL -- package contains 10 pcs
	L205	485.73.324	PRIMA I.® NOZZLE Ø 3.0 BRASS CYLINDRICAL
	L30205	485.73.324	PRIMA I.® NOZZLE Ø 3.0 BRASS CYLINDRICAL -- package contains 10 pcs
	L422		PRIMA I.® NOZZLE Ø 3.0 COPPER CYLINDRICAL
	L30422		PRIMA I.® NOZZLE Ø 3.0 COPPER CYLINDRICAL -- package contains 10 pcs
	L418X		PRIMA I.® NOZZLE Ø 1.0 CP
	L30418X		PRIMA I.® NOZZLE Ø 1.0 CP -- package contains 10 pcs
	L416X		PRIMA I.® NOZZLE Ø 1.2 CP
	L30416X		PRIMA I.® NOZZLE Ø 1.2 CP -- package contains 10 pcs
	L419X	485.73.421	PRIMA I.® NOZZLE Ø 1.5 CP
	L30419X	485.73.421	PRIMA I.® NOZZLE Ø 1.5 CP -- package contains 10 pcs
	L417X		PRIMA I.® NOZZLE Ø 1.7 CP
	L30417X		PRIMA I.® NOZZLE Ø 1.7 CP -- package contains 10 pcs
	L420X	485.73.422	PRIMA I.® NOZZLE Ø 2.0 CP
	L30420X	485.73.422	PRIMA I.® NOZZLE Ø 2.0 CP -- package contains 10 pcs
	L421X	485.73.423	PRIMA I.® NOZZLE Ø 2.5 CP
	L30421X	485.73.423	PRIMA I.® NOZZLE Ø 2.5 CP -- package contains 10 pcs
	L422X	485.73.424	PRIMA I.® NOZZLE Ø 3.0 CP
	L30422X	485.73.424	PRIMA I.® NOZZLE Ø 3.0 CP -- package contains 10 pcs






POS	II-VI p/n	OEM p/n	DESCRIPTION
1	L631		PRIMA I.® NOZZLE Ø 0.3
	L30631		PRIMA I.® NOZZLE Ø 0.3 -- package contains 10 pcs
	L632		PRIMA I.® NOZZLE Ø 1.0
	L30632		PRIMA I.® NOZZLE Ø 1.0 -- package contains 10 pcs
	L637		PRIMA I.® NOZZLE Ø 1.2
	L30637		PRIMA I.® NOZZLE Ø 1.2 -- package contains 10 pcs
	L633		PRIMA I.® NOZZLE Ø 1.5
	L30633		PRIMA I.® NOZZLE Ø 1.5 -- package contains 10 pcs
	L638		PRIMA I.® NOZZLE Ø 1.7
	L30638		PRIMA I.® NOZZLE Ø 1.7 -- package contains 10 pcs
	L634		PRIMA I.® NOZZLE Ø 2.0
	L30634		PRIMA I.® NOZZLE Ø 2.0 -- package contains 10 pcs
	L635		PRIMA I.® NOZZLE Ø 2.5
	L30635		PRIMA I.® NOZZLE Ø 2.5 -- package contains 10 pcs
	L636		PRIMA I.® NOZZLE Ø 3.0
	L30636		PRIMA I.® NOZZLE Ø 3.0 -- package contains 10 pcs
2	L1235X	485.73.451	PRIMA I.® NOZZLE Ø 1.5 CP CON-CYL
	L301235X	485.73.451	PRIMA I.® NOZZLE Ø 1.5 CP CON-CYL -- package contains 10 pcs
	L1236X	485.73.452	PRIMA I.® NOZZLE Ø 2.0 CP CON-CYL
	L301236X	485.73.452	PRIMA I.® NOZZLE Ø 2.0 CP CON-CYL -- package contains 10 pcs
	L1237X	485.73.453	PRIMA I.® NOZZLE Ø 2.5 CP CON-CYL
	L301237X	485.73.453	PRIMA I.® NOZZLE Ø 2.5 CP CON-CYL -- package contains 10 pcs




POS	II-VI p/n	OEM p/n	DESCRIPTION
1	L62	490.76.103	PRIMA I.® NOZZLE Ø 0.3 CONICAL COPPER
	L450		PRIMA I.® NOZZLE Ø 1.0 CONICAL COPPER
	L30450		PRIMA I.® NOZZLE Ø 1.0 CONICAL COPPER -- package contains 10 pcs
	L451		PRIMA I.® NOZZLE Ø 1.2 CONICAL COPPER
	L30451		PRIMA I.® NOZZLE Ø 1.2 CONICAL COPPER -- package contains 10 pcs
	L206	485.73.331	PRIMA I.® NOZZLE Ø 1.5 CONICAL BRASS
	L30206	485.73.331	PRIMA I.® NOZZLE Ø 1.5 CONICAL BRASS -- package contains 10 pcs
	L424		PRIMA I.® NOZZLE Ø 1.5 CONICAL COPPER
	L30424		PRIMA I.® NOZZLE Ø 1.5 CONICAL COPPER -- package contains 10 pcs
	L426		PRIMA I.® NOZZLE Ø 1.7 CONICAL COPPER
	L30426		PRIMA I.® NOZZLE Ø 1.7 CONICAL COPPER -- package contains 10 pcs
	L57	485.73.333	PRIMA I.® NOZZLE Ø 2.0 CONICAL BRASS
	L3057	485.73.333	PRIMA I.® NOZZLE Ø 2.0 CONICAL BRASS -- package contains 10 pcs
	L425		PRIMA I.® NOZZLE Ø 2.0 CONICAL COPPER
	L30425		PRIMA I.® NOZZLE Ø 2.0 CONICAL COPPER -- package contains 10 pcs
	L449	485.73.333	PRIMA I.® NOZZLE Ø 2.5 CONICAL BRASS
	L30449	485.73.333	PRIMA I.® NOZZLE Ø 2.5 CONICAL BRASS -- package contains 10 pcs
	L427		PRIMA I.® NOZZLE Ø 2.5 CONICAL COPPER
	L30427		PRIMA I.® NOZZLE Ø 2.5 CONICAL COPPER -- package contains 10 pcs
	L450X		PRIMA I.® NOZZLE Ø 1.0 CP
	L30450X		PRIMA I.® NOZZLE Ø 1.0 CP -- package contains 10 pcs
	L451X		PRIMA I.® NOZZLE Ø 1.2 CP
	L30451X		PRIMA I.® NOZZLE Ø 1.2 CP -- package contains 10 pcs
	L424X	485.73.431	PRIMA I.® NOZZLE Ø 1.5 CP
	L30424X	485.73.431	PRIMA I.® NOZZLE Ø 1.5 CP -- package contains 10 pcs
	L426X		PRIMA I.® NOZZLE Ø 1.7 CP
	L30426X		PRIMA I.® NOZZLE Ø 1.7 CP -- package contains 10 pcs
	L425X	485.73.433	PRIMA I.® NOZZLE Ø 2.0 CP
	L30425X	485.73.433	PRIMA I.® NOZZLE Ø 2.0 CP -- package contains 10 pcs
	L427X		PRIMA I.® NOZZLE Ø 2.5 CP
	L30427X		PRIMA I.® NOZZLE Ø 2.5 CP -- package contains 10 pcs
2	AL136		PRIMA I.® INSULATING RING-PLASTIC - HEAD 5"
	AL163		PRIMA I.® INSULATING RING-PLASTIC - HEAD 7.5"






POS	II-VI p/n	OEM p/n	DESCRIPTION
1	L532		PRIMA I.® NOZZLE Ø 0.8
	L312		PRIMA I.® NOZZLE Ø 1.0
	L207	LW6.1E.111	PRIMA I.® NOZZLE Ø 1.5
	L208	LW6.1E.112	PRIMA I.® NOZZLE Ø 2.0
	L209	LW6.1E.113	PRIMA I.® NOZZLE Ø 2.5
	L210	LW6.1E.114	PRIMA I.® NOZZLE Ø 3.0
	L312X		PRIMA I.® NOZZLE Ø 1.0 CP
	L362X		PRIMA I.® NOZZLE Ø 1.2 CP
	L207X	LW6.1E.111	PRIMA I.® NOZZLE Ø 1.5 CP
	L208X	LW6.1E.112	PRIMA I.® NOZZLE Ø 2.0 CP
	L209X	LW6.1E.113	PRIMA I.® NOZZLE Ø 2.5 CP
	L210X	LW6.1E.114	PRIMA I.® NOZZLE Ø 3.0 CP
2	L608	LW6.1G.500-LW6.1G.600	PRIMA I.® NOZZLE Ø 1.5
	L609	LW6.1G.501-LW6.1G.601	PRIMA I.® NOZZLE Ø 2.0
	L610	LW6.1G.502-LW6.1G.602	PRIMA I.® NOZZLE Ø 2.5
	L611	LW6.1G.503-LW6.1G.603	PRIMA I.® NOZZLE Ø 3.0
	L609X	LW6.1G.501-LW6.1G.601	PRIMA I.® NOZZLE Ø 2.0 CP
	L610X	LW6.1G.502-LW6.1G.602	PRIMA I.® NOZZLE Ø 2.5 CP
	L611X	LW6.1G.503-LW6.1G.603	PRIMA I.® NOZZLE Ø 3.0 CP
3	L900X	1059.70000.003	PRIMA I.® DOUBLE NOZZLE Ø 1.0 CP
	L907X	1059.70000.008	PRIMA I.® DOUBLE NOZZLE Ø 1.25 CP
	L901X	1059.70000.004	PRIMA I.® DOUBLE NOZZLE Ø 1.5 CP
	L906X	1059.70000.009	PRIMA I.® DOUBLE NOZZLE Ø 1.75 CP
	L902X	1059.70000.005	PRIMA I.® DOUBLE NOZZLE Ø 2.0 CP
	L903X	1059.70000.006	PRIMA I.® DOUBLE NOZZLE Ø 2.5 CP
	L904X	1059.70000.007	PRIMA I.® DOUBLE NOZZLE Ø 3.0 CP



POS	II-VI p/n	OEM p/n	DESCRIPTION
1	L862		PRIMA I.® NOZZLE Ø 1.0
	L863		PRIMA I.® NOZZLE Ø 1.5
	L864		PRIMA I.® NOZZLE Ø 2.0
	L865		PRIMA I.® NOZZLE Ø 2.5
	L866		PRIMA I.® NOZZLE Ø 3.0
2	L1165X	LW6.1G.650	PRIMA I.® NOZZLE Ø 3.0 CP
3	L1208X	LW6. 1G. 608	PRIMA I.® NOZZLE Ø 3.0 DL TYPE CP
	L1209X	LW6. 1G. 609	PRIMA I.® NOZZLE Ø 3.5 DL TYPE CP
4	L1167X	LW6. 1G. 604	PRIMA I.® NOZZLE Ø 1.5 CP
	L1168X	LW6. 1G. 605	PRIMA I.® NOZZLE Ø 2.0 CP
	L1169X	LW6. 1G. 606	PRIMA I.® NOZZLE Ø 2.5 CP
	L1170X	LW6. 1G. 607	PRIMA I.® NOZZLE Ø 3.0 CP





**SEE NEXT PAGE (PG. 8) FOR PART NUMBERS**

POS	II-VI p/n	OEM p/n	DESCRIPTION
1	L1175	787.04.508	PRIMA I.® NOZZLE Ø 1.5
	L1176	787.04.509	PRIMA I.® NOZZLE Ø 2.0
	L1177	787.04.510	PRIMA I.® NOZZLE Ø 2.5
	L1178	787.04.511	PRIMA I.® NOZZLE Ø 3.0
2	L535	0	PRIMA I.® NOZZLE Ø 1.5
	L536	0	PRIMA I.® NOZZLE Ø 2.0
	L537	0	PRIMA I.® NOZZLE Ø 2.5
3	L891		PRIMA I.® NOZZLE Ø 1.0
	L892	750.42.550	PRIMA I.® NOZZLE Ø 1.5
	L893	750.42.551	PRIMA I.® NOZZLE Ø 2.0
	L894	750.42.552	PRIMA I.® NOZZLE Ø 2.5
	L895	750.42.553	PRIMA I.® NOZZLE Ø 3.0
	L891X		PRIMA I.® NOZZLE Ø 1.0 CP
	L892X	750.42.550	PRIMA I.® NOZZLE Ø 1.5 CP
	L893X	750.42.551	PRIMA I.® NOZZLE Ø 2.0 CP
	L894X	750.42.552	PRIMA I.® NOZZLE Ø 2.5 CP
	L895X	750.42.553	PRIMA I.® NOZZLE Ø 3.0 CP
4	L875		PRIMA I.® L.W. NOZZLE Ø 1.0
	L876		PRIMA I.® L.W. NOZZLE Ø 1.5
	L877	LW3.1E.102	PRIMA I.® L.W. NOZZLE Ø 2.0
	L878	LW3.1E.103	PRIMA I.® L.W. NOZZLE Ø 2.5
	L879	LW3.1E.104	PRIMA I.® L.W. NOZZLE Ø 3.0
5	L1239X	520.17.111	PRIMA I.® DOUBLE NOZZLE Ø 1.5 CP
	L1240X	520.17.114	PRIMA I.® DOUBLE NOZZLE Ø 2.0 CP
	L1241X	750.43.560	PRIMA I.® DOUBLE NOZZLE Ø 2.5 CP
	L1242X	750.43.561	PRIMA I.® DOUBLE NOZZLE Ø 3.0 CP
	L1243X	750.43.562	PRIMA I.® DOUBLE NOZZLE Ø 3.5 CP
6	L1211X	787.04.515	PRIMA I.® NOZZLE Ø 1.25 CP
	L1212X	787.04.512	PRIMA I.® NOZZLE Ø 1.5 CP
	L1217X	787.04.516	PRIMA I.® NOZZLE Ø 1.75 CP
	L1213X	787.04.513	PRIMA I.® NOZZLE Ø 2.0 CP
	L1214X	787.04.514	PRIMA I.® NOZZLE Ø 2.5 CP
7	AL259	1058.36520.720	PRIMA I.® GASKET FOR LENS
8	L1198		PRIMA I.® OPTIMO WELDING NOZZLE COPPER


**SEE PREVIOUS PAGE (PG. 7) FOR PART DRAWINGS**



**II-VI INFRARED**

... the world leader in CO<sub>2</sub> laser optics

## FOR ALL OF YOUR REPLACEMENT OPTIC NEEDS



888.558.1504 (toll-free) • 724.352.1504 (phone) • 724.352.4980 (fax) • [www.iiviiinfrared.com](http://www.iiviiinfrared.com)

**II-VI**

BEYOND NOZZLES

## HOW TO ORDER

If you are unsure of what nozzles you need contact our trained staff for assistance.

Customers in the USA and Canada can call toll-free: 888.558.1504.

Customers outside of the USA and Canada can call: 724.352.1504.

Customers in Europe and Asia can also contact a II-VI Subsidiary Office (see back cover for details).

Catalog revised January 2010 and copyrighted by II-VI Incorporated.

All orders received by II-VI Incorporated ("II-VI") are expressly conditioned upon the following conditions of sale:

### 1) Acceptance

Any additional or different terms set forth in any purchase order or other communication from Buyer are objected to and not binding upon II-VI unless and until accepted in writing by an authorized representative of II-VI.

### 2) Standard Warranty

II-VI warrants to the Buyer of each product of II-VI's own manufacture ("Product") that each Product will be free from defects in materials and workmanship subject to the following conditions:

The obligations of II-VI under this Standard Warranty shall be limited to either, at the option of II-VI: (1) the replacement or repair of any Product upon the shipment of such Product, freight prepaid by Buyer to the II-VI factory; or (2) the provision to Buyer of a credit against future purchases in an amount equal to the purchase price of the defective Product.

IN NO EVENT WILL II-VI BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES OF BUYER. THE FOREGOING REMEDIES ARE THE SOLE AND EXCLUSIVE REMEDY OF BUYER FOR ANY BREACH OF WARRANTY UNDER THIS CONTRACT.

All claims under this Standard Warranty must be made within ONE (1) YEAR after the date on which the Product was delivered to Buyer. In the case of a replacement or repair of a Product, Buyer shall only ship a defective Product to II-VI after an authorized representative of II-VI has provided a Return Authorization (RA) number for such warranty claim. Returns will be subject to a restocking fee.

With respect to such returns, Buyer is solely responsible for properly packaging any Product to be returned to II-VI under this Standard Warranty. Products must be packaged in their original manufacturer's packaging or equivalent. Products must be packaged in separate shipping containers with Return Authorization (RA) numbers clearly marked on the outside of the shipping containers. If there are questions regarding proper packaging and shipping, contact II-VI for guidelines. II-VI will not be responsible for replacing or repairing any Product damaged while in transit to II-VI due to faulty or deficient packaging.

This Standard Warranty shall be void and shall not apply with respect to any Product which, upon inspection by II-VI, shows evidence of damage as a result of abuse, misuse, mishandling, accidental damage, alteration, negligent handling, or improper installation or application, or as a result of alteration or other causes beyond the control of II-VI.

This Standard Warranty shall not apply to goods or parts included in or supplied with Products; such goods or parts carry only such warranties, if any, as are provided by the manufacturers of such goods or parts, which warranties may be more restrictive than the Standard Warranty provided by II-VI.

With respect to any previously-purchased Product, II-VI shall have no obligation to install updates or upgrades to any components in such Product, even if the exclusion of such updates or upgrades of such components renders such Product obsolete when compared to a new Product of a substantially similar type.

THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION CONTAINED HEREIN. THIS WARRANTY VOIDS AND EXCLUDES ANY AND ALL OTHER WARRANTIES OR REPRESENTATIONS, WHETHER EXPRESS OR IMPLIED OR ARISING UNDER ANY LAW, RELATING TO THE GOODS, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR ANY PARTICULAR PURPOSES.

NO PERSON, FIRM, OR CORPORATION IS AUTHORIZED TO ASSUME ON BEHALF OF II-VI ANY ADDITIONAL OBLIGATION OR LIABILITY NOT EXPRESSLY PROVIDED HEREIN, EXCEPT IN A WRITING DULY EXECUTED BY AN OFFICER OF II-VI.

### 3) Limitation of Liability

In no event shall II-VI be liable for any incidental or consequential damages. The liability of II-VI on any claim of any kind shall in no event exceed the price of the Product which gives rise to the claim. Except as to title, all such liability shall terminate upon expiration of the warranty period of the Product.

The invalidity of any of the previous paragraphs shall not affect the remainder of this paragraph or any other paragraph in this section.

### 4) Patent Infringement

Buyer shall hold II-VI harmless against any expense or loss resulting from infringement of patents or trademarks arising from compliance with Buyer's designs or specifications.

### 5) Delivery and Title

Delivery dates are approximate and are based upon prompt receipt of all necessary information from Buyer. Under no circumstances does II-VI guarantee date of shipment.

Unless otherwise specified by II-VI, shipment will be made and title will pass F.O.B. point of shipment. II-VI shall ship Products as it deems appropriate unless instructed otherwise in writing by Buyer.

### 6) Risk of Loss

Risk of loss or damage shall pass to Buyer upon shipment. Loss or damage that occurs during shipping by a carrier selected by Buyer is Buyer's responsibility.

### 7) Uncontrollable Delays

II-VI shall not be liable for delivery delays due to causes beyond its reasonable control including, but not limited to, acts of God, acts of Buyer, acts of military authority, governmental priorities, labor strikes, and transportation delays.

### 8) Financial Conditions

If II-VI determines in good faith that the financial condition of Buyer at any time does not justify the continuation of production or shipment on the terms of payment originally specified, II-VI may require full or partial payment in advance. In the event of Buyer bankruptcy or insolvency, II-VI shall be entitled to cancel any outstanding order and shall receive reimbursement for its cancellation charges.

### 9) Payment Terms

Unless terms are specifically set forth on the Order Acknowledgement, Buyer shall pay at such time and such terms as specified in II-VI's original invoice. Any quotations shall be valid for the period stated on the quotation.

### 10) Cancellation

Buyer may not cancel its order after shipment has been made. Buyer may cancel its order prior to shipment only upon written notice and consent of II-VI. If II-VI consents to any such cancellation, Buyer may be required to pay cancellation charges which include lost profits and all expenses incurred in connection with the cancelled order.

### 11) Jurisdiction

The validity, performance, and all matters relating to the interpretation and effect of this agreement shall be governed by the laws of the Commonwealth of Pennsylvania.



## **WORLDWIDE SALES OFFICES**

To place an order, contact a II-VI sales representative at any of the following locations, or log onto [www.iiviinfrared.com/contact](http://www.iiviinfrared.com/contact) for our most complete and up-to-date contact information.

### **II-VI INFRARED**

375 SAXONBURG BLVD  
SAXONBURG, PA 16056  
UNITED STATES

888-558-1504 (toll-free in USA)  
724-352-1504 (phone)  
724-352-4980 (fax)  
[info@iiviinfrared.com](mailto:info@iiviinfrared.com) (email)

### **II-VI WEST**

36570 BRIGGS ROAD  
MURRIETA, CA 92563  
USA

800.262.5273 (toll free in USA)  
951.926.7640 (phone)  
951.926.1984 (fax)  
[info@iiviinfrared.com](mailto:info@iiviinfrared.com)

### **II-VI BENELUX N.V.**

BAAIKENSSTRAAT 21/2  
9240 ZELE  
BELGIUM

32 (0) 52 45 86 10 (phone)  
32 (0) 52 45 86 11 (fax)  
[sales@ii-vi.be](mailto:sales@ii-vi.be) (email)

### **II-VI DEUTSCHLAND GmbH**

IM TIEFEN SEE 58  
D-64293 DARMSTADT  
GERMANY

49 6151 880 629 (phone)  
49 6151 896 667 (fax)  
[info@ii-vi.de](mailto:info@ii-vi.de) (email)

### **II-VI ITALIA S.r.l.**

VIA ANDREA COSTA  
31-20131 MILANO  
ITALY

39 02 28995701 (phone)  
39 02 26149131 (fax)  
[info@ii-vi.it](mailto:info@ii-vi.it) (email)

### **II-VI SUISSE S.a.r.l.**

MOULIN-DU-CHOC  
1122 ROMANEL-SUR-MORGES  
SWITZERLAND

41 2186 902 52 (phone)  
41 2186 993 08 (fax)  
[info@ii-vi-lot.ch](mailto:info@ii-vi-lot.ch) (email)

### **II-VI UK LTD.**

21 BURLEY ROAD  
OAKHAM, RUTLAND  
LE15 6DH  
ENGLAND

44 1572 771 778 (phone)  
44 1572 771 779 (fax)  
[salesii-vi@oakham.uk.com](mailto:salesii-vi@oakham.uk.com) (email)

### **II-VI JAPAN**

WBG MARIVE EAST 17F  
2-6 NAKASE, MIHAMA-KU  
CHIBA-SHI, CHIBA 261-7117  
JAPAN

81 43297 2693 (phone)  
81 43297 3003 (fax)  
[center@ii-vi.co.jp](mailto:center@ii-vi.co.jp) (email)

### **II-VI SINGAPORE PTE. LTD.**

BLK. 5012, TECHPLACE II  
#04-07 & 05-07/12,  
ANG MO KIO AVE. 5  
SINGAPORE 569876

65 6481 8215 (phone)  
65 6481 8702 (fax)  
[info@ii-vi.com.sg](mailto:info@ii-vi.com.sg) (email)

### **II-VI TRADING (SUZHOU) CO. LTD.**

BLOCK D#01-01/04  
NO. 5 XING HANS STREET  
SUZHOU INDUSTRIAL PARK  
SUZHOU, CHINA 215021

86 512 6761 9295 (phone)  
86 512 6767 1207 (fax)  
[twosix@ii-vi.com.cn](mailto:twosix@ii-vi.com.cn) (email)

[www.iiviinfrared.com](http://www.iiviinfrared.com)